

# DBMP17H2PJK87

### DBMP17H2PJK87 Information

Contract terrors contracts	 DBMP17H2PJK87 ITT Cannon, LLC Connectors, Interconnects D-Sub Connectors CONN D-SUB PLUG 17POS R/A SOLDER - For the pricing/inventory/lead time, please contact	
For Reference Only	us Website: https://www.heisener.com E-mail: salesdept@heisener.com	Request a Quote

## **Certified Quality**

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.



### DBMP17H2PJK87 Specifications

ManufacturerITT Cannon, LLCConnectors, InterconnectsD-Sub ConnectorsPackage-SeriesCombo D?, D*MConnector StyleD-Sub ConneotorsConnector TypePlug, Male PinsConnector Style17 (15 + 2 Power)Number of Positions3 (DB, B) - 17W2Shell Size, Connector LayoutSignal and PowerContact TypeBoard Side (4-40)Panel Mount, Through Hole, Right AngleFlange FeatureGolderFeaturesGrounding Indents, Mounting Brackets, ShieldedShell Material, FinishSteel, Tin-Nickel PlatedContact Finish ThicknessFlashIngress Protection-		
CategoryConnectors, InterconnectsD-Sub ConnectorsPackage-SeriesCombo D?, D*MConnector StyleD-Sub, ComboConnector TypePlug, Male PinsNumber of Positions17 (15 + 2 Power)Number of Rows2Shell Size, Connector Layout3 (DB, B) - 17W2Contact TypePanel Mount, Through Hole, Right AnglePanel Mounting TypePoard Side (4-40)Flange FeatureSolderFeaturesGrounding Indents, Mounting Brackets, ShieldedShell Material, FinishSteel, Tin-Nickel PlatedContact Finish ThicknessFlashIngress Protection-Material Flammability RatingUL94 V-0	Manufacturer Part Number	DBMP17H2PJK87
D-Sub ConnectorsPackage-SeriesCombo D?, D*MConnector StyleD-Sub, ComboConnector TypePlug, Male PinsNumber of Positions17 (15 + 2 Power)Number of Rows2Shell Size, Connector Layout3 (DB, B) - 17W2Contact TypePanel Mount, Through Hole, Right AngleFlange FeatureBoard Side (4-40)FeaturesGrounding Indents, Mounting Brackets, ShieldedShell Material, FinishSteel, Tin-Nickel PlatedContact Finish ThicknessFlashIngress Protection-Material Flammability RatingUL94 V-0	Manufacturer	ITT Cannon, LLC
Package-SeriesCombo D?, D*MConnector StyleD-Sub, ComboConnector TypePlug, Male PinsNumber of Positions17 (15 + 2 Power)Number of Rows2Shell Size, Connector Layout3 (DB, B) - 17W2Contact TypeSignal and PowerMounting TypePanel Mount, Through Hole, Right AngleFlange FeatureBoard Side (4-40)FeaturesSolderShell Material, FinishSteel, Tin-Nickel PlatedContact Finish ThicknessGoldContact Finish ThicknessFlashIngress Protection-Material Flammability RatingUL94 V-0	Category	Connectors, Interconnects
SeriesCombo D?, D*MConnector StyleD-Sub, ComboConnector TypePlug, Male PinsNumber of Positions17 (15 + 2 Power)Number of Rows2Shell Size, Connector Layout3 (DB, B) - 17W2Contact TypeSignal and PowerMounting TypePanel Mount, Through Hole, Right AngleFlange FeatureBoard Side (4-40)FeaturesGrounding Indents, Mounting Brackets, ShieldedShell Material, FinishSteel, Tin-Nickel PlatedContact Finish ThicknessFlashIngress Protection-Material Flammability RatingUL94 V-0		D-Sub Connectors
Connector StyleD-Sub, ComboConnector TypePlug, Male PinsNumber of Positions17 (15 + 2 Power)Number of Rows2Shell Size, Connector Layout3 (DB, B) - 17W2Contact TypeSignal and PowerMounting TypePanel Mount, Through Hole, Right AngleFlange FeatureBoard Side (4-40)FeaturesGrounding Indents, Mounting Brackets, ShieldedShell Material, FinishSteel, Tin-Nickel PlatedContact Finish ThicknessGoldIngress Protection-Material Flammability RatingUL94 V-0	Package	-
Connector TypePlug, Male PinsNumber of Positions17 (15 + 2 Power)Number of Rows2Shell Size, Connector Layout3 (DB, B) - 17W2Contact TypeSignal and PowerMounting TypePanel Mount, Through Hole, Right AngleFlange FeatureBoard Side (4-40)FeaturesSolderFeaturesGrounding Indents, Mounting Brackets, ShieldedShell Material, FinishSteel, Tin-Nickel PlatedContact FinishGoldContact Finish ThicknessFlashIngress Protection-Material Flammability RatingUL94 V-0	Series	Combo D?, D*M
Number of Positions17 (15 + 2 Power)Number of Rows2Shell Size, Connector Layout3 (DB, B) - 17W2Contact TypeSignal and PowerMounting TypePanel Mount, Through Hole, Right AngleFlange FeatureBoard Side (4-40)TerminationSolderFeaturesGrounding Indents, Mounting Brackets, ShieldedShell Material, FinishSteel, Tin-Nickel PlatedContact FinishFlashIngress Protection-Material Flammability RatingUL94 V-0	Connector Style	D-Sub, Combo
Number of Rows2Shell Size, Connector Layout3 (DB, B) - 17W2Contact TypeSignal and PowerMounting TypePanel Mount, Through Hole, Right AngleFlange FeatureBoard Side (4-40)TerminationSolderFeaturesGrounding Indents, Mounting Brackets, ShieldedShell Material, FinishSteel, Tin-Nickel PlatedContact Finish ThicknessFlashIngress Protection-Material Flammability RatingUL94 V-0	Connector Type	Plug, Male Pins
Shell Size, Connector Layout3 (DB, B) - 17W2Contact TypeSignal and PowerMounting TypePanel Mount, Through Hole, Right AngleFlange FeatureBoard Side (4-40)FerminationSolderFeaturesGrounding Indents, Mounting Brackets, ShieldedShell Material, FinishSteel, Tin-Nickel PlatedContact Finish ThicknessFlashIngress Protection-Material Flammability RatingUL94 V-0	Number of Positions	17 (15 + 2 Power)
Contact TypeSignal and PowerMounting TypePanel Mount, Through Hole, Right AngleFlange FeaturesBoard Side (4-40)TerminationSolderFeaturesGrounding Indents, Mounting Brackets, ShieldedShell Material, FinishSteel, Tin-Nickel PlatedContact FinishGoldContact Finish ThicknessFlashIngress Protection-Material Flammability RatingUL94 V-0	Number of Rows	2
Mounting TypePanel Mount, Through Hole, Right AngleFlange FeatureBoard Side (4-40)FerminationSolderFeaturesGrounding Indents, Mounting Brackets, ShieldedShell Material, FinishSteel, Tin-Nickel PlatedContact FinishGoldContact Finish ThicknessFlashIngress Protection-Material Flammability RatingUL94 V-0	Shell Size, Connector Layout	3 (DB, B) - 17W2
Flange FeatureBoard Side (4-40)TerminationSolderFeaturesGrounding Indents, Mounting Brackets, ShieldedShell Material, FinishSteel, Tin-Nickel PlatedContact FinishGoldContact Finish ThicknessFlashIngress Protection-Material Flammability RatingUL94 V-0	Contact Type	Signal and Power
TerminationSolderFeaturesGrounding Indents, Mounting Brackets, ShieldedShell Material, FinishSteel, Tin-Nickel PlatedContact FinishGoldContact Finish ThicknessFlashIngress Protection-Material Flammability RatingUL94 V-0	Mounting Type	Panel Mount, Through Hole, Right Angle
FeaturesGrounding Indents, Mounting Brackets, ShieldedShell Material, FinishSteel, Tin-Nickel PlatedContact FinishGoldContact Finish ThicknessFlashIngress Protection-Material Flammability RatingUL94 V-0	Flange Feature	Board Side (4-40)
Shell Material, FinishSteel, Tin-Nickel PlatedContact FinishGoldContact Finish ThicknessFlashIngress Protection-Material Flammability RatingUL94 V-0	Termination	Solder
Contact FinishGoldContact Finish ThicknessFlashIngress Protection-Material Flammability RatingUL94 V-0	Features	Grounding Indents, Mounting Brackets, Shielded
Contact Finish Thickness Flash   Ingress Protection -   Material Flammability Rating UL94 V-0	Shell Material, Finish	Steel, Tin-Nickel Plated
Ingress Protection-Material Flammability RatingUL94 V-0	Contact Finish	Gold
Material Flammability Rating UL94 V-0	Contact Finish Thickness	Flash
	Ingress Protection	-
Report errors?	Material Flammability Rating	UL94 V-0
		Report errors?

#### DBMP17H2PJK87 Guarantees



Quality Guarantees

We provide 90 days warranty. \* If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



#### **Service Guarantees**

We guarantee 100% customer satisfaction. Our experienced sales team and tech support team back our services to satisfy all our customers.

### DBMP17H2PJK87 Payment Methods



### DBMP17H2PJK87 Shipping Methods



If you have any question about DBMP17H2PJK87, please do not hesitate to contact us! Website: https://www.heisener.com E-mail: salesdept@heisener.com