

DC-37PAF-N

equest a Quote

DC-37PAF-N Information

| Contraction of the second seco | Part Number | DC-37PAF-N |
|--|--------------|---|
| | Manufacturer | JAE Electronics |
| | Category | Connectors, Interconnects D-Sub Connectors |
| | Description | CONN D-SUB PLUG 37POS R/A |
| | Package | - |
| | | For the pricing/inventory/lead time, please contact |
| For Reference Only | | us Website: https://www.heisener.com E-mail: salesdept@heisener.com |

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.



DC-37PAF-N Specifications

| Manufacturer Part Number DC-37PAF-N Manufacturer JAE Electronics Category Connectors, Interconnects D-Sub Connectors D-Sub Connectors Package - Series - Connector Style D-Sub Connector Connector Type Plug, Male Pins Number of Positions 37 Number of Rows 2 Shell Size, Connector Layout 4 (DC, C) Contact Type Signal Mounting Type Housing/Shell (M2.6) Flarge Feature Gorduning Indents, Shielded Shell Material, Finish Steel, Nickel Plated Contact Finish Thickness - Igress Protection - Muterial Flainsh Tickness - Ingress Protection UL94 V-0 | | |
|---|------------------------------|-----------------------------|
| CategoryConnectors, InterconnectsPackage-Series-Connector StyleD-SubConnector TypePlug, Male PinsNumber of Positions37Number of Rows4 (DC, C)Contact TypeSignalMounting TypeFlowsing/Shell (M2.6)Flange FeatureSolderFlange FeaturesSolderShell Material, FinishStel, Nickel PlatedContact FinishGoldContact FinishStel, Nickel PlatedShell Material, FinishStel, Nickel PlatedShell Material, FinishStel, Nickel PlatedContact Finish Thickness-Contact Finish Thickness-Shell Material Flammability RatingUL94 V-0 | Manufacturer Part Number | DC-37PAF-N |
| PackageD-Sub ConnectorsPackage-Series-Connector StyleD-SubConnector TypePlug, Male PinsNumber of Positions37Number of Rows2Shell Size, Connector Layout4 (DC, C)Contact TypeSignalMounting TypeThrough Hole, Right AngleFlange FeatureSolderFeaturesSolderShell Material, FinishSteel, Nickel PlatedContact FinishGouldContact Finish Thickness-Ingress Protection-Metrial Flammability RatingUL94 V-0 | Manufacturer | JAE Electronics |
| Package-Series-Connector StyleD-SubConnector TypePlug, Male PinsNumber of Positions37Number of Rows2Shell Size, Connector Layout4 (DC, C)Contact TypeSignalMounting TypeThrough Hole, Right AngleFlange FeatureHousing/Shell (M2.6)Shell Material, FinishSolderShell Material, FinishStel, Nickel PlatedContact Finish Thickness-Ingress Protection-Metrial Flammability RatingUL94 V-0 | Category | Connectors, Interconnects |
| Series-Connector StyleD-SubConnector TypePlug, Male PinsNumber of Positions37Number of Rows2Shell Size, Connector Layout4 (DC, C)Contact TypeSignalMounting TypeThrough Hole, Right AngleFlange FeatureSolderTerminationSolderShell Material, FinishScel, Nickel PlatedContact FinishGoldContact Finish Thickness-Ingress Protection-Material Flammability RatingUL94 V-0 | | D-Sub Connectors |
| Connector StyleD-SubConnector TypePlug, Male PinsNumber of Positions37Number of Rows2Shell Size, Connector Layout4 (DC, C)Contact TypeSignalMounting TypeThrough Hole, Right AngleFlange FeatureSolderFeaturesSolderShell Material, FinishSteel, Nickel PlatedContact FinishGoldContact Finish Thickness-Angres Protection9.10Material Flanghaming1.10Contact Finish Thickness-Contact Finish Thickness-Shell Flanghamability RatingUL94 Y-0 | Package | - |
| Connector TypePlug, Male PinsNumber of Positions37Number of Rows2Shell Size, Connector Layout4 (DC, C)Contact TypeSignalMounting TypeThrough Hole, Right AngleFlange FeatureSolderFeaturesSolderFeaturesGrounding Indents, ShieldedShell Material, FinishStel, Nickel PlatedContact FinishGoldContact Finish Thickness-Ingress Protection1.Material FlanghatingUL94 V-0 | Series | - |
| Number of Positions37Number of Rows2Shell Size, Connector Layout4 (DC, C)Contact TypeSignalMounting TypeThrough Hole, Right AngleFlange FeatureHousing/Shell (M2.6)TerminationSolderFeaturesGrounding Indents, ShieldedShell Material, FinishSteel, Nickel PlatedContact Finish-Ingress Protection-Material Flammability RatingUL94 V-0 | Connector Style | D-Sub |
| Number of Rows2Number of Rows4 (DC, C)Shell Size, Connector LayoutSignalContact TypeFinough Hole, Right AngleMounting TypeHousing/Shell (M2.6)Flange FeatureSolderTerminationSolderShell Material, FinishGrounding Indents, ShieldedContact FinishGoldContact Finish Thickness-Ingress Protection-Material Flammability RatingUL94 V-0 | Connector Type | Plug, Male Pins |
| Shell Size, Connector Layout4 (DC, C)Contact TypeSignalMounting TypeThrough Hole, Right AngleFlange FeatureHousing/Shell (M2.6)TerminationSolderFeaturesGrounding Indents, ShieldedShell Material, FinishSteel, Nickel PlatedContact FinishGoldContact Finish Thickness-Ingress Protection-Material Flammability RatingUL94 V-0 | Number of Positions | 37 |
| Contact TypeSignalMounting TypeThrough Hole, Right AngleFlange FeatureHousing/Shell (M2.6)TerminationSolderFeaturesGrounding Indents, ShieldedShell Material, FinishSteel, Nickel PlatedContact FinishGoldContact Finish Finish-Ingress Protection-Material Flammability RatingUL94 V-0 | Number of Rows | 2 |
| Mounting TypeThrough Hole, Right AngleFlange FeatureHousing/Shell (M2.6)TerminationSolderFeaturesGrounding Indents, ShieldedShell Material, FinishSteel, Nickel PlatedContact FinishGoldContact Finish Thickness-Ingress Protection-Material Flammability RatingUL94 V-0 | Shell Size, Connector Layout | 4 (DC, C) |
| Flange FeatureHousing/Shell (M2.6)TerminationSolderFeaturesGrounding Indents, ShieldedShell Material, FinishSteel, Nickel PlatedContact FinishGoldContact Finish Thickness-Ingress Protection-Material Flammability RatingUL94 V-0 | Contact Type | Signal |
| TerminationSolderFeaturesGrounding Indents, ShieldedShell Material, FinishSteel, Nickel PlatedContact FinishGoldContact Finish Thickness-Ingress Protection-Material Flammability RatingUL94 V-0 | Mounting Type | Through Hole, Right Angle |
| FeaturesGrounding Indents, ShieldedShell Material, FinishSteel, Nickel PlatedContact FinishGoldContact Finish Thickness-Ingress Protection-Material Flammability RatingUL94 V-0 | Flange Feature | Housing/Shell (M2.6) |
| Shell Material, FinishSteel, Nickel PlatedContact FinishGoldContact Finish Thickness-Ingress Protection-Material Flammability RatingUL94 V-0 | Termination | Solder |
| Contact FinishGoldContact Finish Thickness-Ingress Protection-Material Flammability RatingUL94 V-0 | Features | Grounding Indents, Shielded |
| Contact Finish Thickness-Ingress Protection-Material Flammability RatingUL94 V-0 | Shell Material, Finish | Steel, Nickel Plated |
| Ingress Protection-Material Flammability RatingUL94 V-0 | Contact Finish | Gold |
| Material Flammability Rating UL94 V-0 | Contact Finish Thickness | - |
| | Ingress Protection | - |
| Report errors? | Material Flammability Rating | UL94 V-0 |
| | | Report errors? |

DC-37PAF-N Guarantees



Quality Guarantees

We provide 90 days warranty. * If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.

SERVICE

Service Guarantees

We guarantee 100% customer satisfaction. Our experienced sales team and tech support team back our services to satisfy all our customers.

DC-37PAF-N Payment Methods



DC-37PAF-N Shipping Methods



If you have any question about DC-37PAF-N, please do not hesitate to contact us! Website: https://www.heisener.com E-mail: salesdept@heisener.com