

DC21WA4P500G40LF

DC21WA4P500G40LF Information

Heisener.com	DC21WA4P500G40LF Amphenol FCI Connectors, Interconnects D-Sub Connectors CONN D-SUB PLUG 21POS R/A SOLDER - For the pricing/inventory/lead time, please contact	
For Reference Only	us Website: https://www.heisener.com E-mail: salesdept@heisener.com	Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.



DC21WA4P500G40LF Specifications

Manufacturer Amphenol FCI Category Connectors, Interconnects D-Sub Connectors D-Sub Connectors Package - Series DW Connector Style D-Sub, Combo Connector Type Plug, Male Pins Number of Positions 21 (17 + 4 Power) Number of Rows 2 Shell Size, Connector Layout 4 (DC, C) - 21WA4 Contact Type Signal and Power Mounting Type Through Hole, Right Angle Flange Feature Board Lock, Grounding Indents, Mounting Brackets Shell Material, Finish Steel, Tin Plated Contact Finish Thickness - Contact Finish Thickness -		
CategoryConnectors, InterconnectsD-Sub ConnectorsPackage-SeriesDWConnector StyleD-Sub, ComboConnector TypePlug, Male PinsNumber of Positions21 (17 + 4 Power)Number of Rows2Shell Size, Connector Layout4 (DC, C) - 21WA4Contact TypeSignal and PowerMounting TypeThrough Hole, Right AngleFlange FeatureBoard Lock, Grounding Indents, Mounting BracketsShell Material, FinishSteel, Tin PlatedContact Finish Thickness-Ingress Protection-Material Flammability RatingUL94 V-0	Manufacturer Part Number	DC21WA4P500G40LF
D-Sub ConnectorsPackage-SeriesDWConnector StyleD-Sub, ComboConnector TypePlug, Male PinsNumber of Positions21 (17 + 4 Power)Number of Rows2Shell Size, Connector Layout4 (DC, C) - 21WA4Contact TypeSignal and PowerMounting TypeThrough Hole, Right AngleFlange FeatureBoard Lock, Grounding Indents, Mounting BracketsShell Material, FinishSteel, Tin PlatedContact Finish Thickness-Contact Finish Thickness-Material Flammability RatingUL94 V-0	Manufacturer	Amphenol FCI
Package-SeriesDWConnector StyleD-Sub, ComboConnector TypePlug, Male PinsNumber of Positions21 (17 + 4 Power)Number of Rows2Shell Size, Connector Layout4 (DC, C) - 21WA4Contact TypeSignal and PowerMounting TypeThrough Hole, Right AngleFlange FeatureHousing/Shell (Unthreaded)FeaturesSolderShell Material, FinishSteel, Tin PlatedContact Finish Thickness-Ingress Protection-Material Flammability RatingUL94 V-0	Category	Connectors, Interconnects
SeriesDWConnector StyleD-Sub, ComboConnector TypePlug, Male PinsNumber of Positions21 (17 + 4 Power)Number of Rows2Shell Size, Connector Layout4 (DC, C) - 21WA4Contact TypeSignal and PowerMounting TypeThrough Hole, Right AngleFlange FeatureBoard Lock, Grounding Indents, Mounting BracketsShell Material, FinishSteel, Tin PlatedContact Finish Thickness-Ingress Protection-Material Flammability RatingUL94 V-0		D-Sub Connectors
Connector StyleD-Sub, ComboConnector TypePlug, Male PinsNumber of Positions21 (17 + 4 Power)Number of Rows2Shell Size, Connector Layout4 (DC, C) - 21WA4Contact TypeSignal and PowerMounting TypeThrough Hole, Right AngleFlange FeatureSolderFeaturesBoard Lock, Grounding Indents, Mounting BracketsShell Material, FinishSteel, Tin PlatedContact Finish Thickness-Ingress Protection-Material Flammability RatingUL94 V-0	Package	-
Connector TypePlug, Male PinsNumber of Positions21 (17 + 4 Power)Number of Rows2Shell Size, Connector Layout4 (DC, C) - 21WA4Contact TypeSignal and PowerMounting TypeThrough Hole, Right AngleFlange FeatureHousing/Shell (Unthreaded)TerminationSolderFeaturesBoard Lock, Grounding Indents, Mounting BracketsShell Material, FinishGoldContact Finish Thickness-Ingress Protection-Material Flammability RatingUL94 V-0	Series	DW
Number of Positions21 (17 + 4 Power)Number of Rows2Shell Size, Connector Layout4 (DC, C) - 21WA4Contact TypeSignal and PowerMounting TypeThrough Hole, Right AngleFlange FeatureHousing/Shell (Unthreaded)TerminationSolderFeaturesBoard Lock, Grounding Indents, Mounting BracketsShell Material, FinishSteel, Tin PlatedContact Finish Thickness-Ingress Protection-Material Flammability RatingUL94 V-0	Connector Style	D-Sub, Combo
Number of Rows2Shell Size, Connector Layout4 (DC, C) - 21WA4Contact TypeSignal and PowerMounting TypeThrough Hole, Right AngleFlange FeatureHousing/Shell (Unthreaded)TerminationSolderFeaturesBoard Lock, Grounding Indents, Mounting BracketsShell Material, FinishSteel, Tin PlatedContact Finish Thickness-Ingress Protection-Material Flammability RatingUL94 V-0	Connector Type	Plug, Male Pins
Shell Size, Connector Layout4 (DC, C) - 21WA4Contact TypeSignal and PowerMounting TypeThrough Hole, Right AngleFlange FeatureHousing/Shell (Unthreaded)TerminationSolderFeaturesBoard Lock, Grounding Indents, Mounting BracketsShell Material, FinishSteel, Tin PlatedContact Finish Thickness-Ingress Protection-Material Flammability RatingUL94 V-0	Number of Positions	21 (17 + 4 Power)
Contact TypeSignal and PowerMounting TypeThrough Hole, Right AngleFlange FeatureHousing/Shell (Unthreaded)TerminationSolderFeaturesBoard Lock, Grounding Indents, Mounting BracketsShell Material, FinishSteel, Tin PlatedContact FinishGoldContact Finish Thickness-Ingress Protection-Material Flammability RatingUL94 V-0	Number of Rows	2
Mounting TypeThrough Hole, Right AngleFlange FeatureHousing/Shell (Unthreaded)TerminationSolderFeaturesBoard Lock, Grounding Indents, Mounting BracketsShell Material, FinishSteel, Tin PlatedContact FinishGoldContact Finish Thickness-Ingress Protection-Material Flammability RatingUL94 V-0	Shell Size, Connector Layout	4 (DC, C) - 21WA4
Flange FeatureHousing/Shell (Unthreaded)TerminationSolderFeaturesBoard Lock, Grounding Indents, Mounting BracketsShell Material, FinishSteel, Tin PlatedContact FinishGoldContact Finish Thickness-Ingress Protection-Material Flammability RatingUL94 V-0	Contact Type	Signal and Power
TerminationSolderFeaturesBoard Lock, Grounding Indents, Mounting BracketsShell Material, FinishSteel, Tin PlatedContact FinishGoldContact Finish Thickness-Ingress Protection-Material Flammability RatingUL94 V-0	Mounting Type	Through Hole, Right Angle
FeaturesBoard Lock, Grounding Indents, Mounting BracketsShell Material, FinishSteel, Tin PlatedContact FinishGoldContact Finish Thickness-Ingress Protection-Material Flammability RatingUL94 V-0	Flange Feature	Housing/Shell (Unthreaded)
Shell Material, FinishSteel, Tin PlatedContact FinishGoldContact Finish Thickness-Ingress Protection-Material Flammability RatingUL94 V-0	Termination	Solder
Contact FinishGoldContact Finish Thickness-Ingress Protection-Material Flammability RatingUL94 V-0	Features	Board Lock, Grounding Indents, Mounting Brackets
Contact Finish Thickness-Ingress Protection-Material Flammability RatingUL94 V-0	Shell Material, Finish	Steel, Tin Plated
Ingress Protection-Material Flammability RatingUL94 V-0	Contact Finish	Gold
Material Flammability Rating UL94 V-0	Contact Finish Thickness	-
	Ingress Protection	-
Report errors?	Material Flammability Rating	UL94 V-0
		Report errors?

DC21WA4P500G40LF Guarantees



Quality Guarantees

We provide 90 days warranty. * If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction. Our experienced sales team and tech support team back our services to satisfy all our customers.

DC21WA4P500G40LF Payment Methods



If you have any question about DC21WA4P500G40LF, please do not hesitate to contact us! Website: https://www.heisener.com E-mail: salesdept@heisener.com