

# **DCMG-37P-J-K87**

### **DCMG-37P-J-K87 Information**

Containance can ber	 DCMG-37P-J-K87 ITT Cannon, LLC Connectors, Interconnects D-Sub Connectors CONN D-SUB PLUG 37POS R/A SOLDER - For the pricing/inventory/lead time, please contact	
For Reference Only	us Website: https://www.heisener.com E-mail: salesdept@heisener.com	Request a Quote

## **Certified Quality**

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.



## **DCMG-37P-J-K87 Specifications**

Manufacturer ITT Cannon, LLC   Category Connectors, Interconnects   D-Sub Connectors D-Sub Connectors   Package -   Series D*M   Connector Style D-Sub   Connector Type Plug, Male Pins   Number of Positions 37   Number of Rows 2   Shell Size, Connector Layout 4 (DC, C)   Contact Type Signal   Mounting Type Panel Mount, Through Hole, Right Angle   Flange Feature Mating Side, Female Screwlock (4-40)   Features Board Lock, Grounding Indents, Mounting Brackets   Shell Material, Finish Steel, Tin-Nickel Plated   Contact Finish Thickness Flash		
CategoryConnectors, InterconnectsD-Sub ConnectorsPackage-SeriesD*MConnector StyleD-SubConnector TypePlug, Male PinsNumber of Positions37Number of Rows2Shell Size, Connector Layout4 (DC, C)Contact TypeSignalMounting TypePanel Mount, Through Hole, Right AngleFlange FeatureSolderFeaturesBoard Lock, Grounding Indents, Mounting BracketsShell Material, FinishSteel, Tin-Nickel PlatedContact Finish ThicknessFlashIngress Protection-Material Flammability RatingUL94 V-0	Manufacturer Part Number	DCMG-37P-J-K87
D-Sub ConnectorsPackage-SeriesD*MConnector StyleD-SubConnector TypePlug, Male PinsNumber of Positions37Number of Rows2Shell Size, Connector Layout4 (DC, C)Contact TypeSignalMounting TypePanel Mount, Through Hole, Right AngleFlange FeatureMating Side, Female Screwlock (4-40)Flange FeaturesBoard Lock, Grounding Indents, Mounting BracketsShell Material, FinishSteel, Tin-Nickel PlatedContact Finish ThicknessFlashIngress Protection-Material Flammability RatingUL94 V-0	Manufacturer	ITT Cannon, LLC
Package-SeriesD*MConnector StyleD-SubConnector TypePlug, Male PinsNumber of Positions37Number of Rows2Shell Size, Connector Layout4 (DC, C)Contact TypeSignalMounting TypePanel Mount, Through Hole, Right AngleFlange FeatureSolderFaturesSolderShell Material, FinishSteel, Tin-Nickel PlatedContact Finish ThicknessFlashIngress Protection-Material Flammability RatingUL94 V-0	Category	Connectors, Interconnects
SeriesD*MConnector StyleD-SubConnector TypePlug, Male PinsNumber of Positions37Number of Rows2Shell Size, Connector Layout4 (DC, C)Contact TypeSignalMounting TypePanel Mount, Through Hole, Right AngleFlange FeatureSolderFeaturesBoard Lock, Grounding Indents, Mounting BracketsShell Material, FinishSteel, Tin-Nickel PlatedContact FinishGoldContact Finish ThicknessFlashIngress Protection-Material Flammability RatingUL94 V-0		D-Sub Connectors
Connector StyleD-SubConnector TypePlug, Male PinsNumber of Positions37Number of Rows2Shell Size, Connector Layout4 (DC, C)Contact TypeSignalMounting TypePanel Mount, Through Hole, Right AngleFlange FeatureSolderFeaturesBoard Lock, Grounding Indents, Mounting BracketsShell Material, FinishSteel, Tin-Nickel PlatedContact FinishGoldContact Finish ThicknessFlashIngress Protection-Material Flammability RatingUL94 V-0	Package	-
Connector TypePlug, Male PinsNumber of Positions37Number of Rows2Shell Size, Connector Layout4 (DC, C)Contact TypeSignalMounting TypePanel Mount, Through Hole, Right AngleFlange FeatureMating Side, Female Screwlock (4-40)FeaturesSolderShell Material, FinishSteel, Tin-Nickel PlatedContact FinishGoldContact Finish ThicknessFlashIngress ProtectionUL94 V-0	Series	D*M
Number of Positions37Number of Rows2Shell Size, Connector Layout4 (DC, C)Contact TypeSignalMounting TypePanel Mount, Through Hole, Right AngleFlange FeatureMating Side, Female Screwlock (4-40)TerminationSolderFeaturesBoard Lock, Grounding Indents, Mounting BracketsShell Material, FinishSteel, Tin-Nickel PlatedContact FinishGoldContact Finish ThicknessFlashIngress Protection-Vull94 V-0Vull94 V-0	Connector Style	D-Sub
Number of Rows2Shell Size, Connector Layout4 (DC, C)Contact TypeSignalMounting TypePanel Mount, Through Hole, Right AngleFlange FeatureMating Side, Female Screwlock (4-40)TerminationSolderFeaturesBoard Lock, Grounding Indents, Mounting BracketsShell Material, FinishSteel, Tin-Nickel PlatedContact Finish ThicknessFlashIngress Protection-UL94 V-0UL94 V-0	Connector Type	Plug, Male Pins
Shell Size, Connector Layout4 (DC, C)Contact TypeSignalMounting TypePanel Mount, Through Hole, Right AngleFlange FeatureMating Side, Female Screwlock (4-40)TerminationSolderFeaturesBoard Lock, Grounding Indents, Mounting BracketsShell Material, FinishSteel, Tin-Nickel PlatedContact Finish ThicknessFlashIngress Protection-Material Flammability RatingUL94 V-0	Number of Positions	37
Contact TypeSignalMounting TypePanel Mount, Through Hole, Right AngleFlange FeatureMating Side, Female Screwlock (4-40)TerminationSolderFeaturesBoard Lock, Grounding Indents, Mounting BracketsShell Material, FinishSteel, Tin-Nickel PlatedContact FinishGoldContact Finish ThicknessFlashIngress Protection-Material Flammability RatingUL94 V-0	Number of Rows	2
Mounting TypePanel Mount, Through Hole, Right AngleFlange FeatureMating Side, Female Screwlock (4-40)TerminationSolderFeaturesBoard Lock, Grounding Indents, Mounting BracketsShell Material, FinishSteel, Tin-Nickel PlatedContact FinishGoldContact Finish ThicknessFlashIngress Protection-Material Flammability RatingUL94 V-0	Shell Size, Connector Layout	4 (DC, C)
Flange FeatureMating Side, Female Screwlock (4-40)TerminationSolderFeaturesBoard Lock, Grounding Indents, Mounting BracketsShell Material, FinishSteel, Tin-Nickel PlatedContact FinishGoldContact Finish ThicknessFlashIngress Protection-Material Flammability RatingUL94 V-0	Contact Type	Signal
TerminationSolderFeaturesBoard Lock, Grounding Indents, Mounting BracketsShell Material, FinishSteel, Tin-Nickel PlatedContact FinishGoldContact Finish ThicknessFlashIngress Protection-Material Flammability RatingUL94 V-0	Mounting Type	Panel Mount, Through Hole, Right Angle
FeaturesBoard Lock, Grounding Indents, Mounting BracketsShell Material, FinishSteel, Tin-Nickel PlatedContact FinishGoldContact Finish ThicknessFlashIngress Protection-Material Flammability RatingUL94 V-0	Flange Feature	Mating Side, Female Screwlock (4-40)
Shell Material, FinishSteel, Tin-Nickel PlatedContact FinishGoldContact Finish ThicknessFlashIngress Protection-Material Flammability RatingUL94 V-0	Termination	Solder
Contact FinishGoldContact Finish ThicknessFlashIngress Protection-Material Flammability RatingUL94 V-0	Features	Board Lock, Grounding Indents, Mounting Brackets
Contact Finish ThicknessFlashIngress Protection-Material Flammability RatingUL94 V-0	Shell Material, Finish	Steel, Tin-Nickel Plated
Ingress Protection-Material Flammability RatingUL94 V-0	Contact Finish	Gold
Material Flammability Rating UL94 V-0	Contact Finish Thickness	Flash
	Ingress Protection	-
Report errors?	Material Flammability Rating	UL94 V-0
		Report errors?

#### **DCMG-37P-J-K87** Guarantees



Quality Guarantees

We provide 90 days warranty. \* If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



#### **Service Guarantees**

We guarantee 100% customer satisfaction. Our experienced sales team and tech support team back our services to satisfy all our customers.

### DCMG-37P-J-K87 Payment Methods



### **DCMG-37P-J-K87** Shipping Methods



If you have any question about DCMG-37P-J-K87, please do not hesitate to contact us! Website: https://www.heisener.com E-mail: salesdept@heisener.com