



### DCMT13H6PNK87 Information

Heisener.com

Part Number DCMT13H6PNK87 Manufacturer ITT Cannon, LLC

Category Connectors, Interconnects

**D-Sub Connectors** 

**Description** CONN D-SUB PLUG 13P PNL MNT SLDR

Package -

For the pricing/inventory/lead time, please contact

us

For Reference Only

Website: https://www.heisener.com
E-mail: salesdept@heisener.com



Request a Quote

# **Certified Quality**

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









# DCMT13H6PNK87 Specifications

Manufacturer Part Number       DCMT13H6PNK87         Manufacturer       ITT Cannon, LLC         Category       Connectors, Interconnects         D-Sub Connectors         Package       -         Series       Combo D?, D*M         Connector Style       D-Sub, Combo         Connector Type       Plug, Male Pins         Number of Positions       13 (7 + 6 Power)         Number of Rows       2         Shell Size, Connector Layout       4 (DC, C) - 13W6         Contact Type       Signal and Power         Mounting Type       Panel Mount, Through Hole         Flange Feature       Board Side (M3)         Termination       Solder         Features       Grounding Indents, Shielded         Shell Material, Finish       Steel, Tin-Nickel Plated         Contact Finish       30µin (0.76µm)         Ingress Protection       -         Material Flammability Rating       UL94 V-0		
Category       Connectors, Interconnects         Package       -         Series       Combo D?, D*M         Connector Style       D-Sub, Combo         Connector Type       Plug, Male Pins         Number of Positions       13 (7 + 6 Power)         Number of Rows       2         Shell Size, Connector Layout       4 (DC, C) - 13W6         Contact Type       Signal and Power         Mounting Type       Panel Mount, Through Hole         Flange Feature       Board Side (M3)         Termination       Solder         Features       Grounding Indents, Shielded         Shell Material, Finish       Steel, Tin-Nickel Plated         Contact Finish       Gold         Contact Finish Thickness       30μin (0.76μm)         Ingress Protection       -         Material Flammability Rating       UL94 V-0	Manufacturer Part Number	DCMT13H6PNK87
Package-SeriesCombo D?, D*MConnector StyleD-Sub, ComboConnector TypePlug, Male PinsNumber of Positions13 (7 + 6 Power)Number of Rows2Shell Size, Connector Layout4 (DC, C) - 13W6Contact TypeSignal and PowerMounting TypePanel Mount, Through HoleFlange FeatureBoard Side (M3)TerminationSolderFeaturesGrounding Indents, ShieldedShell Material, FinishSteel, Tin-Nickel PlatedContact Finish Thickness30μin (0.76μm)Ingress Protection-Material Flammability RatingUL94 V-0	Manufacturer	ITT Cannon, LLC
Package-SeriesCombo D?, D*MConnector StyleD-Sub, ComboConnector TypePlug, Male PinsNumber of Positions13 (7 + 6 Power)Number of Rows2Shell Size, Connector Layout4 (DC, C) - 13W6Contact TypeSignal and PowerMounting TypePanel Mount, Through HoleFlange FeatureBoard Side (M3)TerminationSolderFeaturesGrounding Indents, ShieldedShell Material, FinishSteel, Tin-Nickel PlatedContact Finish Thickness30μin (0.76μm)Ingress Protection-Material Flammability RatingUL94 V-0	Category	Connectors, Interconnects
SeriesCombo D?, D*MConnector StyleD-Sub, ComboConnector TypePlug, Male PinsNumber of Positions13 (7 + 6 Power)Number of Rows2Shell Size, Connector Layout4 (DC, C) - 13W6Contact TypeSignal and PowerMounting TypePanel Mount, Through HoleFlange FeatureBoard Side (M3)TerminationSolderFeaturesGrounding Indents, ShieldedShell Material, FinishSteel, Tin-Nickel PlatedContact FinishGoldContact Finish Thickness30μin (0.76μm)Ingress Protection-Material Flammability RatingUL94 V-0		D-Sub Connectors
Connector StyleD-Sub, ComboConnector TypePlug, Male PinsNumber of Positions13 (7 + 6 Power)Number of Rows2Shell Size, Connector Layout4 (DC, C) - 13W6Contact TypeSignal and PowerMounting TypePanel Mount, Through HoleFlange FeatureBoard Side (M3)TerminationSolderFeaturesGrounding Indents, ShieldedShell Material, FinishSteel, Tin-Nickel PlatedContact Finish Thickness30μin (0.76μm)Ingress Protection-Material Flammability RatingUL94 V-0	Package	-
Connector TypePlug, Male PinsNumber of Positions13 (7 + 6 Power)Number of Rows2Shell Size, Connector Layout4 (DC, C) - 13W6Contact TypeSignal and PowerMounting TypePanel Mount, Through HoleFlange FeatureBoard Side (M3)TerminationSolderFeaturesGrounding Indents, ShieldedShell Material, FinishSteel, Tin-Nickel PlatedContact FinishGoldContact Finish Thickness30μin (0.76μm)Ingress Protection-Material Flammability RatingUL94 V-0	Series	Combo D?, D*M
Number of Positions13 (7 + 6 Power)Number of Rows2Shell Size, Connector Layout4 (DC, C) - 13W6Contact TypeSignal and PowerMounting TypePanel Mount, Through HoleFlange FeatureBoard Side (M3)TerminationSolderFeaturesGrounding Indents, ShieldedShell Material, FinishSteel, Tin-Nickel PlatedContact FinishGoldContact Finish Thickness30μin (0.76μm)Ingress Protection-Material Flammability RatingUL94 V-0	Connector Style	D-Sub, Combo
Number of Rows  Shell Size, Connector Layout  4 (DC, C) - 13W6  Contact Type  Signal and Power  Mounting Type  Panel Mount, Through Hole  Flange Feature  Board Side (M3)  Termination  Solder  Features  Grounding Indents, Shielded  Shell Material, Finish  Steel, Tin-Nickel Plated  Contact Finish Thickness  30µin (0.76µm)  Ingress Protection  Material Flammability Rating  UL94 V-0	Connector Type	Plug, Male Pins
Shell Size, Connector Layout4 (DC, C) - 13W6Contact TypeSignal and PowerMounting TypePanel Mount, Through HoleFlange FeatureBoard Side (M3)TerminationSolderFeaturesGrounding Indents, ShieldedShell Material, FinishSteel, Tin-Nickel PlatedContact FinishGoldContact Finish Thickness30μin (0.76μm)Ingress Protection-Material Flammability RatingUL94 V-0	Number of Positions	13 (7 + 6 Power)
Contact TypeSignal and PowerMounting TypePanel Mount, Through HoleFlange FeatureBoard Side (M3)TerminationSolderFeaturesGrounding Indents, ShieldedShell Material, FinishSteel, Tin-Nickel PlatedContact FinishGoldContact Finish Thickness30μin (0.76μm)Ingress Protection-Material Flammability RatingUL94 V-0	Number of Rows	2
Mounting TypePanel Mount, Through HoleFlange FeatureBoard Side (M3)TerminationSolderFeaturesGrounding Indents, ShieldedShell Material, FinishSteel, Tin-Nickel PlatedContact FinishGoldContact Finish Thickness30μin (0.76μm)Ingress Protection-Material Flammability RatingUL94 V-0	Shell Size, Connector Layout	4 (DC, C) - 13W6
Flange FeatureBoard Side (M3)TerminationSolderFeaturesGrounding Indents, ShieldedShell Material, FinishSteel, Tin-Nickel PlatedContact FinishGoldContact Finish Thickness30μin (0.76μm)Ingress Protection-Material Flammability RatingUL94 V-0	Contact Type	Signal and Power
Termination Solder Features Grounding Indents, Shielded Shell Material, Finish Steel, Tin-Nickel Plated Contact Finish Gold Contact Finish Thickness 30μin (0.76μm) Ingress Protection - Material Flammability Rating UL94 V-0	Mounting Type	Panel Mount, Through Hole
FeaturesGrounding Indents, ShieldedShell Material, FinishSteel, Tin-Nickel PlatedContact FinishGoldContact Finish Thickness30μin (0.76μm)Ingress Protection-Material Flammability RatingUL94 V-0	Flange Feature	Board Side (M3)
Shell Material, FinishSteel, Tin-Nickel PlatedContact FinishGoldContact Finish Thickness30μin (0.76μm)Ingress Protection-Material Flammability RatingUL94 V-0	Termination	Solder
Contact FinishGoldContact Finish Thickness30μin (0.76μm)Ingress Protection-Material Flammability RatingUL94 V-0	Features	Grounding Indents, Shielded
Contact Finish Thickness 30μin (0.76μm) Ingress Protection - Material Flammability Rating UL94 V-0	Shell Material, Finish	Steel, Tin-Nickel Plated
Ingress Protection - Material Flammability Rating UL94 V-0	Contact Finish	Gold
Material Flammability Rating UL94 V-0	Contact Finish Thickness	30μin (0.76μm)
	Ingress Protection	-
Report errors	Material Flammability Rating	UL94 V-0
Report Chors		Report errors?

#### DCMT13H6PNK87 Guarantees



#### **Quality Guarantees**

We provide 90 days warranty. \*

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



#### **Service Guarantees**

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

### DCMT13H6PNK87 Payment Methods



















### DCMT13H6PNK87 Shipping Methods













If you have any question about DCMT13H6PNK87, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com