



#### **DEJF3E2472ZB3B Information**



For Reference Only

Part Number DEJF3E2472ZB3B

Manufacturer Murata
Category Capacitors

Ceramic Capacitors

**Description** CAP CER 4700PF 250VAC RADIAL

Package Radial, Dis

For the pricing/inventory/lead time, please contact

us

Website: https://www.heisener.com E-mail: salesdept@heisener.com



Request a Quote

# **Certified Quality**

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









## **DEJF3E2472ZB3B Specifications**

Manufacturer Part Number         DEJF3E2472ZB3B           Manufacturer         Murata           Category         Capacitors           Package         Radial, Disc           Series         DEJ           Capacitance         4700pF           Tolerance         -20%, +80%           Voltage - Rated         250VAC           Temperature Coefficient         E           Operating Temperature         -25°C ~ 85°C           Features         -           Ratings         -           Applications         General Purpose           Failure Rate         -           Mounting Type         Through Hole           Package / Case         Radial, Disc           Size / Dimension         0.315" Dia (8.00mm)           Height - Seated (Max)         0.472" (12.00mm)           Thickness (Max)         -           Lead Spacing         0.295" (7.50mm)           Lead Style         Formed Leads		
Category         Capacitors           Package         Radial, Disc           Series         DEJ           Capacitance         4700pF           Tolerance         -20%, +80%           Voltage - Rated         250VAC           Temperature Coefficient         E           Operating Temperature         -25°C ~ 85°C           Features         -           Ratings         -           Applications         General Purpose           Failure Rate         -           Mounting Type         Through Hole           Package / Case         Radial, Disc           Size / Dimension         0.315" Dia (8.00mm)           Height - Seated (Max)         0.472" (12.00mm)           Thickness (Max)         -           Lead Spacing         0.295" (7.50mm)           Lead Style         Formed Leads	Manufacturer Part Number	DEJF3E2472ZB3B
Package         Radial, Disc           Series         DEJ           Capacitance         4700pF           Tolerance         -20%, +80%           Voltage - Rated         250VAC           Temperature Coefficient         E           Operating Temperature         -25°C ~ 85°C           Features         -           Ratings         -           Applications         General Purpose           Failure Rate         -           Mounting Type         Through Hole           Package / Case         Radial, Disc           Size / Dimension         0.315" Dia (8.00mm)           Height - Seated (Max)         0.472" (12.00mm)           Thickness (Max)         -           Lead Spacing         0.295" (7.50mm)           Lead Style         Formed Leads	Manufacturer	Murata
Package         Radial, Disc           Series         DEJ           Capacitance         4700pF           Tolerance         -20%, +80%           Voltage - Rated         250VAC           Temperature Coefficient         E           Operating Temperature         -25°C ~ 85°C           Features         -           Ratings         -           Applications         General Purpose           Failure Rate         -           Mounting Type         Through Hole           Package / Case         Radial, Disc           Size / Dimension         0.315" Dia (8.00mm)           Height - Seated (Max)         0.472" (12.00mm)           Thickness (Max)         -           Lead Spacing         0.295" (7.50mm)           Lead Style         Formed Leads	Category	Capacitors
SeriesDEJCapacitance4700pFTolerance-20%, +80%Voltage - Rated250VACTemperature CoefficientEOperating Temperature-25°C ~ 85°CFeatures-Ratings-ApplicationsGeneral PurposeFailure Rate-Mounting TypeThrough HolePackage / CaseRadial, DiscSize / Dimension0.315" Dia (8.00mm)Height - Seated (Max)0.472" (12.00mm)Thickness (Max)-Lead Spacing0.295" (7.50mm)Lead StyleFormed Leads		Ceramic Capacitors
Capacitance4700pFTolerance-20%, +80%Voltage - Rated250VACTemperature CoefficientEOperating Temperature-25°C ~ 85°CFeatures-Ratings-ApplicationsGeneral PurposeFailure Rate-Mounting TypeThrough HolePackage / CaseRadial, DiscSize / Dimension0.315" Dia (8.00mm)Height - Seated (Max)0.472" (12.00mm)Thickness (Max)-Lead Spacing0.295" (7.50mm)Lead StyleFormed Leads	Package	Radial, Disc
Tolerance         -20%, +80%           Voltage - Rated         250VAC           Temperature Coefficient         E           Operating Temperature         -25°C ~ 85°C           Features         -           Ratings         -           Applications         General Purpose           Failure Rate         -           Mounting Type         Through Hole           Package / Case         Radial, Disc           Size / Dimension         0.315" Dia (8.00mm)           Height - Seated (Max)         0.472" (12.00mm)           Thickness (Max)         -           Lead Spacing         0.295" (7.50mm)           Lead Style         Formed Leads	Series	DEJ
Voltage - Rated250VACTemperature CoefficientEOperating Temperature-25°C ~ 85°CFeatures-Ratings-ApplicationsGeneral PurposeFailure Rate-Mounting TypeThrough HolePackage / CaseRadial, DiscSize / Dimension0.315" Dia (8.00mm)Height - Seated (Max)0.472" (12.00mm)Thickness (Max)-Lead Spacing0.295" (7.50mm)Lead StyleFormed Leads	Capacitance	4700pF
Temperature CoefficientEOperating Temperature-25°C ~ 85°CFeatures-Ratings-ApplicationsGeneral PurposeFailure Rate-Mounting TypeThrough HolePackage / CaseRadial, DiscSize / Dimension0.315" Dia (8.00mm)Height - Seated (Max)0.472" (12.00mm)Thickness (Max)-Lead Spacing0.295" (7.50mm)Lead StyleFormed Leads	Tolerance	-20%, +80%
Operating Temperature -25°C ~ 85°C Features - Ratings - Applications General Purpose Failure Rate - Mounting Type Through Hole Package / Case Radial, Disc Size / Dimension 0.315" Dia (8.00mm) Height - Seated (Max) - Lead Spacing 0.295" (7.50mm) Lead Style Formed Leads	Voltage - Rated	250VAC
Features - General Purpose - Applications General Purpose - General Purpose - General Purpose - Through Hole - Through Hole - Size / Dimension Gala, Disc - Grade Gala, Grade Gala, Disc - Grade Gala, Disc	Temperature Coefficient	Е
Ratings - General Purpose Failure Rate - Mounting Type Through Hole Package / Case Radial, Disc Size / Dimension 0.315" Dia (8.00mm) Height - Seated (Max) 0.472" (12.00mm) Thickness (Max) - Lead Spacing 0.295" (7.50mm) Lead Style Formed Leads	Operating Temperature	-25°C ~ 85°C
Applications General Purpose Failure Rate - Mounting Type Through Hole Package / Case Radial, Disc Size / Dimension 0.315" Dia (8.00mm) Height - Seated (Max) 0.472" (12.00mm) Thickness (Max) - Lead Spacing 0.295" (7.50mm) Lead Style Formed Leads	Features	-
Failure Rate - Mounting Type Through Hole Package / Case Radial, Disc Size / Dimension 0.315" Dia (8.00mm) Height - Seated (Max) 0.472" (12.00mm) Thickness (Max) - Lead Spacing 0.295" (7.50mm) Lead Style Formed Leads	Ratings	-
Mounting Type Package / Case Radial, Disc Size / Dimension 0.315" Dia (8.00mm) Height - Seated (Max) 0.472" (12.00mm) Thickness (Max) - Lead Spacing 0.295" (7.50mm) Lead Style Formed Leads	Applications	General Purpose
Package / CaseRadial, DiscSize / Dimension0.315" Dia (8.00mm)Height - Seated (Max)0.472" (12.00mm)Thickness (Max)-Lead Spacing0.295" (7.50mm)Lead StyleFormed Leads	Failure Rate	-
Size / Dimension       0.315" Dia (8.00mm)         Height - Seated (Max)       0.472" (12.00mm)         Thickness (Max)       -         Lead Spacing       0.295" (7.50mm)         Lead Style       Formed Leads	Mounting Type	Through Hole
Height - Seated (Max)  Thickness (Max)  Lead Spacing  0.472" (12.00mm)  -  0.295" (7.50mm)  Formed Leads	Package / Case	Radial, Disc
Thickness (Max)  Lead Spacing  0.295" (7.50mm)  Lead Style  Formed Leads	Size / Dimension	0.315" Dia (8.00mm)
Lead Spacing0.295" (7.50mm)Lead StyleFormed Leads	Height - Seated (Max)	0.472" (12.00mm)
Lead Style Formed Leads	Thickness (Max)	-
	Lead Spacing	0.295" (7.50mm)
Report errors?	Lead Style	Formed Leads
		Report errors?

#### **DEJF3E2472ZB3B Guarantees**



#### **Quality Guarantees**

We provide 90 days warranty. \*

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



#### **Service Guarantees**

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

#### **DEJF3E2472ZB3B Payment Methods**



















### **DEJF3E2472ZB3B Shipping Methods**













If you have any question about DEJF3E2472ZB3B, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com