

# DEMP-5X1P-J-K87

### **DEMP-5X1P-J-K87** Information

Heisener.com	 DEMP-5X1P-J-K87 ITT Cannon, LLC Connectors, Interconnects D-Sub Connectors CONN D-SUB PLUG 5POS R/A SOLDER - For the pricing/inventory/lead time, please contact	
For Reference Only	us Website: https://www.heisener.com E-mail: salesdept@heisener.com	Request a Quote

## **Certified Quality**

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.



## **DEMP-5X1P-J-K87** Specifications

Manufacturer Part Number DEMP-5X1P-J-K87   Manufacturer ITT Cannon, LLC   Category Connectors, Interconnects   D-Sub Connectors D-Sub Connectors   Package -   Series Combo D?, D*M   Connector Style D-Sub, Combo   Connector Type Plug, Male Pins   Number of Positions 5 (4 + 1 Coax)   Number of Rows 2   Shell Size, Connector Layout 1 (DE, E) - 5W1   Contact Type Panel Mount, Through Hole, Right Angle   Mounting Type Panel Mount, Through Hole, Right Angle   Flange Feature Gorduning Indents, Mounting Brackets, Shielded   Shell Material, Finish Steel, Tin-Nickel Plated   Contact Finish Thickness Flash   Ingress Protection -		
CategoryConnectors, InterconnectsD-Sub ConnectorsPackage-SeriesCombo D?, D*MConnector StyleD-Sub, ComboConnector TypePlug, Male PinsNumber of Positions5 (4 + 1 Coax)Number of Rows2Shell Size, Connector Layout1 (DE, E) - 5W1Contact TypeCoax and SignalMounting TypeGoard SignalFlange FeatureBoard Side (4-40)FreminationSteler, Tin-Nickel PlatedShell Material, FinishGoldContact Finish ThicknessFlashIngress ProtectionFlashIngress ProtectionJUS4 V-0	Manufacturer Part Number	DEMP-5X1P-J-K87
D-Sub ConnectorsPackage-SeriesCombo D?, D*MConnector StyleD-Sub, ComboConnector TypePlug, Male PinsNumber of Positions5 (4 + 1 Coax)Number of Rows2Shell Size, Connector Layout1 (DE, E) - 5W1Contact TypeCoax and SignalMounting TypePanel Mount, Through Hole, Right AngleFlange FeatureBoard Side (4-40)FeaturesStelel, Tin-Nickel PlatedShell Material, FinishSteel, Tin-Nickel PlatedContact Finish ThicknessFlashIngress Protection-Metrial Flammability RatingUL94 V-0	Manufacturer	ITT Cannon, LLC
Package-SeriesCombo D?, D*MConnector StyleD-Sub ComboConnector TypePlug, Male PinsNumber of Positions5 (4 + 1 Coax)Number of Rows2Shell Size, Connector Layout1 (DE, E - 5W1Contact TypeCoax and SignalMounting TypeBoard Side (4-40)Flange FeatureSolderFeaturesSolderShell Material, FinishStel, Tin-Nickel PlatedContact Finish ThicknessFlashIngress Protection-Material Flamability RatingUB4 V-0	Category	Connectors, Interconnects
SeriesCombo D?, D*MConnector StyleD-Sub, ComboConnector TypePlug, Male PinsNumber of Positions5 (4 + 1 Coax)Number of Rows2Shell Size, Connector Layout1 (DE, E) - 5W1Contact TypeCoax and SignalMounting TypePanel Mount, Through Hole, Right AngleFlange FeatureSolderFeaturesGrounding Indents, Mounting Brackets, ShieldedShell Material, FinishStel, Tin-Nickel PlatedContact FinishGoldContact Finish ThicknessFlashIngress Protection-Material Flanmability RatingUL94 V-0		D-Sub Connectors
Connector StyleD-Sub, ComboConnector TypePlug, Male PinsNumber of Positions5 (4 + 1 Coax)Number of Rows2Shell Size, Connector Layout1 (DE, E) - 5W1Contact TypeCoax and SignalMounting TypePanel Mount, Through Hole, Right AngleFlange FeatureBoard Side (4-40)FeaturesGrounding Indents, Mounting Brackets, ShieldedShell Material, FinishSteel, Tin-Nickel PlatedContact Finish ThicknessFlashIngress Protection-Material Flammability RatingUL94 V-0	Package	-
Connector TypePlug, Male PinsNumber of Positions5 (4 + 1 Coax)Number of Rows2Shell Size, Connector Layout1 (DE, E) - 5W1Contact TypeCoax and SignalMounting TypePanel Mount, Through Hole, Right AngleFlange FeatureBoard Side (4-40)TerminationSolderFeaturesGrounding Indents, Mounting Brackets, ShieldedShell Material, FinishStel, Tin-Nickel PlatedContact FinishGoldIngress Protection-Material Flammability RatingUL94 V-0	Series	Combo D?, D*M
Number of Positions5 (4 + 1 Coax)Number of Rows2Shell Size, Connector Layout1 (DE, E) - 5W1Contact TypeCoax and SignalMounting TypePanel Mount, Through Hole, Right AngleFlange FeatureBoard Side (4-40)TerminationSolderFeaturesGrounding Indents, Mounting Brackets, ShieldedShell Material, FinishSteel, Tin-Nickel PlatedContact FinishFlashIngress Protection-Material Flammability RatingUL94 V-0	Connector Style	D-Sub, Combo
Number of Rows2Shell Size, Connector Layout1 (DE, E) - 5W1Contact TypeCoax and SignalMounting TypePanel Mount, Through Hole, Right AngleFlange FeatureBoard Side (4-40)TerminationSolderFeaturesGrounding Indents, Mounting Brackets, ShieldedShell Material, FinishSteel, Tin-Nickel PlatedContact Finish ThicknessFlashIngress Protection-Muterial Flammability RatingUL94 V-0	Connector Type	Plug, Male Pins
Shell Size, Connector Layout1 (DE, E) - 5W1Contact TypeCoax and SignalMounting TypePanel Mount, Through Hole, Right AngleFlange FeatureBoard Side (4-40)TerminationSolderFeaturesGrounding Indents, Mounting Brackets, ShieldedShell Material, FinishSteel, Tin-Nickel PlatedContact FinishGoldContact Finish ThicknessFashIngress Protection-Material Flammability RatingUL94 V-0	Number of Positions	5 (4 + 1 Coax)
Contact TypeCoax and SignalMounting TypePanel Mount, Through Hole, Right AngleFlange FeatureBoard Side (4-40)TerminationSolderFeaturesGrounding Indents, Mounting Brackets, ShieldedShell Material, FinishSteel, Tin-Nickel PlatedContact FinishGoldContact FinishFlashIngress Protection-Material Flammability RatingUL94 V-0	Number of Rows	2
Mounting TypePanel Mount, Through Hole, Right AngleFlange FeatureBoard Side (4-40)TerminationSolderFeaturesGrounding Indents, Mounting Brackets, ShieldedShell Material, FinishSteel, Tin-Nickel PlatedContact FinishGoldContact Finish ThicknessFlashIngress Protection-Material Flammability RatingUL94 V-0	Shell Size, Connector Layout	1 (DE, E) - 5W1
Flange FeatureBoard Side (4-40)TerminationSolderFeaturesGrounding Indents, Mounting Brackets, ShieldedShell Material, FinishSteel, Tin-Nickel PlatedContact FinishGoldContact Finish ThicknessFlashIngress Protection-Material Flammability RatingUL94 V-0	Contact Type	Coax and Signal
TerminationSolderFeaturesGrounding Indents, Mounting Brackets, ShieldedShell Material, FinishSteel, Tin-Nickel PlatedContact FinishGoldContact Finish ThicknessFlashIngress Protection-Material Flammability RatingUL94 V-0	Mounting Type	Panel Mount, Through Hole, Right Angle
FeaturesGrounding Indents, Mounting Brackets, ShieldedShell Material, FinishSteel, Tin-Nickel PlatedContact FinishGoldContact Finish ThicknessFlashIngress Protection-Material Flammability RatingUL94 V-0	Flange Feature	Board Side (4-40)
Shell Material, FinishSteel, Tin-Nickel PlatedContact FinishGoldContact Finish ThicknessFlashIngress Protection-Material Flammability RatingUL94 V-0	Termination	Solder
Contact FinishGoldContact Finish ThicknessFlashIngress Protection-Material Flammability RatingUL94 V-0	Features	Grounding Indents, Mounting Brackets, Shielded
Contact Finish ThicknessFlashIngress Protection-Material Flammability RatingUL94 V-0	Shell Material, Finish	Steel, Tin-Nickel Plated
Ingress Protection-Material Flammability RatingUL94 V-0	Contact Finish	Gold
Material Flammability Rating UL94 V-0	Contact Finish Thickness	Flash
	Ingress Protection	-
Report errors?	Material Flammability Rating	UL94 V-0
		Report errors?

#### **DEMP-5X1P-J-K87** Guarantees



Quality Guarantees

We provide 90 days warranty. \* If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



#### **Service Guarantees**

We guarantee 100% customer satisfaction. Our experienced sales team and tech support team back our services to satisfy all our customers.

#### **DEMP-5X1P-J-K87** Payment Methods



## **DEMP-5X1P-J-K87** Shipping Methods



If you have any question about DEMP-5X1P-J-K87, please do not hesitate to contact us! Website: https://www.heisener.com E-mail: salesdept@heisener.com