

DK1A-9V-F Information



For Reference Only

Part Number DK1A-9V-F

Manufacturer Panasonic Electric Works

Category Relays

Power Relays, Over 2 Amps

Description RELAY GEN PURPOSE SPST 10A 9V

Package -

For the pricing/inventory/lead time, please contact

us

Website: https://www.heisener.com E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









DK1A-9V-F Specifications

Manufacturer Part Number Manufacturer Panasonic Electric Works Relays Power Relays, Over 2 Amps Package - Series DK Relay Type General Purpose Coil Type Non Latching Coil Current 22.2mA Coil Voltage 9VDC Contact Form SPST-NO (1 Form A) Contact Rating (Current) 10A Switching Voltage 250VAC, 125VDC - Max Turn On Voltage (Min) Operate Time 10ms Release Time 8ms Features Sealed - Fully Mounting Type Through Hole Termination Style POWER Relays Powrs Relays Relays Powrs Relays Powrs Relays Powrs Relays Power Relays Powrs 2 Amps Power Relays Power Sumps Power Relays Power Rel		
CategoryRelaysPackage-SeriesDKRelay TypeGeneral PurposeCoil TypeNon LatchingCoil Current22.2mACoil Voltage9VDCContact FormSPST-NO (1 Form A)Contact Rating (Current)10ASwitching Voltage250VAC, 125VDC - MaxTurn On Voltage (Max)6.3 VDCTurn Off Voltage (Min)0.9 VDCOperate Time10msRelease Time8msFeaturesSealed - FullyMounting TypeThrough HoleTermination StylePC Pin	Manufacturer Part Number	DK1A-9V-F
Package - Series DK Relay Type General Purpose Coil Type Non Latching Coil Current 22.2mA Coil Voltage 9YDC Contact Form SPST-NO (1 Form A) Contact Rating (Current) 10A Switching Voltage 250VAC, 125VDC - Max Turn On Voltage (Max) 6.3 VDC Turn Off Voltage (Min) 0.9 VDC Operate Time 10ms Release Time 8ms Features Sealed - Fully Mounting Type Through Hole Termination Style Purpose	Manufacturer	Panasonic Electric Works
Package - DK Relay Type General Purpose Coil Type Non Latching Coil Current 22.2mA Coil Voltage 9VDC Contact Form SPST-NO (1 Form A) Contact Rating (Current) 10A Switching Voltage 250VAC, 125VDC - Max Turn On Voltage (Max) 6.3 VDC Turn Off Voltage (Min) 0.9 VDC Operate Time 10ms Release Time 8ms Features Sealed - Fully Mounting Type Through Hole Termination Style	Category	Relays
SeriesDKRelay TypeGeneral PurposeCoil TypeNon LatchingCoil Current22.2mACoil Voltage9VDCContact FormSPST-NO (1 Form A)Contact Rating (Current)10ASwitching Voltage250VAC, 125VDC - MaxTurn On Voltage (Max)6.3 VDCTurn Off Voltage (Min)0.9 VDCOperate Time10msRelease Time8msFeaturesSealed - FullyMounting TypeThrough HoleTermination StylePC Pin		Power Relays, Over 2 Amps
Relay TypeGeneral PurposeCoil TypeNon LatchingCoil Current22.2mACoil Voltage9VDCContact FormSPST-NO (1 Form A)Contact Rating (Current)10ASwitching Voltage250VAC, 125VDC - MaxTurn On Voltage (Max)6.3 VDCTurn Off Voltage (Min)0.9 VDCOperate Time10msRelease Time8msFeaturesSealed - FullyMounting TypeThrough HoleTermination StylePC Pin	Package	-
Coil TypeNon LatchingCoil Current22.2mACoil Voltage9VDCContact FormSPST-NO (1 Form A)Contact Rating (Current)10ASwitching Voltage250VAC, 125VDC - MaxTurn On Voltage (Max)6.3 VDCTurn Off Voltage (Min)0.9 VDCOperate Time10msRelease Time8msFeaturesSealed - FullyMounting TypeThrough HoleTermination StylePC Pin	Series	DK
Coil Current 22.2mA Coil Voltage 9VDC Contact Form SPST-NO (1 Form A) Contact Rating (Current) 10A Switching Voltage 250VAC, 125VDC - Max Turn On Voltage (Max) 6.3 VDC Turn Off Voltage (Min) 0.9 VDC Operate Time 10ms Release Time 8ms Features Sealed - Fully Mounting Type Through Hole Termination Style PC Pin	Relay Type	General Purpose
Coil Voltage 9VDC Contact Form SPST-NO (1 Form A) Contact Rating (Current) 10A Switching Voltage 250VAC, 125VDC - Max Turn On Voltage (Max) 6.3 VDC Turn Off Voltage (Min) 0.9 VDC Operate Time 10ms Release Time 8ms Features Sealed - Fully Mounting Type Through Hole Termination Style PC Pin	Coil Type	Non Latching
Contact Form SPST-NO (1 Form A) Contact Rating (Current) 10A Switching Voltage 250VAC, 125VDC - Max Turn On Voltage (Max) 6.3 VDC Turn Off Voltage (Min) 0.9 VDC Operate Time 10ms Release Time 8ms Features Sealed - Fully Mounting Type Through Hole Termination Style PC Pin	Coil Current	22.2mA
Contact Rating (Current) Switching Voltage 250VAC, 125VDC - Max Turn On Voltage (Max) 6.3 VDC Turn Off Voltage (Min) 0.9 VDC Operate Time 10ms Release Time 8ms Features Sealed - Fully Mounting Type Through Hole Termination Style	Coil Voltage	9VDC
Switching Voltage 250VAC, 125VDC - Max Turn On Voltage (Max) 6.3 VDC Turn Off Voltage (Min) 0.9 VDC Operate Time 10ms Release Time 8ms Features Sealed - Fully Mounting Type Through Hole Termination Style PC Pin	Contact Form	SPST-NO (1 Form A)
Turn On Voltage (Max) Turn Off Voltage (Min) Operate Time 10ms Release Time 8ms Features Sealed - Fully Mounting Type Through Hole Termination Style 6.3 VDC 6.3 VDC	Contact Rating (Current)	10A
Turn Off Voltage (Min) Operate Time 10ms Release Time 8ms Features Sealed - Fully Mounting Type Through Hole Termination Style PC Pin	Switching Voltage	250VAC, 125VDC - Max
Operate Time 10ms Release Time 8ms Features Sealed - Fully Mounting Type Through Hole Termination Style PC Pin	Turn On Voltage (Max)	6.3 VDC
Release Time 8ms Features Sealed - Fully Mounting Type Through Hole Termination Style PC Pin	Turn Off Voltage (Min)	0.9 VDC
Features Sealed - Fully Mounting Type Through Hole Termination Style PC Pin	Operate Time	10ms
Mounting Type Through Hole Termination Style PC Pin	Release Time	8ms
Termination Style PC Pin	Features	Sealed - Fully
·	Mounting Type	Through Hole
Report errors?	Termination Style	PC Pin
		Report errors?

DK1A-9V-F Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

DK1A-9V-F Payment Methods



















DK1A-9V-F Shipping Methods













If you have any question about DK1A-9V-F, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com