

Heisener.com

DLH-L60G-E1BD-C-NAV8

DLH-L60G-E1BD-C-NAV8 Information

Part Number DLH-L60G-E1BD-C-NAV8 Manufacturer All Sensors Corporation Sensors, Transducers Category

Pressure Sensors, Transducers

SENSOR PRESSURE 60" H2O 18 BIT R **Description**

8-DIP (0.620", 15.75mm), Dual Ports, Same Side **Package**

For the pricing/inventory/lead time, please contact

Website: https://www.heisener.com For Reference Only

E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









DLH-L60G-E1BD-C-NAV8 Specifications

Manufacturer Part Number	DLH-L60G-E1BD-C-NAV8
Manufacturer	All Sensors Corporation
Category	Sensors, Transducers
	Pressure Sensors, Transducers
Package	8-DIP (0.620", 15.75mm), Dual Ports, Same Side
Series	DLH
Pressure Type	Differential/Vented Gauge
Operating Pressure	2.17 PSI (15 kPa)
Output Type	I2C, SPI
Output	16b
Accuracy	±1.5%
Voltage - Supply	1.68 V ~ 3.6 V
Port Size	Male - 0.09" (2.24mm) Tube, Dual
Port Style	Barbed
Features	Temperature Compensated
Termination Style	PC Pin
Maximum Pressure	7.23 PSI (49.83 kPa)
Operating Temperature	-25°C ~ 85°C
Package / Case	8-DIP (0.620", 15.75mm), Dual Ports, Same Side
Supplier Device Package	8-DIP
	Report errors?

DLH-L60G-E1BD-C-NAV8 Guarantees



Ouality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

DLH-L60G-E1BD-C-NAV8 Payment Methods



















DLH-L60G-E1BD-C-NAV8 Shipping Methods













If you have any question about DLH-L60G-E1BD-C-NAV8, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com