

DPC-16-75B9 Information

Heisener.com

Part Number DPC-16-75B9

Manufacturer Pulse Electronics Power

Category Transformers

Power Transformers

Description XFRMR LAMINATED 1.2VA THRU HOLE

Package

For the pricing/inventory/lead time, please contact

us

For Reference Only

Website: https://www.heisener.com
E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









DPC-16-75B9 Specifications

Manufacturer Part Number DPC-16-75B9 Manufacturer Pulse Electronics Power Category Transformers Package - Series PC Plug-In Type Laminated Core Voltage - Primary 115V, 230V Voltage - Secondary (Full Load) Parallel 8V, Series 16V Current - Output (Max) Parallel 150mA, Series 75mA Primary Winding(s) Dual Secondary Winding(s) Dual Center Tap No Power - Max 1.2 VA Mounting Type Through Hole Termination Style PC Pin Size / Dimension 34.93mm L x 28.58mm W Height - Seated (Max) 30.18mm		
CategoryTransformersPackage-SeriesPC Plug-InTypeLaminated CoreVoltage - Primary115V, 230VVoltage - Secondary (Full Load)Parallel 8V, Series 16VCurrent - Output (Max)Parallel 150mA, Series 75mAPrimary Winding(s)DualSecondary Winding(s)DualCenter TapNoPower - Max1.2 VAMounting TypeThrough HoleTermination StylePC PinSize / Dimension34.93mm L x 28.58mm WHeight - Seated (Max)30.18mm	Manufacturer Part Number	DPC-16-75B9
Package - Ceries PC Plug-In Type Laminated Core Voltage - Primary 115V, 230V Voltage - Secondary (Full Load) Parallel 8V, Series 16V Current - Output (Max) Parallel 150mA, Series 75mA Primary Winding(s) Dual Secondary Winding(s) Dual Center Tap No Power - Max 1.2 VA Mounting Type Through Hole Termination Style Size / Dimension 34.93mm L x 28.58mm W Height - Seated (Max) 30.18mm	Manufacturer	Pulse Electronics Power
Package-SeriesPC Plug-InTypeLaminated CoreVoltage - Primary115V, 230VVoltage - Secondary (Full Load)Parallel 8V, Series 16VCurrent - Output (Max)Parallel 150mA, Series 75mAPrimary Winding(s)DualSecondary Winding(s)DualCenter TapNoPower - Max1.2 VAMounting TypeThrough HoleTermination StylePC PinSize / Dimension34.93mm L x 28.58mm WHeight - Seated (Max)30.18mm	Category	Transformers
Series PC Plug-In Type Laminated Core Voltage - Primary 115V, 230V Voltage - Secondary (Full Load) Parallel 8V, Series 16V Current - Output (Max) Parallel 150mA, Series 75mA Primary Winding(s) Dual Secondary Winding(s) Dual Center Tap No Power - Max 1.2 VA Mounting Type Through Hole Termination Style PC Pin Size / Dimension 34.93mm L x 28.58mm W Height - Seated (Max) 30.18mm		Power Transformers
Type Laminated Core Voltage - Primary 115V, 230V Voltage - Secondary (Full Load) Parallel 8V, Series 16V Current - Output (Max) Parallel 150mA, Series 75mA Primary Winding(s) Dual Secondary Winding(s) Dual Center Tap No Power - Max 1.2 VA Mounting Type Through Hole Termination Style PC Pin Size / Dimension 34.93mm L x 28.58mm W Height - Seated (Max) 30.18mm	Package	-
Voltage - Primary Voltage - Secondary (Full Load) Parallel 8V, Series 16V Current - Output (Max) Parallel 150mA, Series 75mA Primary Winding(s) Dual Secondary Winding(s) Dual Center Tap No Power - Max 1.2 VA Mounting Type Through Hole Termination Style PC Pin Size / Dimension 34.93mm L x 28.58mm W Height - Seated (Max)	Series	PC Plug-In
Voltage - Secondary (Full Load) Current - Output (Max) Parallel 150mA, Series 75mA Primary Winding(s) Dual Secondary Winding(s) Center Tap No Power - Max 1.2 VA Mounting Type Through Hole Termination Style Size / Dimension 34.93mm L x 28.58mm W Height - Seated (Max)	Туре	Laminated Core
Current - Output (Max) Primary Winding(s) Dual Secondary Winding(s) Dual Center Tap No Power - Max 1.2 VA Mounting Type Through Hole Termination Style Size / Dimension Height - Seated (Max) Parallel 150mA, Series 75mA Dual Pual Pual Power - Series 75mA Pual Pual Power - Max 1.2 VA 1.2 VA 30.18mm	Voltage - Primary	115V, 230V
Primary Winding(s) Secondary Winding(s) Dual Center Tap No Power - Max 1.2 VA Mounting Type Through Hole Termination Style PC Pin Size / Dimension 34.93mm L x 28.58mm W Height - Seated (Max) Dual No 30.18mm	Voltage - Secondary (Full Load)	Parallel 8V, Series 16V
Secondary Winding(s)DualCenter TapNoPower - Max1.2 VAMounting TypeThrough HoleTermination StylePC PinSize / Dimension34.93mm L x 28.58mm WHeight - Seated (Max)30.18mm	Current - Output (Max)	Parallel 150mA, Series 75mA
Center Tap No Power - Max 1.2 VA Mounting Type Through Hole Termination Style PC Pin Size / Dimension 34.93mm L x 28.58mm W Height - Seated (Max) 30.18mm	Primary Winding(s)	Dual
Power - Max 1.2 VA Mounting Type Through Hole Termination Style PC Pin Size / Dimension 34.93mm L x 28.58mm W Height - Seated (Max) 30.18mm	Secondary Winding(s)	Dual
Mounting Type Through Hole PC Pin Size / Dimension 34.93mm L x 28.58mm W Height - Seated (Max) 30.18mm	Center Tap	No
Termination Style PC Pin Size / Dimension 34.93mm L x 28.58mm W Height - Seated (Max) 30.18mm	Power - Max	1.2 VA
Size / Dimension 34.93mm L x 28.58mm W Height - Seated (Max) 30.18mm	Mounting Type	Through Hole
Height - Seated (Max) 30.18mm	Termination Style	PC Pin
	Size / Dimension	34.93mm L x 28.58mm W
	Height - Seated (Max)	30.18mm
Voltage - Isolation 1500Vrms	Voltage - Isolation	1500Vrms
Weight 0.188 lb (85.28g)	Weight	0.188 lb (85.28g)
Report errors?		Report errors?

DPC-16-75B9 Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

DPC-16-75B9 Payment Methods



















DPC-16-75B9 Shipping Methods













If you have any question about DPC-16-75B9, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com