

DPC-40-250B27 Information

Heisener.com

Part Number DPC-40-250B27

Manufacturer Pulse Electronics Power

Category Transformers

Power Transformers

Description XFRMR LAMINATED 10VA THRU HOLE

Package

For the pricing/inventory/lead time, please contact

us

For Reference Only

Website: https://www.heisener.com
E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









DPC-40-250B27 Specifications

Manufacturer Part Number Manufacturer Pulse Electronics Power Category Transformers Power Transformers Package Series PC Plug-In Type Laminated Core Voltage - Primary Voltage - Secondary (Full Load) Current - Output (Max) Primary Winding(s) Dual	
Category Transformers Power Transformers Package - Series PC Plug-In Type Laminated Core Voltage - Primary 115V, 230V Voltage - Secondary (Full Load) Parallel 20V, Series 40V Current - Output (Max) Primary Winding(s) Dual	
Power Transformers Package - Series PC Plug-In Type Laminated Core Voltage - Primary 115V, 230V Voltage - Secondary (Full Load) Parallel 20V, Series 40V Current - Output (Max) Primary Winding(s) Dual	
Package - Series PC Plug-In Type Laminated Core Voltage - Primary 115V, 230V Voltage - Secondary (Full Load) Parallel 20V, Series 40V Current - Output (Max) Parallel 500mA, Series 250mA Primary Winding(s) Dual	
Series PC Plug-In Type Laminated Core Voltage - Primary 115V, 230V Voltage - Secondary (Full Load) Parallel 20V, Series 40V Current - Output (Max) Parallel 500mA, Series 250mA Primary Winding(s) Dual	
Type Voltage - Primary Voltage - Secondary (Full Load) Current - Output (Max) Primary Winding(s) Laminated Core 115V, 230V Parallel 20V, Series 40V Parallel 500mA, Series 250mA Dual	
Voltage - Primary Voltage - Secondary (Full Load) Current - Output (Max) Primary Winding(s) 115V, 230V Parallel 20V, Series 40V Parallel 500mA, Series 250mA Dual	
Voltage - Secondary (Full Load) Current - Output (Max) Primary Winding(s) Parallel 20V, Series 40V Parallel 500mA, Series 250mA Dual	
Current - Output (Max) Primary Winding(s) Parallel 500mA, Series 250mA Dual	
Primary Winding(s) Dual	
Secondary Winding(s) Dual	
Center Tap No	
Power - Max 10 VA	
Mounting Type Through Hole	
Termination Style PC Pin	
Size / Dimension 47.63mm L x 36.53mm W	
Height - Seated (Max) 41.28mm	
Voltage - Isolation 1500Vrms	
Weight 0.563 lb (255.37g)	

DPC-40-250B27 Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

DPC-40-250B27 Payment Methods



















DPC-40-250B27 Shipping Methods













If you have any question about DPC-40-250B27, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com