

**DS1855X-050#T&R Information**


For Reference Only

**Part Number** [DS1855X-050#T&R](#)  
**Manufacturer** Maxim Integrated  
**Category** Integrated Circuits (ICs)  
[Data Acquisition - Digital Potentiometers](#)  
**Description** IC DUAL NV DGTL POT/MEM 14-FCP  
**Package** 14-WFBGA, FCBGA  
 For the pricing/inventory/lead time, please contact us  
 Website: <https://www.heisener.com>  
 E-mail: [salesdept@heisener.com](mailto:salesdept@heisener.com)


[Request a Quote](#)
**Certified Quality**

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.


**DS1855X-050#T&R Specifications**

Manufacturer Part Number	<a href="#">DS1855X-050#T&amp;R</a>
Manufacturer	Maxim Integrated
Category	Integrated Circuits (ICs) <a href="#">Data Acquisition - Digital Potentiometers</a>
Package	14-WFBGA, FCBGA
Series	-
Taper	Linear
Configuration	Potentiometer
Number of Circuits	2
Number of Taps	100, 256
Resistance (Ohms)	50k
Interface	I2C
Memory Type	Non-Volatile
Voltage - Supply	2.7 V ~ 5.5 V
Features	Selectable Address
Tolerance	±20%
Temperature Coefficient (Typ)	750 ppm/°C
Resistance - Wiper (Ohms) (Typ)	400
Operating Temperature	-40°C ~ 85°C
Package / Case	14-WFBGA, FCBGA
Supplier Device Package	14-FlipChip (2.11x2.34)

[Report errors?](#)

## DS1855X-050#T&R Guarantees



### Quality Guarantees

We provide 90 days warranty. \*

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



### Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

## DS1855X-050#T&R Payment Methods



## DS1855X-050#T&R Shipping Methods



If you have any question about DS1855X-050#T&R, please do not hesitate to contact us!

Website: <https://www.heisener.com>

E-mail: [salesdept@heisener.com](mailto:salesdept@heisener.com)