

DS650DC-3 Information

Part Number DS650DC-3

Manufacturer Artesyn Embedded Technologies

Category Power Supplies - External/Internal (Off-Board)

DC DC Converters

Description PWR SUP 48VDC IN 12VDC@650W OUT

Package

For the pricing/inventory/lead time, please contact

Website: https://www.heisener.com For Reference Only

E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









DS650DC-3 Specifications

Manufacturer Part Number D8650DC-3 Manufacturer Artesyn Embedded Technologies Category Power Supplies - External/Internal (Off-Board) DC DC Converters Package Module Series - Type Front End Voltage - Input (Min) -39V Voltage - Input (Max) -72V Number of Outputs 1 Voltage - Output 1 12V Voltage - Output 2 - Voltage - Output 3 - Voltage - Output 4 - Current - Output (Max) 52.5A Power (Watts) 650W Applications ITE (Commercial) Operating Temperature -5°C ~ 50°C Efficiency 80% Mounting Type Rack Mount Package / Case Module Size / Dimension 11.00" L x 3.20" W x 1.57" H (279.4mm x 81.3mm x 39.9mm)			
Category Power Supplies - External/Internal (Off-Board) DC DC Converters Package Module Series - Type Front End Voltage - Input (Min) -39V Voltage - Input (Max) -72V Number of Outputs 1 Voltage - Output 1 12V Voltage - Output 2 - Voltage - Output 3 - Voltage - Output 4 - Current - Output (Max) 52.5A Power (Watts) 650W Applications ITE (Commercial) Operating Temperature -5°C ~ 50°C Efficiency 80% Mounting Type Rack Mount Package / Case Module Size / Dimension 11.00" L x 3.20" W x 1.57" H (279.4mm x 81.3mm x 39.9mm)	Manufacturer Part Number	DS650DC-3	
Package Module Series - Type Front End Voltage - Input (Min) -39V Voltage - Input (Max) -72V Number of Outputs 1 Voltage - Output 1 12V Voltage - Output 2 - Voltage - Output 3 - Voltage - Output 4 - Current - Output (Max) 52.5A Power (Watts) 650W Applications ITE (Commercial) Operating Temperature -5°C ~ 50°C Efficiency 80% Mounting Type Rack Mount Package / Case Module Size / Dimension 11.00" L x 3.20" W x 1.57" H (279.4mm x 81.3mm x 39.9mm)	Manufacturer	Artesyn Embedded Technologies	
Package Module Series - Type Front End Voltage - Input (Min) -39V Voltage - Input (Max) -72V Number of Outputs 1 Voltage - Output 1 12V Voltage - Output 2 - Voltage - Output 3 - Voltage - Output 4 - Current - Output (Max) 52.5A Power (Watts) 650W Applications ITE (Commercial) Operating Temperature -5°C ~ 50°C Efficiency 80% Mounting Type Rack Mount Package / Case Module Size / Dimension 11.00" L x 3.20" W x 1.57" H (279.4mm x 81.3mm x 39.9mm)	Category	Power Supplies - External/Internal (Off-Board)	
Series - Type Front End Voltage - Input (Min) -39 V Voltage - Input (Max) -72 V Number of Outputs 1 Voltage - Output 1 12 V Voltage - Output 2 - Voltage - Output 3 - Voltage - Output 4 - Current - Output (Max) 52.5A Power (Watts) 650W Applications ITE (Commercial) Operating Temperature -5°C ~ 50°C Efficiency 80% Mounting Type Rack Mount Package / Case Module Size / Dimension 11.00" L x 3.20" W x 1.57" H (279.4mm x 81.3mm x 39.9mm)		DC DC Converters	
Type Front End Voltage - Input (Min) -39V Voltage - Input (Max) -72V Number of Outputs 1 Voltage - Output 1 12V Voltage - Output 2 - Voltage - Output 3 - Voltage - Output 4 - Current - Output (Max) 52.5A Power (Watts) 650W Applications ITE (Commercial) Operating Temperature -5°C ~ 50°C Efficiency 80% Mounting Type Rack Mount Package / Case Module Size / Dimension 11.00" L x 3.20" W x 1.57" H (279.4mm x 81.3mm x 39.9mm)	Package	Module	
Voltage - Input (Min) -39 V Voltage - Input (Max) -72 V Number of Outputs 1 Voltage - Output 1 12 V Voltage - Output 2 - Voltage - Output 3 - Voltage - Output 4 - Current - Output (Max) 52.5A Power (Watts) 650 W Applications ITE (Commercial) Operating Temperature -5°C ~ 50°C Efficiency 80% Mounting Type Rack Mount Package / Case Module Size / Dimension 11.00" L x 3.20" W x 1.57" H (279.4mm x 81.3mm x 39.9mm)	Series	-	
Voltage - Input (Max) -72V Number of Outputs 1 Voltage - Output 1 12V Voltage - Output 2 - Voltage - Output 3 - Voltage - Output 4 - Current - Output (Max) 52.5A Power (Watts) 650W Applications ITE (Commercial) Operating Temperature -5°C ~ 50°C Efficiency 80% Mounting Type Rack Mount Package / Case Module Size / Dimension 11.00" L x 3.20" W x 1.57" H (279.4mm x 81.3mm x 39.9mm)	Type	Front End	
Number of Outputs 1 Voltage - Output 1 12V Voltage - Output 2 - Voltage - Output 3 - Voltage - Output 4 - Current - Output (Max) 52.5A Power (Watts) 650W Applications ITE (Commercial) Operating Temperature -5°C ~ 50°C Efficiency 80% Mounting Type Rack Mount Package / Case Module Size / Dimension 11.00" L x 3.20" W x 1.57" H (279.4mm x 81.3mm x 39.9mm)	Voltage - Input (Min)	-39V	
Voltage - Output 1 12V Voltage - Output 2 - Voltage - Output 3 - Voltage - Output 4 - Current - Output (Max) 52.5A Power (Watts) 650W Applications ITE (Commercial) Operating Temperature -5°C ~ 50°C Efficiency 80% Mounting Type Rack Mount Package / Case Module Size / Dimension 11.00" L x 3.20" W x 1.57" H (279.4mm x 81.3mm x 39.9mm)	Voltage - Input (Max)	-72V	
Voltage - Output 2-Voltage - Output 3-Voltage - Output 4-Current - Output (Max)52.5APower (Watts)650WApplicationsITE (Commercial)Operating Temperature-5°C ~ 50°CEfficiency80%Mounting TypeRack MountPackage / CaseModuleSize / Dimension11.00" L x 3.20" W x 1.57" H (279.4mm x 81.3mm x 39.9mm)	Number of Outputs	1	
Voltage - Output 4 Current - Output (Max) Power (Watts) Applications Operating Temperature Efficiency Mounting Type Rack Mount Package / Case Module Size / Dimension	Voltage - Output 1	12V	
Voltage - Output 4 Current - Output (Max) 52.5A Power (Watts) Applications ITE (Commercial) Operating Temperature -5°C ~ 50°C Efficiency 80% Mounting Type Rack Mount Package / Case Module Size / Dimension	Voltage - Output 2	-	
Current - Output (Max) 52.5A Power (Watts) Applications ITE (Commercial) Operating Temperature -5°C ~ 50°C Efficiency 80% Mounting Type Rack Mount Package / Case Module Size / Dimension 52.5A 650W Applications ITE (Commercial) -5°C ~ 50°C Rack Mount Rack Mount Rack Mount 11.00" L x 3.20" W x 1.57" H (279.4mm x 81.3mm x 39.9mm)	Voltage - Output 3	-	
Power (Watts) 650W Applications ITE (Commercial) Operating Temperature -5°C ~ 50°C Efficiency 80% Mounting Type Rack Mount Package / Case Module Size / Dimension 11.00" L x 3.20" W x 1.57" H (279.4mm x 81.3mm x 39.9mm)	Voltage - Output 4	-	
Applications ITE (Commercial) Operating Temperature -5°C ~ 50°C Efficiency 80% Mounting Type Rack Mount Package / Case Module Size / Dimension 11.00" L x 3.20" W x 1.57" H (279.4mm x 81.3mm x 39.9mm)	Current - Output (Max)	52.5A	
Operating Temperature -5°C ~ 50°C Efficiency 80% Mounting Type Rack Mount Package / Case Module Size / Dimension 11.00" L x 3.20" W x 1.57" H (279.4mm x 81.3mm x 39.9mm)	Power (Watts)	650W	
Efficiency 80% Mounting Type Rack Mount Package / Case Module Size / Dimension 11.00" L x 3.20" W x 1.57" H (279.4mm x 81.3mm x 39.9mm)	Applications	ITE (Commercial)	
Mounting Type Rack Mount Package / Case Module Size / Dimension 11.00" L x 3.20" W x 1.57" H (279.4mm x 81.3mm x 39.9mm)	Operating Temperature	-5°C ~ 50°C	
Package / Case Module Size / Dimension 11.00" L x 3.20" W x 1.57" H (279.4mm x 81.3mm x 39.9mm)	Efficiency	80%	
Size / Dimension 11.00" L x 3.20" W x 1.57" H (279.4mm x 81.3mm x 39.9mm)	Mounting Type	Rack Mount	
	Package / Case	Module	
Report errors?	Size / Dimension	11.00" L x 3.20" W x 1.57" H (279.4mm x 81.3mm x 39.9mm)	
		R	eport errors?

DS650DC-3 Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

DS650DC-3 Payment Methods



















DS650DC-3 Shipping Methods













If you have any question about DS650DC-3, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com