

DST4-16B10 Information



For Reference Only

Part Number DST4-16B10

Manufacturer Pulse Electronics Power

Category Transformers

Power Transformers

Description XFRMR LAMINATED 6VA THRU HOLE

Package

For the pricing/inventory/lead time, please contact

us

Website: https://www.heisener.com E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









DST4-16B10 Specifications

Manufacturer Part Number Manufacturer Pulse Electronics Power Category Transformers Power Transformers Package Series Split Bobbin Plug-In Type Laminated Core Voltage - Primary Voltage - Secondary (Full Load) Parallel 8V, Series 16V Current - Output (Max) Primary Winding(s) Secondary Winding(s) Dual Center Tap Power - Max DST4-16B10 Pulse Electronics Power Transformers Power Power Transformers Package - Split Bobbin Plug-In Laminated Core Voltage - Primary Institute 150 Parallel 8V, Series 16V Parallel 8V, Series 400mA Primary Winding(s) Dual Center Tap No Power - Max 6 VA
Category Transformers Power Transformers Package Series Split Bobbin Plug-In Type Laminated Core Voltage - Primary 115V, 230V Voltage - Secondary (Full Load) Parallel 8V, Series 16V Current - Output (Max) Parallel 800mA, Series 400mA Primary Winding(s) Dual Secondary Winding(s) Dual Center Tap No Power - Max 6 VA
Package - Series Split Bobbin Plug-In Type Laminated Core Voltage - Primary 115V, 230V Voltage - Secondary (Full Load) Parallel 8V, Series 16V Current - Output (Max) Parallel 800mA, Series 400mA Primary Winding(s) Dual Secondary Winding(s) Dual Center Tap No Power - Max 6 VA
Package - Series Split Bobbin Plug-In Type Laminated Core Voltage - Primary 115V, 230V Voltage - Secondary (Full Load) Parallel 8V, Series 16V Current - Output (Max) Parallel 800mA, Series 400mA Primary Winding(s) Dual Secondary Winding(s) Dual Center Tap No Power - Max 6 VA
Series Split Bobbin Plug-In Type Laminated Core Voltage - Primary 115V, 230V Voltage - Secondary (Full Load) Parallel 8V, Series 16V Current - Output (Max) Primary Winding(s) Dual Secondary Winding(s) Dual Center Tap No Power - Max Split Bobbin Plug-In Laminated Core Daminated Core Daminate
Type Voltage - Primary Voltage - Secondary (Full Load) Current - Output (Max) Primary Winding(s) Secondary Winding(s) Dual Center Tap No Power - Max Laminated Core Laminated Core Laminated Core Laminated Core Laminated Core Dual Parallel 8V, Series 16V Parallel 800mA, Series 400mA Dual Output (Max) Dual No 6 VA
Voltage - Primary Voltage - Secondary (Full Load) Parallel 8V, Series 16V Current - Output (Max) Primary Winding(s) Dual Secondary Winding(s) Dual Center Tap No Power - Max Pilate Story Series 400mA Power - Max Dual No 6 VA
Voltage - Secondary (Full Load) Current - Output (Max) Primary Winding(s) Secondary Winding(s) Dual Center Tap No Power - Max Parallel 8V, Series 16V Parallel 800mA, Series 400mA Dual Dual 6 VA
Current - Output (Max) Primary Winding(s) Dual Secondary Winding(s) Dual Center Tap No Power - Max Parallel 800mA, Series 400mA Dual Output Dual No 6 VA
Primary Winding(s) Secondary Winding(s) Center Tap No Power - Max Dual No 6 VA
Secondary Winding(s) Center Tap No Power - Max Dual No 6 VA
Center Tap No Power - Max 6 VA
Power - Max 6 VA
Mounting Type Through Hole
Termination Style PC Pin
Size / Dimension 41.40mm L x 33.27mm W
Height - Seated (Max) 33.27mm
Voltage - Isolation 2500Vrms
Weight 0.44 lb (199.58g)
Report errors

DST4-16B10 Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

DST4-16B10 Payment Methods



















DST4-16B10 Shipping Methods













If you have any question about DST4-16B10, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com