

DX1092/D3 Information

Heisener.com

Part Number DX1092/D3 Manufacturer Bulgin

Category Optoelectronics

Panel Indicators, Pilot Lights

Description LED PANEL IND AMB/GRN 2.2V/2.2V

Package

For the pricing/inventory/lead time, please contact

Website: https://www.heisener.com For Reference Only

E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









DX1092/D3 Specifications

Lens Color Lens Transparency - Ratings Vf (Typ), If (Max) Voltage 2.2V Amber, 2.2V Green Current 20mA Amber, 30mA Green Panel Cutout Shape Round Panel Cutout Dimensions 0.31" (7.87mm) Lens Style/Size Round with Domed Top, 5mm (T-1 3/4) Millicandela Rating 4mcd Amber, 5mcd Green Wavelength - Peak Viewing Angle - Termination Style -		
Category Optoelectronics Panel Indicators, Pilot Lights Package - Series - Type LED Lamp Color Lens Color Lens Transparency Ratings Vf (Typ), If (Max) Voltage 2.2V Amber, 30mA Green Current Panel Cutout Shape Round Panel Cutout Dimensions Lens Style/Size Round with Domed Top, 5mm (T-1 3/4) Millicandela Rating Wellength - Peak Viewing Angle - Termination Style Panel Cutout Style - Current Round Ro	Manufacturer Part Number	DX1092/D3
Package - Carrent Cutout Shape Round Cutout Shape Round Style/Size Round Willicandela Rating Amber Amber, 5mcd Green Lens Style/Size Round Package Round Rou	Manufacturer	Bulgin
Package - Series - CED Type LED Lamp Color Amber, Green Lens Color - CED Ratings Vf (Typ), If (Max) Voltage 2.2V Amber, 2.2V Green Current 20mA Amber, 30mA Green Panel Cutout Shape Round Panel Cutout Dimensions 0.31" (7.87mm) Lens Style/Size Round with Domed Top, 5mm (T-1 3/4) Millicandela Rating 4mcd Amber, 5mcd Green Wavelength - Peak Viewing Angle - Cermination Style Fermination Style	Category	Optoelectronics
Series - LED Lamp Color Amber, Green Lens Color - Lens Transparency - Ratings Vf (Typ), If (Max) Voltage 2.2V Amber, 2.2V Green Current 20mA Amber, 30mA Green Panel Cutout Shape Round Panel Cutout Dimensions 0.31" (7.87mm) Lens Style/Size Round with Domed Top, 5mm (T-1 3/4) Millicandela Rating 4mcd Amber, 5mcd Green Wavelength - Peak Viewing Angle - Cermination Style Termination Style - LED Amber, Green - Amber, 30mA Green - Cutout Dimensions 0.31" (7.87mm)		Panel Indicators, Pilot Lights
Type LED Lamp Color Amber, Green Lens Color - Lens Transparency - Ratings Vf (Typ), If (Max) Voltage 2.2V Amber, 2.2V Green Current 20mA Amber, 30mA Green Panel Cutout Shape Round Panel Cutout Dimensions 0.31" (7.87mm) Lens Style/Size Round with Domed Top, 5mm (T-1 3/4) Millicandela Rating 4mcd Amber, 5mcd Green Wavelength - Peak Viewing Angle - Termination Style -	Package	-
Lamp Color Lens Color Lens Transparency Ratings Vf (Typ), If (Max) Voltage 2.2V Amber, 2.2V Green Current 20mA Amber, 30mA Green Panel Cutout Shape Round Panel Cutout Dimensions Lens Style/Size Round with Domed Top, 5mm (T-1 3/4) Millicandela Rating Wavelength - Peak Viewing Angle Termination Style Amber, Green Amber, Green	Series	-
Lens Color Lens Transparency - Ratings Vf (Typ), If (Max) Voltage 2.2V Amber, 2.2V Green Current 20mA Amber, 30mA Green Panel Cutout Shape Round Panel Cutout Dimensions 0.31" (7.87mm) Lens Style/Size Round with Domed Top, 5mm (T-1 3/4) Millicandela Rating 4mcd Amber, 5mcd Green Wavelength - Peak Viewing Angle - Termination Style -	Type	LED
Lens Transparency Ratings Vf (Typ), If (Max) Voltage 2.2V Amber, 2.2V Green Current 20mA Amber, 30mA Green Panel Cutout Shape Round Panel Cutout Dimensions 0.31" (7.87mm) Lens Style/Size Round with Domed Top, 5mm (T-1 3/4) Millicandela Rating 4mcd Amber, 5mcd Green Wavelength - Peak Viewing Angle Termination Style -	Lamp Color	Amber, Green
Ratings Vf (Typ), If (Max) Voltage 2.2V Amber, 2.2V Green Current 20mA Amber, 30mA Green Panel Cutout Shape Round Panel Cutout Dimensions 0.31" (7.87mm) Lens Style/Size Round with Domed Top, 5mm (T-1 3/4) Millicandela Rating 4mcd Amber, 5mcd Green Wavelength - Peak Viewing Angle - Termination Style -	Lens Color	-
Voltage 2.2V Amber, 2.2V Green Current 20mA Amber, 30mA Green Panel Cutout Shape Round Panel Cutout Dimensions 0.31" (7.87mm) Lens Style/Size Round with Domed Top, 5mm (T-1 3/4) Millicandela Rating 4mcd Amber, 5mcd Green Wavelength - Peak - Viewing Angle - Termination Style -	Lens Transparency	-
Current 20mA Amber, 30mA Green Panel Cutout Shape Round Panel Cutout Dimensions 0.31" (7.87mm) Lens Style/Size Round with Domed Top, 5mm (T-1 3/4) Millicandela Rating 4mcd Amber, 5mcd Green Wavelength - Peak - Viewing Angle - Termination Style -	Ratings	Vf (Typ), If (Max)
Panel Cutout Shape Round O.31" (7.87mm) Lens Style/Size Round with Domed Top, 5mm (T-1 3/4) Millicandela Rating 4mcd Amber, 5mcd Green Wavelength - Peak Viewing Angle Termination Style -	Voltage	2.2V Amber, 2.2V Green
Panel Cutout Dimensions 0.31" (7.87mm) Lens Style/Size Round with Domed Top, 5mm (T-1 3/4) Millicandela Rating 4mcd Amber, 5mcd Green - Viewing Angle - Termination Style -	Current	20mA Amber, 30mA Green
Lens Style/Size Round with Domed Top, 5mm (T-1 3/4) Millicandela Rating 4mcd Amber, 5mcd Green Wavelength - Peak - Viewing Angle - Termination Style -	Panel Cutout Shape	Round
Millicandela Rating 4mcd Amber, 5mcd Green Wavelength - Peak - Viewing Angle - Termination Style -	Panel Cutout Dimensions	0.31" (7.87mm)
Wavelength - Peak - Viewing Angle - Termination Style -	Lens Style/Size	Round with Domed Top, 5mm (T-1 3/4)
Viewing Angle - Termination Style -	Millicandela Rating	4mcd Amber, 5mcd Green
Termination Style -	Wavelength - Peak	-
·	Viewing Angle	-
I D ()	Termination Style	-
Ingress Protection IP66	Ingress Protection	IP66
Features -	Features	-
Report errors?		Report errors?

DX1092/D3 Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

DX1092/D3 Payment Methods





















DX1092/D3 Shipping Methods













If you have any question about DX1092/D3, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com