



E101SD1ABE Information



For Reference Only

Part Number E101SD1ABE

Manufacturer C&K **Category** Switches

Toggle Switches

Description SWITCH TOGGLE SPDT 0.4VA 20V

Package -

For the pricing/inventory/lead time, please contact

us

Website: https://www.heisener.com E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









E101SD1ABE Specifications

Manufacturer Part Number E101SD1ABE Manufacturer C&K Category Switches Toggle Switches Package - Series E Circuit SPDT Switch Function On-On Current Rating 0.4VA (AC/DC) Voltage Rating - AC 20V Voltage Rating - DC 20V Actuator Type Standard Round Actuator Length 12.70mm Illumination Non-Illuminated Illumination Type, Color - Illumination Voltage (Nominal) - Mounting Type Through Hole, Right Angle Termination Style PC Pin Panel Cutout Dimensions - Bushing Thread Unthreaded Ingress Protection IP57 - Dust Protected, Waterproof Features Epoxy Sealed Terminals	• • • • • • • • • • • • • • • • • • •	
CategorySwitchesPackage-SeriesECircuitSPDTSwitch FunctionOn-OnCurrent Rating0.4VA (AC/DC)Voltage Rating - AC20VVoltage Rating - DC20VActuator TypeStandard RoundActuator Length12.70mmIlluminationNon-IlluminatedIllumination Type, Color-Illumination Voltage (Nominal)-Mounting TypeThrough Hole, Right AngleTermination StylePC PinPanel Cutout Dimensions-Bushing ThreadUnthreadedIngress ProtectionIP57 - Dust Protected, WaterproofFeaturesEpoxy Sealed Terminals	Manufacturer Part Number	E101SD1ABE
Package - Circuit SPDT SWITCH Function On-On On-	Manufacturer	C&K
Package-SeriesECircuitSPDTSwitch FunctionOn-OnCurrent Rating0.4VA (AC/DC)Voltage Rating - AC20VVoltage Rating - DC20VActuator TypeStandard RoundActuator Length12.70mmIlluminationNon-IlluminatedIllumination Type, Color-Illumination Voltage (Nominal)-Termination StylePC PinPanel Cutout Dimensions-Bushing ThreadUnthreadedIngress ProtectionIP57 - Dust Protected, WaterproofFeaturesEpoxy Sealed Terminals	Category	Switches
SeriesECircuitSPDTSwitch FunctionOn-OnCurrent Rating0.4VA (AC/DC)Voltage Rating - AC20VVoltage Rating - DC20VActuator TypeStandard RoundActuator Length12.70mmIlluminationNon-IlluminatedIllumination Type, Color-Illumination Voltage (Nominal)-Mounting TypeThrough Hole, Right AngleTermination StylePC PinPanel Cutout Dimensions-Bushing ThreadUnthreadedIngress ProtectionIP57 - Dust Protected, WaterproofFeaturesEpoxy Sealed Terminals		Toggle Switches
Circuit SPDT Switch Function On-On Current Rating 0.4VA (AC/DC) Voltage Rating - AC 20V Voltage Rating - DC 20V Actuator Type Standard Round Actuator Length 12.70mm Illumination Non-Illuminated Illumination Type, Color - Illumination Voltage (Nominal) - Mounting Type Through Hole, Right Angle Termination Style PC Pin Panel Cutout Dimensions - Bushing Thread Unthreaded Ingress Protection IP57 - Dust Protected, Waterproof Features SPDT On-On On On-On On On-On On On-On On O	Package	-
Switch Function Current Rating 0.4VA (AC/DC) Voltage Rating - AC 20V Voltage Rating - DC 20V Actuator Type Standard Round Actuator Length 12.70mm Illumination Non-Illuminated Illumination Type, Color - Illumination Voltage (Nominal) Termination Style PC Pin Panel Cutout Dimensions Bushing Thread Ingress Protection Features On-On On-On On-On On-On On-On On-On On-On On-On On-On On On-On On On-On On O	Series	E
Current Rating 0.4VA (AC/DC) Voltage Rating - AC 20V Voltage Rating - DC 20V Actuator Type Standard Round Actuator Length 12.70mm Illumination Non-Illuminated Illumination Type, Color - Illumination Voltage (Nominal) - Mounting Type Through Hole, Right Angle Termination Style PC Pin Panel Cutout Dimensions - Bushing Thread Unthreaded Ingress Protection IP57 - Dust Protected, Waterproof Features Epoxy Sealed Terminals	Circuit	SPDT
Voltage Rating - AC Voltage Rating - DC 20V Actuator Type Standard Round 12.70mm Illumination Non-Illuminated Illumination Type, Color Illumination Voltage (Nominal) Mounting Type Through Hole, Right Angle Termination Style PC Pin Panel Cutout Dimensions Bushing Thread Unthreaded Ingress Protection Features Epoxy Sealed Terminals	Switch Function	On-On
Voltage Rating - DC Actuator Type Standard Round 12.70mm Illumination Non-Illuminated Illumination Type, Color - Illumination Voltage (Nominal) Mounting Type Through Hole, Right Angle Termination Style PC Pin Panel Cutout Dimensions - Bushing Thread Unthreaded Ingress Protection Features Epoxy Sealed Terminals	Current Rating	0.4VA (AC/DC)
Actuator Type Standard Round 12.70mm Illumination Non-Illuminated Illumination Type, Color Illumination Voltage (Nominal) Mounting Type Through Hole, Right Angle Termination Style PC Pin Panel Cutout Dimensions - Bushing Thread Unthreaded Ingress Protection IP57 - Dust Protected, Waterproof Features Epoxy Sealed Terminals	Voltage Rating - AC	20V
Actuator Length Illumination Non-Illuminated Illumination Type, Color Illumination Voltage (Nominal) Mounting Type Through Hole, Right Angle Termination Style PC Pin Panel Cutout Dimensions - Bushing Thread Unthreaded Ingress Protection Features Epoxy Sealed Terminals	Voltage Rating - DC	20V
IlluminationNon-IlluminatedIllumination Type, Color-Illumination Voltage (Nominal)-Mounting TypeThrough Hole, Right AngleTermination StylePC PinPanel Cutout Dimensions-Bushing ThreadUnthreadedIngress ProtectionIP57 - Dust Protected, WaterproofFeaturesEpoxy Sealed Terminals	Actuator Type	Standard Round
Illumination Type, Color Illumination Voltage (Nominal) Mounting Type Through Hole, Right Angle Termination Style PC Pin Panel Cutout Dimensions - Bushing Thread Unthreaded Ingress Protection IP57 - Dust Protected, Waterproof Features Epoxy Sealed Terminals	Actuator Length	12.70mm
Illumination Voltage (Nominal) Mounting Type Through Hole, Right Angle Termination Style PC Pin Panel Cutout Dimensions - Bushing Thread Unthreaded Ingress Protection IP57 - Dust Protected, Waterproof Features Epoxy Sealed Terminals	Illumination	Non-Illuminated
Mounting Type Through Hole, Right Angle PC Pin Panel Cutout Dimensions - Bushing Thread Unthreaded Ingress Protection IP57 - Dust Protected, Waterproof Features Epoxy Sealed Terminals	Illumination Type, Color	-
Termination Style PC Pin Panel Cutout Dimensions - Bushing Thread Unthreaded Ingress Protection IP57 - Dust Protected, Waterproof Features Epoxy Sealed Terminals	Illumination Voltage (Nominal)	-
Panel Cutout Dimensions - Bushing Thread Unthreaded Ingress Protection IP57 - Dust Protected, Waterproof Features Epoxy Sealed Terminals	Mounting Type	Through Hole, Right Angle
Bushing Thread Unthreaded Ingress Protection IP57 - Dust Protected, Waterproof Epoxy Sealed Terminals	Termination Style	PC Pin
Ingress ProtectionIP57 - Dust Protected, WaterproofFeaturesEpoxy Sealed Terminals	Panel Cutout Dimensions	-
Features Epoxy Sealed Terminals	Bushing Thread	Unthreaded
	Ingress Protection	IP57 - Dust Protected, Waterproof
Report errors?	Features	Epoxy Sealed Terminals
		Report errors?

E101SD1ABE Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

E101SD1ABE Payment Methods



















E101SD1ABE Shipping Methods













If you have any question about E101SD1ABE, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com