

Heisener.com

E2B-M12LN05-WP-B1 2M

E2B-M12LN05-WP-B1 2M Information

Part Number E2B-M12LN05-WP-B1 2M **Manufacturer** Omron Automation and Safety

Category Sensors, Transducers Proximity Sensors

Description SINGLE M12 LONG PW 2M PNP NO

Package Cylinder, Threaded - M12

For the pricing/inventory/lead time, please contact

us

For Reference Only

Website: https://www.heisener.com
E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









E2B-M12LN05-WP-B1 2M Specifications

Manufacturer Part Number E2B-M12LN05-WP-B1 2M Manufacturer Omron Automation and Safety Category Sensors, Transducers Proximity Sensors Package Cylinder, Threaded - M12 Series E2B Sensor Type Inductive Sensing Distance 0.197" (5mm) Output Type PNP-NO, 3-Wire Response Frequency 800Hz Shielding Unshielded Material - Body Nickel-Plated Brass Voltage - Supply 10 V ~ 30 V Termination Style Cable Leads Operating Temperature -25°C ~ 70°C Ingress Protection IP67 Indicator LED Package / Case Cylinder, Threaded - M12		
Category Sensors, Transducers Proximity Sensors Package Cylinder, Threaded - M12 Series E2B Sensor Type Inductive Sensing Distance 0.197" (5mm) Output Type PNP-NO, 3-Wire Response Frequency 800Hz Shielding Unshielded Material - Body Nickel-Plated Brass Voltage - Supply 10 V ~ 30 V Termination Style Operating Temperature Ingress Protection Ingress Protection Indicator LED Package / Case Sensors, Transducers Proximity Sensors Vollage - M12 Sensors, Transducers Proximity Sensors Vollage - M12 Sensors, Transducers Proximity Sensors Inductive Cable Leads Cylinder, Threaded - M12	Manufacturer Part Number	E2B-M12LN05-WP-B1 2M
Proximity Sensors Package Cylinder, Threaded - M12 Series E2B Sensor Type Inductive Sensing Distance 0.197" (5mm) Output Type PNP-NO, 3-Wire Response Frequency 800Hz Shielding Unshielded Material - Body Nickel-Plated Brass Voltage - Supply 10 V ~ 30 V Termination Style Operating Temperature -25°C ~ 70°C Ingress Protection Indicator LED Package / Case Cylinder, Threaded - M12	Manufacturer	Omron Automation and Safety
PackageCylinder, Threaded - M12SeriesE2BSensor TypeInductiveSensing Distance0.197" (5mm)Output TypePNP-NO, 3-WireResponse Frequency800HzShieldingUnshieldedMaterial - BodyNickel-Plated BrassVoltage - Supply10 V ~ 30 VTermination StyleCable LeadsOperating Temperature-25°C ~ 70°CIngress ProtectionIP67IndicatorLEDPackage / CaseCylinder, Threaded - M12	Category	Sensors, Transducers
Series E2B Sensor Type Inductive Sensing Distance 0.197" (5mm) Output Type PNP-NO, 3-Wire Response Frequency 800Hz Shielding Unshielded Material - Body Nickel-Plated Brass Voltage - Supply 10 V ~ 30 V Termination Style Cable Leads Operating Temperature -25°C ~ 70°C Ingress Protection IP67 Indicator LED Package / Case Cylinder, Threaded - M12		Proximity Sensors
Sensor Type Sensing Distance Output Type PNP-NO, 3-Wire Response Frequency Shielding Unshielded Material - Body Voltage - Supply Termination Style Operating Temperature Ingress Protection Indicator Package / Case Indicator Package / Case Indicator Indicator Indicator Indicator Indicator Indicator Indicator Indicator Sensor Type Ingress Protection Indicator Indicat	Package	Cylinder, Threaded - M12
Sensing Distance 0.197" (5mm) Output Type PNP-NO, 3-Wire Response Frequency 800Hz Shielding Unshielded Material - Body Nickel-Plated Brass Voltage - Supply 10 V ~ 30 V Termination Style Cable Leads Operating Temperature -25°C ~ 70°C Ingress Protection IP67 Indicator LED Package / Case Cylinder, Threaded - M12	Series	E2B
Output Type PNP-NO, 3-Wire Response Frequency 800Hz Shielding Unshielded Material - Body Nickel-Plated Brass Voltage - Supply 10 V ~ 30 V Termination Style Cable Leads Operating Temperature -25°C ~ 70°C Ingress Protection IP67 Indicator LED Package / Case Cylinder, Threaded - M12	Sensor Type	Inductive
Response Frequency Shielding Unshielded Material - Body Nickel-Plated Brass Voltage - Supply 10 V ~ 30 V Termination Style Cable Leads Operating Temperature -25°C ~ 70°C Ingress Protection IP67 Indicator LED Package / Case Cylinder, Threaded - M12	Sensing Distance	0.197" (5mm)
Shielding Material - Body Nickel-Plated Brass Voltage - Supply 10 V ~ 30 V Termination Style Cable Leads Operating Temperature -25°C ~ 70°C Ingress Protection IP67 Indicator LED Package / Case Cylinder, Threaded - M12	Output Type	PNP-NO, 3-Wire
$\begin{tabular}{lll} Material - Body & Nickel-Plated Brass \\ Voltage - Supply & 10 V ~ 30 V \\ Termination Style & Cable Leads \\ Operating Temperature & -25 °C ~ 70 °C \\ Ingress Protection & IP67 \\ Indicator & LED \\ Package / Case & Cylinder, Threaded - M12 \\ \end{tabular}$	Response Frequency	800Hz
Voltage - Supply $10 \ V \sim 30 \ V$ Termination Style $Cable \ Leads$ Operating Temperature $-25^{\circ}C \sim 70^{\circ}C$ Ingress Protection $IP67$ Indicator LED Package / Case $Cylinder, Threaded - M12$	Shielding	Unshielded
Termination Style Cable Leads Operating Temperature -25°C ~70°C Ingress Protection IP67 Indicator LED Package / Case Cylinder, Threaded - M12	Material - Body	Nickel-Plated Brass
Operating Temperature $-25^{\circ}\text{C} \sim 70^{\circ}\text{C}$ Ingress Protection IP67 Indicator LED Package / Case Cylinder, Threaded - M12	Voltage - Supply	10 V ~ 30 V
Ingress Protection IP67 Indicator LED Package / Case Cylinder, Threaded - M12	Termination Style	Cable Leads
Indicator LED Package / Case Cylinder, Threaded - M12	Operating Temperature	-25°C ~ 70°C
Package / Case Cylinder, Threaded - M12	Ingress Protection	IP67
-	Indicator	LED
Report errors?	Package / Case	Cylinder, Threaded - M12
		Report errors?

E2B-M12LN05-WP-B1 2M Guarantees



Ouality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

E2B-M12LN05-WP-B1 2M Payment Methods



















E2B-M12LN05-WP-B1 2M Shipping Methods













If you have any question about E2B-M12LN05-WP-B1 2M, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com