

Heisener.com

# E36D500LPN333TC92N

### E36D500LPN333TC92N Information

Part Number E36D500LPN333TC92N

Manufacturer United Chemi-Con

Category Capacitors

**Aluminum Electrolytic Capacitors** 

CAP ALUM 33000UF 50V SCREW **Description** 

Radial, Can - Screw Terminals **Package** 

For the pricing/inventory/lead time, please contact

Website: https://www.heisener.com For Reference Only

E-mail: salesdept@heisener.com



Request a Quote

## **Certified Quality**

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









### E36D500LPN333TC92N Specifications

Manufacturer Part NumberE36D500LPN333TC92NManufacturerUnited Chemi-ConCategoryCapacitorsPackageRadial, Can - Screw TerminalsSeriesU36DCapacitance33000μFTolerance-10%, +50%Voltage - Rated50VESR (Equivalent Series Resistance)-Lifetime @ Temp.2000 Hrs @ 85°COperating Temperature-40°C ~ 85°CPolarizationPolarApplicationsGeneral PurposeRipple Current - Low Frequency-Ripple Current - High Frequency-Impedance-Lead Spacing0.875" (22.22mm)Siza / Dimension2.000" Die (50.90mm)		
CategoryCapacitorsPackageRadial, Can - Screw TerminalsSeriesU36DCapacitance33000µFTolerance-10%, +50%Voltage - Rated50VESR (Equivalent Series Resistance)-Lifetime @ Temp.2000 Hrs @ 85°COperating Temperature-40°C ~ 85°CPolarizationPolarApplicationsGeneral PurposeRipple Current - Low Frequency-Ripple Current - High Frequency-Impedance-Lead Spacing0.875" (22.22mm)	Manufacturer Part Number	E36D500LPN333TC92N
PackageAluminum Electrolytic CapacitorsPackageRadial, Can - Screw TerminalsSeriesU36DCapacitance33000μFTolerance-10%, +50%Voltage - Rated50VESR (Equivalent Series Resistance)-Lifetime @ Temp.2000 Hrs @ 85°COperating Temperature-40°C ~ 85°CPolarizationPolarApplicationsGeneral PurposeRipple Current - Low Frequency-Ripple Current - High Frequency-Impedance-Lead Spacing0.875" (22.22mm)	Manufacturer	United Chemi-Con
PackageRadial, Can - Screw TerminalsSeriesU36DCapacitance33000μFTolerance-10%, +50%Voltage - Rated50VESR (Equivalent Series Resistance)-Lifetime @ Temp.2000 Hrs @ 85°COperating Temperature-40°C ~ 85°CPolarizationPolarApplicationsGeneral PurposeRipple Current - Low Frequency-Ripple Current - High Frequency-Impedance-Lead Spacing0.875" (22.22mm)	Category	Capacitors
Series Capacitance 33000µF Tolerance -10%, +50% Voltage - Rated 50V ESR (Equivalent Series Resistance) -Lifetime @ Temp. Operating Temperature -40°C ~ 85°C Polarization Applications Ripple Current - Low Frequency Ripple Current - High Frequency Impedance Lead Spacing  U36D U36D  U36D  U36D  U36D  U36D  U36D  U36D  Sanoun  Sa		Aluminum Electrolytic Capacitors
Capacitance33000μFTolerance-10%, +50%Voltage - Rated50VESR (Equivalent Series Resistance)-Lifetime @ Temp.2000 Hrs @ 85°COperating Temperature-40°C ~ 85°CPolarizationPolarApplicationsGeneral PurposeRipple Current - Low Frequency-Ripple Current - High Frequency-Impedance-Lead Spacing0.875" (22.22mm)	Package	Radial, Can - Screw Terminals
Tolerance -10%, +50%  Voltage - Rated 50V  ESR (Equivalent Series Resistance) - Lifetime @ Temp. 2000 Hrs @ 85°C  Operating Temperature -40°C ~ 85°C  Polarization Polar  Applications General Purpose  Ripple Current - Low Frequency - Ripple Current - High Frequency - Impedance - Lead Spacing 0.875" (22.22mm)	Series	U36D
Voltage - Rated 50V  ESR (Equivalent Series Resistance) -  Lifetime @ Temp. 2000 Hrs @ 85°C  Operating Temperature -40°C ~ 85°C  Polarization Polar  Applications General Purpose  Ripple Current - Low Frequency -  Ripple Current - High Frequency -  Impedance -  Lead Spacing 0.875" (22.22mm)	Capacitance	33000μF
ESR (Equivalent Series Resistance)  Lifetime @ Temp.  2000 Hrs @ 85°C  Operating Temperature  -40°C ~ 85°C  Polarization  Applications  General Purpose  Ripple Current - Low Frequency  Ripple Current - High Frequency  Impedance  Lead Spacing  -  0.875" (22.22mm)	Tolerance	-10%, +50%
Lifetime @ Temp.  Operating Temperature  -40°C ~ 85°C  Polarization  Applications  General Purpose  Ripple Current - Low Frequency  Ripple Current - High Frequency  Impedance  Lead Spacing  -  2000 Hrs @ 85°C  -40°C ~ 85°C  Polar  Polar  -  -  -  -  -  -  -  -  -  -  -  -  -	Voltage - Rated	50V
Operating Temperature  -40°C ~ 85°C  Polarization  Applications  General Purpose  Ripple Current - Low Frequency  Ripple Current - High Frequency  Impedance  Lead Spacing  -40°C ~ 85°C  Polar  General Purpose  -  -  0.875" (22.22mm)	ESR (Equivalent Series Resistance)	-
Polarization Polar  Applications General Purpose  Ripple Current - Low Frequency -  Ripple Current - High Frequency -  Impedance -  Lead Spacing 0.875" (22.22mm)	Lifetime @ Temp.	2000 Hrs @ 85°C
Applications  Ripple Current - Low Frequency  Ripple Current - High Frequency  Impedance  Lead Spacing  General Purpose  -  0.875" (22.22mm)	Operating Temperature	-40°C ~ 85°C
Ripple Current - Low Frequency - Ripple Current - High Frequency - Impedance - Lead Spacing 0.875" (22.22mm)	Polarization	Polar
Ripple Current - High Frequency - Impedance - Lead Spacing 0.875" (22.22mm)	Applications	General Purpose
Impedance - Lead Spacing 0.875" (22.22mm)	Ripple Current - Low Frequency	-
Lead Spacing 0.875" (22.22mm)	Ripple Current - High Frequency	-
	Impedance	-
Size / Dimension 2 000" Dia (50 80mm)	Lead Spacing	0.875" (22.22mm)
SIZE / DIHICIISION 2.000 DIA (30.00HIIII)	Size / Dimension	2.000" Dia (50.80mm)
Height - Seated (Max) 3.625" (92.08mm)	Height - Seated (Max)	3.625" (92.08mm)
Surface Mount Land Size -	Surface Mount Land Size	-
Mounting Type Chassis Mount	Mounting Type	Chassis Mount
Package / Case Radial, Can - Screw Terminals	Package / Case	Radial, Can - Screw Terminals
Report errors?		Report errors?

#### E36D500LPN333TC92N Guarantees



### **Quality Guarantees**

We provide 90 days warranty. \*

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



#### **Service Guarantees**

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

### E36D500LPN333TC92N Payment Methods



















# E36D500LPN333TC92N Shipping Methods













If you have any question about E36D500LPN333TC92N, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com