

E37X501CPN392MFA5M

E37X501CPN392MFA5M Information



For Reference Only

Part Number E37X501CPN392MFA5M

Manufacturer United Chemi-Con

Category Capacitors

Aluminum Electrolytic Capacitors

Description CAP ALUM 3900UF 20% 500V SCREW

Package Radial, Can - Screw Terminals

For the pricing/inventory/lead time, please contact

us

Website: https://www.heisener.com E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









E37X501CPN392MFA5M Specifications

Manufacturer Part Number	E37X501CPN392MFA5M
Manufacturer	United Chemi-Con
Category	Capacitors
	Aluminum Electrolytic Capacitors
Package	Radial, Can - Screw Terminals
Series	U37X
Capacitance	3900μF
Tolerance	±20%
Voltage - Rated	500V
ESR (Equivalent Series Resistance)	29 mOhm @ 120Hz
Lifetime @ Temp.	15000 Hrs @ 85°C
Operating Temperature	-40°C ~ 85°C
Polarization	Polar
Applications	General Purpose
Ripple Current - Low Frequency	13.8A @ 120Hz
Ripple Current - High Frequency	19.458A @ 10kHz
Impedance	-
Lead Spacing	1.250" (31.75mm)
Size / Dimension	3.504" Dia (89.00mm)
Height - Seated (Max)	4.173" (106.00mm)
Surface Mount Land Size	-
Mounting Type	Chassis Mount
Package / Case	Radial, Can - Screw Terminals
	Report errors?

E37X501CPN392MFA5M Guarantees



Ouality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

E37X501CPN392MFA5M Payment Methods



















E37X501CPN392MFA5M Shipping Methods













If you have any question about E37X501CPN392MFA5M, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com