



EAST3015GA0 Information

Heisener.com

Part Number EAST3015GA0

Manufacturer Everlight Electronics Co Ltd

Category Optoelectronics

LED Indication - Discrete

Description LED YELLOW-GRN CLEAR 1206 SMD

Package 1206 (3016 Metric)

For the pricing/inventory/lead time, please contact

us

For Reference Only

Website: https://www.heisener.com
E-mail: salesdept@heisener.com

Request a Quote



Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









EAST3015GA0 Specifications

Manufacturer Part Number EAST3015GA0 Manufacturer Everlight Electronics Co Ltd Category Optoelectronics Package 1206 (3016 Metric) Series - Color Yellow-Green Configuration - Lens Color Colorless Lens Transparency Clear Millicandela Rating 126mcd Lens Style/Size Round with Flat Top, 1.10mm Voltage - Forward (Vf) (Typ) 2.05 V Current - Test 20mA Viewing Angle 60° Mounting Type Surface Mount Wavelength - Dominant 572nm Wavelength - Peak 575nm Features - Package / Case 1206 (3016 Metric) Supplier Device Package 2-SMD Size / Dimension 3.00mm L x 1.50mm W Height (Max) 1.60mm	L	
Category Optoelectronics LED Indication - Discrete Package 1206 (3016 Metric) Series - Color Yellow-Green Configuration - Lens Color Colorless Lens Transparency Clear Millicandela Rating 126mcd Lens Style/Size Round with Flat Top, 1.10mm Voltage - Forward (Vf) (Typ) 2.05V Current - Test 20mA Viewing Angle 60° Mounting Type Surface Mount Wavelength - Dominant 572nm Wavelength - Peak 575nm Features - Package / Case 1206 (3016 Metric) Supplier Device Package 2-SMD Size / Dimension 3.00mm L x 1.50mm W Height (Max) 1.60mm	Manufacturer Part Number	EAST3015GA0
Package 1206 (3016 Metric) Series - Color Yellow-Green Configuration - Lens Color Colorless Lens Transparency Clear Millicandela Rating 126mcd Lens Style/Size Round with Flat Top, 1.10mm Voltage - Forward (Vf) (Typ) 2.05V Current - Test 20mA Viewing Angle 60° Mounting Type Surface Mount Wavelength - Dominant 572nm Wavelength - Peak 575nm Features - Package / Case 1206 (3016 Metric) Supplier Device Package 2-SMD Size / Dimension 3.00mm L x 1.50mm W Height (Max) 1.60mm	Manufacturer	Everlight Electronics Co Ltd
Package 1206 (3016 Metric) Series - Color Yellow-Green Configuration - Lens Color Colorless Lens Transparency Clear Millicandela Rating 126mcd Lens Style/Size Round with Flat Top, 1.10mm Voltage - Forward (Vf) (Typ) 2.05V Current - Test 20mA Viewing Angle 60° Mounting Type Surface Mount Wavelength - Dominant 572nm Wavelength - Peak 575nm Features - Package / Case 1206 (3016 Metric) Supplier Device Package 2-SMD Size / Dimension 3.00mm L x 1.50mm W Height (Max) 1.60mm	Category	Optoelectronics
Series - Color Yellow-Green Configuration - Lens Color Colorless Lens Transparency Clear Millicandela Rating 126mcd Lens Style/Size Round with Flat Top, 1.10mm Voltage - Forward (Vf) (Typ) 2.05 V Current - Test 20mA Viewing Angle 60° Mounting Type Surface Mount Wavelength - Dominant 572nm Wavelength - Peak 575nm Features - Package / Case 1206 (3016 Metric) Supplier Device Package 2-SMD Size / Dimension 3.00mm L x 1.50mm W Height (Max) 1.60mm		LED Indication - Discrete
ColorYellow-GreenConfiguration-Lens ColorColorlessLens TransparencyClearMillicandela Rating126mcdLens Style/SizeRound with Flat Top, 1.10mmVoltage - Forward (Vf) (Typ)2.05VCurrent - Test20mAViewing Angle60°Mounting TypeSurface MountWavelength - Dominant572nmWavelength - Peak575nmFeatures-Package / Case1206 (3016 Metric)Supplier Device Package2-SMDSize / Dimension3.00mm L x 1.50mm WHeight (Max)1.60mm	Package	1206 (3016 Metric)
Configuration Lens Color Lens Transparency Clear Millicandela Rating 126mcd Lens Style/Size Round with Flat Top, 1.10mm Voltage - Forward (Vf) (Typ) 2.05V Current - Test 20mA Viewing Angle 60° Mounting Type Surface Mount Wavelength - Dominant 572nm Wavelength - Peak 575nm Features - Package / Case 1206 (3016 Metric) Supplier Device Package Size / Dimension 3.00mm L x 1.50mm W Height (Max) 1.60mm	Series	-
Lens ColorColorlessLens TransparencyClearMillicandela Rating126mcdLens Style/SizeRound with Flat Top, 1.10mmVoltage - Forward (Vf) (Typ)2.05VCurrent - Test20mAViewing Angle60°Mounting TypeSurface MountWavelength - Dominant572nmWavelength - Peak575nmFeatures-Package / Case1206 (3016 Metric)Supplier Device Package2-SMDSize / Dimension3.00mm L x 1.50mm WHeight (Max)1.60mm	Color	Yellow-Green
Lens TransparencyClearMillicandela Rating126mcdLens Style/SizeRound with Flat Top, 1.10mmVoltage - Forward (Vf) (Typ)2.05VCurrent - Test20mAViewing Angle60°Mounting TypeSurface MountWavelength - Dominant572nmWavelength - Peak575nmFeatures-Package / Case1206 (3016 Metric)Supplier Device Package2-SMDSize / Dimension3.00mm L x 1.50mm WHeight (Max)1.60mm	Configuration	-
Millicandela Rating Lens Style/Size Round with Flat Top, 1.10mm Voltage - Forward (Vf) (Typ) 2.05V Current - Test 20mA Viewing Angle 60° Mounting Type Surface Mount Wavelength - Dominant 572nm Wavelength - Peak 575nm Features - Package / Case 1206 (3016 Metric) Supplier Device Package Size / Dimension 3.00mm L x 1.50mm W Height (Max) 1.60mm	Lens Color	Colorless
Lens Style/SizeRound with Flat Top, 1.10mmVoltage - Forward (Vf) (Typ)2.05VCurrent - Test20mAViewing Angle60°Mounting TypeSurface MountWavelength - Dominant572nmWavelength - Peak575nmFeatures-Package / Case1206 (3016 Metric)Supplier Device Package2-SMDSize / Dimension3.00mm L x 1.50mm WHeight (Max)1.60mm	Lens Transparency	Clear
Voltage - Forward (Vf) (Typ) Current - Test 20mA Viewing Angle 60° Mounting Type Surface Mount 572nm Wavelength - Dominant 575nm Features - Package / Case 1206 (3016 Metric) Supplier Device Package Size / Dimension Height (Max) 2.05V 20mA 60° Surface Mount 572nm 572nm 575nm - 200 (3016 Metric) 3.00mm L x 1.50mm W	Millicandela Rating	126mcd
Current - Test 20mA Viewing Angle 60° Mounting Type Surface Mount Wavelength - Dominant 572nm Wavelength - Peak 575nm Features - Package / Case 1206 (3016 Metric) Supplier Device Package 2-SMD Size / Dimension 3.00mm L x 1.50mm W Height (Max) 1.60mm	Lens Style/Size	Round with Flat Top, 1.10mm
Viewing Angle60°Mounting TypeSurface MountWavelength - Dominant572nmWavelength - Peak575nmFeatures-Package / Case1206 (3016 Metric)Supplier Device Package2-SMDSize / Dimension3.00mm L x 1.50mm WHeight (Max)1.60mm	Voltage - Forward (Vf) (Typ)	2.05V
Mounting Type Surface Mount Wavelength - Dominant S72nm Wavelength - Peak S75nm Features - Package / Case 1206 (3016 Metric) Supplier Device Package 2-SMD Size / Dimension 3.00mm L x 1.50mm W Height (Max) 1.60mm	Current - Test	20mA
Wavelength - Dominant Wavelength - Peak 572nm Features - Package / Case 1206 (3016 Metric) Supplier Device Package 2-SMD Size / Dimension 3.00mm L x 1.50mm W Height (Max) 1.60mm	Viewing Angle	60°
Wavelength - Peak 575nm Features - Package / Case 1206 (3016 Metric) Supplier Device Package 2-SMD Size / Dimension 3.00mm L x 1.50mm W Height (Max) 1.60mm	Mounting Type	Surface Mount
Features - Package / Case 1206 (3016 Metric) Supplier Device Package 2-SMD Size / Dimension 3.00mm L x 1.50mm W Height (Max) 1.60mm	Wavelength - Dominant	572nm
Package / Case 1206 (3016 Metric) Supplier Device Package 2-SMD Size / Dimension 3.00mm L x 1.50mm W Height (Max) 1.60mm	Wavelength - Peak	575nm
Supplier Device Package 2-SMD Size / Dimension 3.00mm L x 1.50mm W Height (Max) 1.60mm	Features	-
Size / Dimension 3.00mm L x 1.50mm W Height (Max) 1.60mm	Package / Case	1206 (3016 Metric)
Height (Max) 1.60mm	Supplier Device Package	2-SMD
	Size / Dimension	3.00mm L x 1.50mm W
Report errors?	Height (Max)	1.60mm
		Report errors?

EAST3015GA0 Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

EAST3015GA0 Payment Methods





















EAST3015GA0 Shipping Methods













If you have any question about EAST3015GA0, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com