



ECC43DCKI-S288 Information

Heisener.com

Part Number ECC43DCKI-S288

Manufacturer Sullins Connector Solutions
Category Connectors, Interconnects

Card Edge Connectors - Edgeboard Connectors

Description CONN EDGE DUAL FMALE 86POS 0.100

Package -

For the pricing/inventory/lead time, please contact

us

For Reference Only

Website: https://www.heisener.com
E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









ECC43DCKI-S288 Specifications

operating reinperature	Report errors
Operating Temperature	-65°C ~ 125°C
Flange Feature	Top Mount Opening, Threaded Insert, 4-40
Color	Loop Bellows
Contact Type	Loop Bellows
Contact Finish Contact Finish Thickness	30μin (0.76μm)
Contact Material Contact Finish	Phosphor Bronze Gold
Contact Material	
Mounting Type Termination	Board Edge, Straddle Mount Solder
Features Maynting Type	Card Extender
Pitch	0.100" (2.54mm)
Number of Rows	2
Card Thickness	0.062" (1.57mm)
Number of Positions	86
Number of Positions/Bay/Row	43
Gender	Female
Card Type	Non Specified - Dual Edge
Series	-
Package	-
	Card Edge Connectors - Edgeboard Connectors
Category	Connectors, Interconnects
Manufacturer	Sullins Connector Solutions
Manufacturer Part Number	ECC43DCKI-S288

ECC43DCKI-S288 Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

ECC43DCKI-S288 Payment Methods





















ECC43DCKI-S288 Shipping Methods













If you have any question about ECC43DCKI-S288, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com