



ECL055-900E Information

Heisener.com

Part Number ECL055-900E

Manufacturer Eaton

Category Circuit Protection

Electrical, Specialty Fuses

Description CL-14 5.5KV 900AMP

Package Cylindrical, Blade Terminals

For the pricing/inventory/lead time, please contact

Website: https://www.heisener.com For Reference Only

E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









ECL055-900E Specifications

Manufacturer Part NumberECL 055-900EManufacturerEatonCategoryCircuit ProtectionPackageCylindrical, Specialty FusesPackageCylindrical, Blade TerminalsSeries-Fuse TypeCartridgeCurrent Rating900AVoltage Rating - AC5500V (5.5kV)Voltage Rating - DC-Response Time-ApplicationsTransformer ProtectionFeatures-ClassEApprovals-Operating Temperature-Breaking Capacity @ Rated Voltage63kAMounting TypeBolt MountPackage / CaseCylindrical, Blade TerminalsSize / Dimension0.827" L x 0.118" W (21.00mm x 3.00mm)		
CategoryCircuit Protection Electrical, Specialty FusesPackageCylindrical, Blade TerminalsSeries-Fuse TypeCartridgeCurrent Rating900AVoltage Rating - AC5500V (5.5kV)Voltage Rating - DC-Response Time-ApplicationsTransformer ProtectionFeatures-ClassEApprovals-Operating Temperature-Breaking Capacity @ Rated Voltage63kAMounting TypeBolt MountPackage / CaseCylindrical, Blade TerminalsSize / Dimension0.827" L x 0.118" W (21.00mm x 3.00mm)	Manufacturer Part Number	ECL055-900E
Package Cylindrical, Blade Terminals Series - Fuse Type Cartridge Current Rating 900A Voltage Rating - AC 5500V (5.5kV) Voltage Rating - DC - Response Time - Applications Transformer Protection Features - Class E Approvals - Operating Temperature - Breaking Capacity @ Rated Voltage A Mounting Type Bolt Mount Package / Case Cylindrical, Blade Terminals Size / Dimension (2011) 187 W (21.00mm x 3.00mm)	Manufacturer	Eaton
PackageCylindrical, Blade TerminalsSeries-Fuse TypeCartridgeCurrent Rating900AVoltage Rating - AC5500V (5.5kV)Voltage Rating - DC-Response Time-ApplicationsTransformer ProtectionFeatures-ClassEApprovals-Operating Temperature-Breaking Capacity @ Rated Voltage63kAMounting TypeBolt MountPackage / CaseCylindrical, Blade TerminalsSize / Dimension0.827" L x 0.118" W (21.00mm x 3.00mm)	Category	Circuit Protection
Series - Fuse Type Cartridge Current Rating 900A Voltage Rating - AC 5500V (5.5kV) Voltage Rating - DC - Response Time - Applications Transformer Protection Features - Class E Approvals - Operating Temperature - Breaking Capacity @ Rated Voltage 63kA Mounting Type Bolt Mount Package / Case Cylindrical, Blade Terminals Size / Dimension 0.827" L x 0.118" W (21.00mm x 3.00mm)		Electrical, Specialty Fuses
Fuse TypeCartridgeCurrent Rating900AVoltage Rating - AC5500V (5.5kV)Voltage Rating - DC-Response Time-ApplicationsTransformer ProtectionFeatures-ClassEApprovals-Operating Temperature-Breaking Capacity @ Rated Voltage63kAMounting TypeBolt MountPackage / CaseCylindrical, Blade TerminalsSize / Dimension0.827" L x 0.118" W (21.00mm x 3.00mm)	Package	Cylindrical, Blade Terminals
Current Rating900AVoltage Rating - AC5500V (5.5kV)Voltage Rating - DC-Response Time-ApplicationsTransformer ProtectionFeatures-ClassEApprovals-Operating Temperature-Breaking Capacity @ Rated Voltage63kAMounting TypeBolt MountPackage / CaseCylindrical, Blade TerminalsSize / Dimension0.827" L x 0.118" W (21.00mm x 3.00mm)	Series	-
Voltage Rating - AC Voltage Rating - DC Response Time Applications Features Class E Approvals Operating Temperature Breaking Capacity @ Rated Voltage Mounting Type Bolt Mount Package / Case Size / Dimension 5500V (5.5kV)	Fuse Type	Cartridge
Voltage Rating - DC Response Time - Applications Transformer Protection Features - Class E Approvals - Operating Temperature Breaking Capacity @ Rated Voltage Mounting Type Bolt Mount Package / Case Size / Dimension - 0.827" L x 0.118" W (21.00mm x 3.00mm)	Current Rating	900A
Response Time - Applications Transformer Protection Features - Class E Approvals - Coperating Temperature - Seraking Capacity @ Rated Voltage 63kA Mounting Type Bolt Mount Package / Case Cylindrical, Blade Terminals Size / Dimension 0.827" L x 0.118" W (21.00mm x 3.00mm)	Voltage Rating - AC	5500V (5.5kV)
Applications Transformer Protection Features - Class E Approvals - Operating Temperature - Breaking Capacity @ Rated Voltage 63kA Mounting Type Bolt Mount Package / Case Cylindrical, Blade Terminals Size / Dimension 0.827" L x 0.118" W (21.00mm x 3.00mm)	Voltage Rating - DC	-
Features - Class E Approvals - Coperating Temperature - Coperating Capacity @ Rated Voltage 63kA Mounting Type Bolt Mount Package / Case Cylindrical, Blade Terminals Size / Dimension 0.827" L x 0.118" W (21.00mm x 3.00mm)	Response Time	-
Class E Approvals - Operating Temperature - Breaking Capacity @ Rated Voltage 63kA Mounting Type Bolt Mount Package / Case Cylindrical, Blade Terminals Size / Dimension 0.827" L x 0.118" W (21.00mm x 3.00mm)	Applications	Transformer Protection
Approvals Operating Temperature Breaking Capacity @ Rated Voltage 63kA Mounting Type Bolt Mount Package / Case Cylindrical, Blade Terminals Size / Dimension 0.827" L x 0.118" W (21.00mm x 3.00mm)	Features	-
Operating Temperature Breaking Capacity @ Rated Voltage 63kA Mounting Type Bolt Mount Package / Case Cylindrical, Blade Terminals Size / Dimension 0.827" L x 0.118" W (21.00mm x 3.00mm)	Class	E
Breaking Capacity @ Rated Voltage 63kA Mounting Type Bolt Mount Package / Case Cylindrical, Blade Terminals Size / Dimension 0.827" L x 0.118" W (21.00mm x 3.00mm)	Approvals	-
Mounting Type Bolt Mount Package / Case Cylindrical, Blade Terminals Size / Dimension 0.827" L x 0.118" W (21.00mm x 3.00mm)	Operating Temperature	-
Package / Case Cylindrical, Blade Terminals Size / Dimension 0.827" L x 0.118" W (21.00mm x 3.00mm)	Breaking Capacity @ Rated Voltage	63kA
Size / Dimension 0.827" L x 0.118" W (21.00mm x 3.00mm)	Mounting Type	Bolt Mount
	Package / Case	Cylindrical, Blade Terminals
Report errors?	Size / Dimension	0.827" L x 0.118" W (21.00mm x 3.00mm)
		Report errors?

ECL055-900E Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

ECL055-900E Payment Methods





















ECL055-900E Shipping Methods













If you have any question about ECL055-900E, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com