



ECQ-E2684RKF Information



For Reference Only

Part Number ECQ-E2684RKF

Manufacturer Panasonic Electronic Components

Category Capacitors

Film Capacitors

Description CAP FILM 0.68UF 10% 250VDC RAD

Package Radia

For the pricing/inventory/lead time, please contact

us

Website: https://www.heisener.com E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









ECQ-E2684RKF Specifications

Manufacturer Part Number ECQ-E2684RKF Manufacturer Panasonic Electronic Components Category Capacitors Film Capacitors Package Radial Series ECQ-E(F) Capacitance 0.68µF Tolerance ±10% Voltage Rating - AC - Voltage Rating - DC 250V Dielectric Material Polyester, Metallized ESR (Equivalent Series Resistance) - Operating Temperature -40°C ~ 105°C Mounting Type Through Hole Package / Case Radial Size / Dimension 0.728" L x 0.236" W (18.50mm x 6.00mm) Height - Seated (Max) 0.728" (18.50mm) Termination PC Pins Lead Spacing 0.591" (15.00mm) Applications General Purpose Features -		
Category Capacitors Film Capacitors Package Radial Series ECQ-E(F) Capacitance 0.68µF Tolerance ±10% Voltage Rating - AC - Voltage Rating - DC 250V Dielectric Material Polyester, Metallized ESR (Equivalent Series Resistance) - Operating Temperature -40°C ~ 105°C Mounting Type Through Hole Package / Case Radial Size / Dimension 0.728" L x 0.236" W (18.50mm x 6.00mm) Height - Seated (Max) 0.728" (18.50mm) Termination PC Pins Lead Spacing 0.591" (15.00mm) Applications General Purpose Features -	Manufacturer Part Number	ECQ-E2684RKF
Film Capacitors Package Radial Series ECQ-E(F) Capacitance 0.68μF Tolerance ±10% Voltage Rating - AC - Voltage Rating - DC 250V Dielectric Material Polyester, Metallized ESR (Equivalent Series Resistance) - Operating Temperature -40°C ~ 105°C Mounting Type Through Hole Package / Case Radial Size / Dimension 0.728" L x 0.236" W (18.50mm x 6.00mm) Height - Seated (Max) 0.728" (18.50mm) Termination PC Pins Lead Spacing 0.591" (15.00mm) Applications General Purpose Features -	Manufacturer	Panasonic Electronic Components
PackageRadialSeriesECQ-E(F)Capacitance0.68µFTolerance±10%Voltage Rating - AC-Voltage Rating - DC250VDielectric MaterialPolyester, MetallizedESR (Equivalent Series Resistance)-Operating Temperature-40°C ~ 105°CMounting TypeThrough HolePackage / CaseRadialSize / Dimension0.728" L x 0.236" W (18.50mm x 6.00mm)Height - Seated (Max)0.728" (18.50mm)TerminationPC PinsLead Spacing0.591" (15.00mm)ApplicationsGeneral PurposeFeatures-	Category	Capacitors
Series ECQ-E(F) Capacitance 0.68μF Tolerance ±10% Voltage Rating - AC - Voltage Rating - DC 250V Dielectric Material Polyester, Metallized ESR (Equivalent Series Resistance) - Operating Temperature -40°C ~ 105°C Mounting Type Through Hole Package / Case Radial Size / Dimension 0.728" L x 0.236" W (18.50mm x 6.00mm) Height - Seated (Max) 0.728" (18.50mm) Termination PC Pins Lead Spacing 0.591" (15.00mm) Applications General Purpose Features -		Film Capacitors
Capacitance $0.68\mu F$ Tolerance $\pm 10\%$ Voltage Rating - AC-Voltage Rating - DC $250V$ Dielectric MaterialPolyester, MetallizedESR (Equivalent Series Resistance)-Operating Temperature $-40^{\circ}C \sim 105^{\circ}C$ Mounting TypeThrough HolePackage / CaseRadialSize / Dimension 0.728° L x 0.236° W (18.50mm x 6.00 mm)Height - Seated (Max) 0.728° (18.50mm)TerminationPC PinsLead Spacing 0.591° (15.00mm)ApplicationsGeneral PurposeFeatures-	Package	Radial
Tolerance ±10% Voltage Rating - AC - Voltage Rating - DC 250V Dielectric Material Polyester, Metallized ESR (Equivalent Series Resistance) - Operating Temperature -40°C ~ 105°C Mounting Type Through Hole Package / Case Radial Size / Dimension 0.728" L x 0.236" W (18.50mm x 6.00mm) Height - Seated (Max) 0.728" (18.50mm) Termination PC Pins Lead Spacing 0.591" (15.00mm) Applications General Purpose Features -	Series	ECQ-E(F)
Voltage Rating - AC Voltage Rating - DC 250V Dielectric Material ESR (Equivalent Series Resistance) Operating Temperature -40°C ~ 105°C Mounting Type Through Hole Package / Case Radial Size / Dimension 0.728" L x 0.236" W (18.50mm x 6.00mm) Height - Seated (Max) Termination PC Pins Lead Spacing 0.591" (15.00mm) Applications Features -	Capacitance	0.68μF
Voltage Rating - DC Dielectric Material Polyester, Metallized ESR (Equivalent Series Resistance) Operating Temperature -40°C ~ 105°C Mounting Type Through Hole Package / Case Radial Size / Dimension 0.728" L x 0.236" W (18.50mm x 6.00mm) Height - Seated (Max) Termination PC Pins Lead Spacing 0.591" (15.00mm) Applications General Purpose Features -	Tolerance	±10%
Dielectric Material ESR (Equivalent Series Resistance) Operating Temperature -40°C ~ 105°C Mounting Type Through Hole Package / Case Radial Size / Dimension 0.728" L x 0.236" W (18.50mm x 6.00mm) Height - Seated (Max) Termination PC Pins Lead Spacing 0.591" (15.00mm) Applications General Purpose Features -	Voltage Rating - AC	-
ESR (Equivalent Series Resistance) Operating Temperature -40°C ~ 105°C Mounting Type Through Hole Package / Case Radial Size / Dimension 0.728" L x 0.236" W (18.50mm x 6.00mm) Height - Seated (Max) Termination PC Pins Lead Spacing 0.591" (15.00mm) Applications General Purpose Features -	Voltage Rating - DC	250V
Operating Temperature -40°C ~ 105°C Mounting Type Through Hole Package / Case Radial Size / Dimension 0.728" L x 0.236" W (18.50mm x 6.00mm) Height - Seated (Max) 7 PC Pins Lead Spacing 0.591" (15.00mm) Applications General Purpose Features -	Dielectric Material	Polyester, Metallized
Mounting Type Package / Case Radial Size / Dimension 0.728" L x 0.236" W (18.50mm x 6.00mm) Height - Seated (Max) 0.728" (18.50mm) Termination PC Pins Lead Spacing 0.591" (15.00mm) Applications General Purpose Features -	ESR (Equivalent Series Resistance)	-
Package / Case Radial Size / Dimension 0.728" L x 0.236" W (18.50mm x 6.00mm) Height - Seated (Max) 0.728" (18.50mm) Termination PC Pins Lead Spacing 0.591" (15.00mm) Applications General Purpose Features -	Operating Temperature	-40°C ~ 105°C
Size / Dimension 0.728" L x 0.236" W (18.50mm x 6.00mm) Height - Seated (Max) 0.728" (18.50mm) Termination PC Pins Lead Spacing 0.591" (15.00mm) Applications General Purpose Features -	Mounting Type	Through Hole
Height - Seated (Max) Termination PC Pins Lead Spacing 0.591" (15.00mm) Applications General Purpose Features -	Package / Case	Radial
Termination PC Pins Lead Spacing 0.591" (15.00mm) Applications General Purpose Features -	Size / Dimension	0.728" L x 0.236" W (18.50mm x 6.00mm)
Lead Spacing0.591" (15.00mm)ApplicationsGeneral PurposeFeatures-	Height - Seated (Max)	0.728" (18.50mm)
Applications General Purpose Features -	Termination	PC Pins
Features -	Lead Spacing	0.591" (15.00mm)
	Applications	General Purpose
Report errors?	Features	-
		Report errors?

ECQ-E2684RKF Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

ECQ-E2684RKF Payment Methods



















ECQ-E2684RKF Shipping Methods













If you have any question about ECQ-E2684RKF, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com