



EEG.2B.310.CLN Information

Heisener.com

Part Number EEG.2B.310.CLN

Manufacturer LEMO

Category Connectors, Interconnects

Circular Connectors

Description CONN PNL MNT RCPT 10SKT STR PCB

Package -

For the pricing/inventory/lead time, please contact

us

For Reference Only Website: https://www.heisener.com

E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









EEG.2B.310.CLN Specifications

Manufacturer Part Number EEG.2B.310.CLN Manufacturer LEMO Category Connectors, Interconnects Package - Series 2B Connector Type Receptacle, Female Sockets Number of Positions 10 Shell Size - Insert 310 Shell Size, MIL - Mounting Type Panel Mount, Flange; Through Hole Termination Solder Fastening Type Push-Pull, Detent Lock Orientation G Ingress Protection IP50 - Dust Protected Shell Material, Finish Brass, Chrome Plated Contact Finish Gold Features Shielded Voltage - Rated - Current Rating 8A		
Category Circular Connectors Circular Connectors Package - Series 2B Connector Type Receptacle, Female Sockets Number of Positions 10 Shell Size - Insert 310 Shell Size, MIL - Mounting Type Panel Mount, Flange; Through Hole Termination Solder Fastening Type Push-Pull, Detent Lock Orientation G Ingress Protection Shell Material, Finish Brass, Chrome Plated Contact Finish Gold Features Shielded Voltage - Rated Current Rating Series Connectors, Interconnects Circular Connectors Circular Connectors - Current Rating Solder Sold	Manufacturer Part Number	EEG.2B.310.CLN
Package-Series2BConnector TypeReceptacle, Female SocketsNumber of Positions10Shell Size - Insert310Shell Size, MIL-Mounting TypePanel Mount, Flange; Through HoleTerminationSolderFastening TypePush-Pull, Detent LockOrientationGIngress ProtectionIP50 - Dust ProtectedShell Material, FinishBrass, Chrome PlatedContact FinishGoldFeaturesShieldedVoltage - Rated-Current Rating8A	Manufacturer	LEMO
Package-Series2BConnector TypeReceptacle, Female SocketsNumber of Positions10Shell Size - Insert310Shell Size, MIL-Mounting TypePanel Mount, Flange; Through HoleTerminationSolderFastening TypePush-Pull, Detent LockOrientationGIngress ProtectionIP50 - Dust ProtectedShell Material, FinishBrass, Chrome PlatedContact FinishGoldFeaturesShieldedVoltage - Rated-Current Rating8A	Category	Connectors, Interconnects
Series 2B Connector Type Receptacle, Female Sockets Number of Positions 10 Shell Size - Insert 310 Shell Size, MIL - Mounting Type Panel Mount, Flange; Through Hole Termination Solder Fastening Type Push-Pull, Detent Lock Orientation G Ingress Protection IP50 - Dust Protected Shell Material, Finish Brass, Chrome Plated Contact Finish Gold Features Shielded Voltage - Rated Current Rating 8A		Circular Connectors
Connector Type Receptacle, Female Sockets Number of Positions 10 Shell Size - Insert 310 Shell Size, MIL	Package	-
Number of Positions Shell Size - Insert 310 Shell Size, MIL Mounting Type Panel Mount, Flange; Through Hole Termination Solder Fastening Type Push-Pull, Detent Lock Orientation G Ingress Protection IP50 - Dust Protected Shell Material, Finish Brass, Chrome Plated Contact Finish Gold Features Shielded Voltage - Rated Current Rating 8A	Series	2B
Shell Size - Insert Shell Size, MIL Mounting Type Panel Mount, Flange; Through Hole Termination Solder Fastening Type Push-Pull, Detent Lock Orientation G Ingress Protection IP50 - Dust Protected Shell Material, Finish Brass, Chrome Plated Contact Finish Gold Features Shielded Voltage - Rated Current Rating 8A	Connector Type	Receptacle, Female Sockets
Shell Size, MIL Mounting Type Panel Mount, Flange; Through Hole Termination Solder Fastening Type Push-Pull, Detent Lock Orientation G Ingress Protection IP50 - Dust Protected Shell Material, Finish Brass, Chrome Plated Contact Finish Gold Features Shielded Voltage - Rated Current Rating 8A	Number of Positions	10
Mounting Type Panel Mount, Flange; Through Hole Termination Solder Fastening Type Push-Pull, Detent Lock Orientation G Ingress Protection IP50 - Dust Protected Shell Material, Finish Brass, Chrome Plated Contact Finish Gold Features Shielded Voltage - Rated - Current Rating 8A	Shell Size - Insert	310
Termination Solder Fastening Type Push-Pull, Detent Lock Orientation G Ingress Protection IP50 - Dust Protected Shell Material, Finish Brass, Chrome Plated Contact Finish Gold Features Shielded Voltage - Rated Current Rating 8A	Shell Size, MIL	-
Fastening Type Orientation G Ingress Protection IP50 - Dust Protected Shell Material, Finish Brass, Chrome Plated Contact Finish Gold Features Shielded Voltage - Rated Current Rating 8A	Mounting Type	Panel Mount, Flange; Through Hole
Orientation G Ingress Protection IP50 - Dust Protected Shell Material, Finish Brass, Chrome Plated Contact Finish Gold Features Shielded Voltage - Rated - Current Rating 8A	Termination	Solder
Ingress Protection Shell Material, Finish Contact Finish Features Voltage - Rated Current Rating IP50 - Dust Protected Brass, Chrome Plated Gold Shielded	Fastening Type	Push-Pull, Detent Lock
Shell Material, Finish Contact Finish Gold Features Shielded Voltage - Rated Current Rating 8A	Orientation	G
Contact Finish Gold Features Shielded Voltage - Rated - Current Rating 8A	Ingress Protection	IP50 - Dust Protected
Features Shielded Voltage - Rated - Current Rating 8A	Shell Material, Finish	Brass, Chrome Plated
Voltage - Rated - Current Rating 8A	Contact Finish	Gold
Current Rating 8A	Features	Shielded
-	Voltage - Rated	-
Report errors?	Current Rating	8A
		Report errors?

EEG.2B.310.CLN Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

EEG.2B.310.CLN Payment Methods



















EEG.2B.310.CLN Shipping Methods













If you have any question about EEG.2B.310.CLN, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com