



EEU-HD1H561S Information

Part Number EEU-HD1H561S

Manufacturer Panasonic Electronic Components

Category Capacitors

Aluminum Electrolytic Capacitors

Description CAP ALUM 560UF 20% 50V RADIAL

Package Radial, Car

For the pricing/inventory/lead time, please contact

us

Website: https://www.heisener.com E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

For Reference Only

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









EEU-HD1H561S Specifications

Manufacturer Part NumberEEU-HD1H561SManufacturerPanasonic Electronic ComponentsCategoryCapacitorsPackageRadial, CanSeriesHDCapacitance560μFTolerance±20%Voltage - Rated50VESR (Equivalent Series Resistance)-Lifetime @ Temp.2000 Hrs @ 105°COperating Temperature-55°C ~ 105°C
Category Capacitors Aluminum Electrolytic Capacitors Package Radial, Can HD Capacitance $560\mu F$ Tolerance $\pm 20\%$ Voltage - Rated $50V$ ESR (Equivalent Series Resistance) Lifetime @ Temp. Operating Temperature Capacitors Radial, Can $\pm 20\%$
PackageRadial, CanSeriesHDCapacitance 560μ FTolerance $\pm 20\%$ Voltage - Rated $50V$ ESR (Equivalent Series Resistance)-Lifetime @ Temp. $2000 \text{Hrs} \text{@} 105 ^{\circ}\text{C}$ Operating Temperature $-55^{\circ}\text{C} \sim 105^{\circ}\text{C}$
PackageRadial, CanSeriesHDCapacitance $560μF$ Tolerance $±20%$ Voltage - Rated $50V$ ESR (Equivalent Series Resistance)-Lifetime @ Temp. $2000 Hrs @ 105°C$ Operating Temperature $-55°C \sim 105°C$
SeriesHDCapacitance $560μF$ Tolerance $±20%$ Voltage - Rated $50V$ ESR (Equivalent Series Resistance)-Lifetime @ Temp. $2000 Hrs @ 105°C$ Operating Temperature $-55°C \sim 105°C$
Capacitance $560μF$ Tolerance $\pm 20\%$ Voltage - Rated $50V$ ESR (Equivalent Series Resistance)-Lifetime @ Temp. $2000 Hrs @ 105°C$ Operating Temperature $-55°C \sim 105°C$
Tolerance $\pm 20\%$ Voltage - Rated $50V$ ESR (Equivalent Series Resistance) - Lifetime @ Temp. $2000 \text{ Hrs } @ 105^{\circ}\text{C}$ Operating Temperature $-55^{\circ}\text{C} \sim 105^{\circ}\text{C}$
Voltage - Rated50VESR (Equivalent Series Resistance)-Lifetime @ Temp.2000 Hrs @ 105°COperating Temperature-55°C ~ 105°C
ESR (Equivalent Series Resistance) Lifetime @ Temp. 2000 Hrs @ 105°C Operating Temperature -55°C ~ 105°C
Lifetime @ Temp. $2000 \text{Hrs} @ 105^{\circ}\text{C}$ Operating Temperature $-55^{\circ}\text{C} \sim 105^{\circ}\text{C}$
Operating Temperature $-55^{\circ}\text{C} \sim 105^{\circ}\text{C}$
Deleniaries Delen
Polarization Polar
Applications General Purpose
Ripple Current - Low Frequency 650mA @ 120Hz
Ripple Current - High Frequency 975mA @ 100kHz
Impedance -
Lead Spacing 0.295" (7.50mm)
Size / Dimension 0.630" Dia (16.00mm)
Height - Seated (Max) 0.650" (16.50mm)
Surface Mount Land Size -
Mounting Type Through Hole
Package / Case Radial, Can
Report errors

EEU-HD1H561S Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

EEU-HD1H561S Payment Methods



















EEU-HD1H561S Shipping Methods













If you have any question about EEU-HD1H561S, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com