

EFM8BB31F16I-C-QSOP24R

EFM8BB31F16I-C-QSOP24R Information



Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.



Request a Quote

EFM8BB31F16I-C-QSOP24R Specifications

Manufacturer Silicon Labs Category Integrated Circuits (ICs) Embedded - Microcontrollers Package 24-SSOP (0.154", 3.90mm Width) Series Busy Bee Core Processor CIP-51 8051 Core Size 8-Bit Speed 50MHz Connectivity PC, SMBus, SPI, UART/USART Peripherals Brown-out Detect/Reset, POR, PWM, WDT Number of I/O 21 Program Memory Size 16KB (16K x 8) Program Memory Type FLASH EEPROM Size - RAM Size 2.25K x 8 Voltage - Supply (Vcc/Vdd) 2.2V ~ 3.6V Data Converters A/D 13x10/12b SAR; D/A 2x12b Oscillator Type Internal Operating Temperature -40°C ~ 125°C (TA) Mounting Type Surface Mount Package / Case 24-SSOP (0.154", 3.90mm Width)		
Category Integrated Circuits (ICs) Embedded - Microcontrollers Package 24-SSOP (0.154", 3.90mm Width) Series Busy Bee Core Processor CIP-51 8051 Core Size 8-Bit Speed 50MHz Connectivity PC, SMBus, SPI, UART/USART Peripherals Brown-out Detect/Reset, POR, PWM, WDT Number of I/O 21 Program Memory Size 16KB (16K x 8) EEPROM Size - RAM Size 2.25K x 8 Voltage - Supply (Vcc/Vdd) 2.2V ~ 3.6V Data Converters A/D 13x10/12b SAR; D/A 2x12b Operating Temperature -40°C ~ 125°C (TA) Mounting Type Surface Mount Package / Case 24-SSOP (0.154", 3.90mm Width)	Manufacturer Part Number	EFM8BB31F16I-C-QSOP24R
HereEmbedded - MicrocontrollersPackage24-SSOP (0.154", 3.90mm Width)SeriesBusy BeeCore ProcessorCIP-51 8051Core Size8-BitSpeed50MHzConnectivityPC, SMBus, SPI, UART/USARTPeripheralsBrown-out Detect/Reset, POR, PWM, WDTNumber of I/O21Program Memory Size16KB (16K x 8)Program Memory TypeFLASHEEPROM Size-RAM Size2.25K x 8Voltage - Supply (Vcc/Vdd)2.2V ~ 3.6VData ConvertersA/D 13x10/12b SAR; D/A 2x12bOscillator TypeInternalOperating Temperature440°C ~ 125°C (TA)Mounting TypeSurface MountPackage / Case24-SSOP (0.154", 3.90mm Width)	Manufacturer	Silicon Labs
Package24-SSOP (0.154", 3.90mm Width)SeriesBusy BeeCore ProcessorCIP-51 8051Core Size8-BitSpeed50MHzConnectivityPC, SMBus, SPI, UART/USARTPeripheralsBrown-out Detect/Reset, POR, PWM, WDTNumber of I/O21Program Memory Size16KB (16K x 8)Program Memory TypeFLASHEEPROM Size-RAM Size2.25K x 8Voltage - Supply (Vcc/Vdd)2.2V ~ 3.6VData ConvertersA/D 13x10/12b SAR; D/A 2x12bOscillator TypeInternalOperating Temperature-40°C ~ 125°C (TA)Mounting TypeSurface MountPackage / Case24-SSOP (0.154", 3.90mm Width)Supplier Device Package24-QSOP	Category	Integrated Circuits (ICs)
SerieBusy BeeCore ProcessorCIP-51 8051Core Size8-BitSpeed50MHzConnectivityPC, SMBus, SPI, UART/USARTPeripheralsBrown-out Detect/Reset, POR, PWM, WDTNumber of I/O21Program Memory SizeI6KB (16K x 8)Program Memory TypeFLASHEEPROM Size-RAM Size2.25K x 8Voltage - Supply (Vcc/Vdd)2.2V ~ 3.6VData ConvertersAD 13x10/12b SAR; D/A 2x12bOperating Temperature-40°C ~ 125°C (TA)Mounting TypeSurface MountPackage / Case24-SSOP (0.154", 3.90mm Width)		Embedded - Microcontrollers
Core ProcessorCIP-51 8051Core Size8-BitSpeed50MHzConnectivityPC, SMBus, SPI, UART/USARTPeripheralsBrown-out Detect/Reset, POR, PWM, WDTNumber of I/O21Program Memory Size16KB (16K x 8)Program Memory TypeFLASHEEPROM Size-RAM Size2.25K x 8Voltage - Supply (Vcc/Vdd)2.2V ~ 3.6VData ConvertersA/D 13x10/12b SAR; D/A 2x12bOperating Temperature4.0°C ~ 125°C (TA)Mounting TypeSurface MountPackage / Case24-SSOP (0.154", 3.90mm Width)Supplier Device Package24-QSOP	Package	24-SSOP (0.154", 3.90mm Width)
Core Size8-BitSpeed50MHzConnectivityPC, SMBus, SPI, UART/USARTPeripheralsBrown-out Detect/Reset, POR, PWM, WDTNumber of I/O21Program Memory Size16KB (16K x 8)Program Memory TypeFLASHEEPROM Size-RAM Size2.25K x 8Voltage - Supply (Vcc/Vdd)2.2V ~ 3.6VData ConvertersA/D 13x10/12b SAR; D/A 2x12bOscillator TypeInternalOperating TemperatureSurface MountPackage / Case24-SSOP (0.154", 3.90mm Width)Supplier Device Package24-QSOP	Series	Busy Bee
Speed50MHzConnectivityPC, SMBus, SPI, UART/USARTPeripheralsBrown-out Detect/Reset, POR, PWM, WDTNumber of I/O21Program Memory Size16KB (16K x 8)Program Memory TypeFLASHEEPROM Size-RAM Size2.25K x 8Voltage - Supply (Vcc/Vdd)2.2V ~ 3.6VData ConvertersA/D 13x10/12b SAR; D/A 2x12bOscillator TypeInternalOperating Temperature-40°C ~ 125°C (TA)Mounting TypeSurface MountPackage / Case24-QSOP	Core Processor	CIP-51 8051
Program Memory Size PC SMBus, SPI, UART/USART Program Memory Size Brown-out Detect/Reset, POR, PWM, WDT Program Memory Type 16KB (16K x 8) Program Memory Type FLASH EEPROM Size - RAM Size 2.25K x 8 Voltage - Supply (Vcc/Vdd) 2.2V ~ 3.6V Data Converters A/D 13x10/12b SAR; D/A 2x12b Oscillator Type Internal Operating Temperature -40°C ~ 125°C (TA) Mounting Type Surface Mount Package / Case 24-SSOP (0.154", 3.90mm Width)	Core Size	8-Bit
PeripheralsBrown-out Detect/Reset, POR, PWM, WDTPeripherals21Number of I/O21Program Memory Size16KB (16K x 8)Program Memory TypeFLASHEEPROM Size-RAM Size2.25K x 8Voltage - Supply (Vcc/Vdd)2.2V ~ 3.6VData ConvertersA/D 13x10/12b SAR; D/A 2x12bOperating Temperature-40°C ~ 125°C (TA)Mounting TypeSurface MountPackage / Case24-SSOP (0.154", 3.90mm Width)Supplier Device Package24-QSOP	Speed	50MHz
Number of I/O21Program Memory Size16KB (16K x 8)Program Memory TypeFLASHEEPROM Size-RAM Size2.25K x 8Voltage - Supply (Vcc/Vdd)2.2V ~ 3.6VData ConvertersA/D 13x10/12b SAR; D/A 2x12bOscillator TypeInternalOperating Temperature-40°C ~ 125°C (TA)Mounting TypeSurface MountPackage / Case24-SSOP (0.154", 3.90mm Width)Supplier Device Package24-QSOP	Connectivity	I ² C, SMBus, SPI, UART/USART
Program Memory Size16KB (16K x 8)Program Memory TypeFLASHEEPROM Size-RAM Size2.25K x 8Voltage - Supply (Vcc/Vdd)2.2V ~ 3.6VData ConvertersA/D 13x10/12b SAR; D/A 2x12bOscillator TypeInternalOperating Temperature-40°C ~ 125°C (TA)Mounting TypeSurface MountPackage / Case24-SSOP (0.154", 3.90mm Width)Supplier Device Package24-QSOP	Peripherals	Brown-out Detect/Reset, POR, PWM, WDT
Program Memory TypeFLASHEEPROM Size-RAM Size2.25K x 8Voltage - Supply (Vcc/Vdd)2.2V ~ 3.6VData ConvertersA/D 13x10/12b SAR; D/A 2x12bDoscillator TypeInternalOperating Temperature-40°C ~ 125°C (TA)Mounting TypeSurface MountPackage / Case24-SSOP (0.154", 3.90mm Width)Supplier Device Package24-QSOP	Number of I/O	21
EEPROM Size-RAM Size2.25K x 8Voltage - Supply (Vcc/Vdd)2.2V ~ 3.6VData ConvertersA/D 13x10/12b SAR; D/A 2x12bOscillator TypeInternalOperating Temperature-40°C ~ 125°C (TA)Mounting TypeSurface MountPackage / Case24-SSOP (0.154", 3.90mm Width)Supplier Device Package24-QSOP	Program Memory Size	16KB (16K x 8)
RAM Size2.25K x 8Voltage - Supply (Vcc/Vdd)2.2V ~ 3.6VData ConvertersA/D 13x10/12b SAR; D/A 2x12bOscillator TypeInternalOperating Temperature-40°C ~ 125°C (TA)Mounting TypeSurface MountPackage / Case24-SSOP (0.154", 3.90mm Width)Supplier Device Package24-QSOP	Program Memory Type	FLASH
Voltage - Supply (Vcc/Vdd)2.2V ~ 3.6VData ConvertersA/D 13x10/12b SAR; D/A 2x12bOscillator TypeInternalOperating Temperature-40°C ~ 125°C (TA)Mounting TypeSurface MountPackage / Case24-SSOP (0.154", 3.90mm Width)Supplier Device Package24-QSOP	EEPROM Size	-
Data ConvertersA/D 13x10/12b SAR; D/A 2x12bOscillator TypeInternalOperating Temperature-40°C ~ 125°C (TA)Mounting TypeSurface MountPackage / Case24-SSOP (0.154", 3.90mm Width)Supplier Device Package24-QSOP	RAM Size	2.25K x 8
Oscillator TypeInternalOperating Temperature-40°C ~ 125°C (TA)Mounting TypeSurface MountPackage / Case24-SSOP (0.154", 3.90mm Width)Supplier Device Package24-QSOP	Voltage - Supply (Vcc/Vdd)	2.2V ~ 3.6V
An of the second seco	Data Converters	A/D 13x10/12b SAR; D/A 2x12b
Mounting TypeSurface MountPackage / Case24-SSOP (0.154", 3.90mm Width)Supplier Device Package24-QSOP	Oscillator Type	Internal
Package / Case24-SSOP (0.154", 3.90mm Width)Supplier Device Package24-QSOP	Operating Temperature	-40°C ~ 125°C (TA)
Supplier Device Package 24-QSOP	Mounting Type	Surface Mount
	Package / Case	24-SSOP (0.154", 3.90mm Width)
Report errors	Supplier Device Package	24-QSOP
		Report error

EFM8BB31F16I-C-QSOP24R Guarantees



Quality Guarantees

We provide 90 days warranty. * If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction. Our experienced sales team and tech support team back our services to satisfy all our customers.

EFM8BB31F16I-C-QSOP24R Payment Methods



If you have any question about EFM8BB31F16I-C-QSOP24R, please do not hesitate to contact us! Website: https://www.heisener.com E-mail: salesdept@heisener.com