

ELC-18E332 Information



For Reference Only

Part Number ELC-18E332

Manufacturer Panasonic Electronic Components

Category Inductors, Coils, Chokes

Fixed Inductors

Description FIXED IND 3.3MH 600MA 1 OHM TH

Package Radia

For the pricing/inventory/lead time, please contact

us

Website: https://www.heisener.com E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









ELC-18E332 Specifications

Manufacturer Category Inductors, Coils, Chokes Fixed Inductors Package Radial Series 18E Type Wirewound Material - Core Inductance Tolerance Current Rating Current - Saturation Shielding DC Resistance (DCR) Q @ Freq Inductors Inductors Panasonic Electronic Components Inductors Fixed Inductors Radial Series 18E - Wirewound - Urrewound - Current - Saturation Shielded DC Resistance (DCR) Q @ Freq - Category Inductors Fixed Inducto	Manufacturer Part Number	ELC-18E332
Fixed Inductors	Manufacturer	Panasonic Electronic Components
Package Radial Series 18E Type Wirewound Material - Core - Inductance - Inductance 3.3mH Tolerance ±10% Current Rating 600mA Current - Saturation - Shielding Shielded DC Resistance (DCR) 1 Ohm Q @ Freq -	Category	Inductors, Coils, Chokes
Series 18E Type Wirewound Material - Core - Inductance 3.3mH Tolerance ±10% Current Rating 600mA Current - Saturation - Shielding Shielded DC Resistance (DCR) 1 Ohm Q @ Freq -		Fixed Inductors
Type Wirewound Material - Core - Inductance 3.3mH Tolerance ±10% Current Rating 600mA Current - Saturation - Shielding Shielded DC Resistance (DCR) 1 Ohm Q @ Freq -	Package	Radial
Material - Core - Inductance 3.3mH Tolerance ±10% Current Rating 600mA Current - Saturation - Shielding Shielded DC Resistance (DCR) 1 Ohm Q @ Freq -	Series	18E
Inductance 3.3mH Tolerance ±10% Current Rating 600mA Current - Saturation - Shielding Shielded DC Resistance (DCR) 1 Ohm Q @ Freq -	Type	Wirewound
Tolerance ±10% Current Rating 600mA Current - Saturation - Shielding Shielded DC Resistance (DCR) 1 Ohm Q @ Freq -	Material - Core	-
Current Rating 600mA Current - Saturation - Shielding Shielded DC Resistance (DCR) 1 0hm Q @ Freq -	Inductance	3.3mH
Current - Saturation - Shielding Shielded DC Resistance (DCR) 1 Ohm Q @ Freq -	Tolerance	$\pm 10\%$
Shielding Shielded DC Resistance (DCR) 1 Ohm Q @ Freq -	Current Rating	600mA
DC Resistance (DCR) 1 Ohm Q @ Freq -	Current - Saturation	-
Q @ Freq -	Shielding	Shielded
	DC Resistance (DCR)	1 Ohm
T 0.10D	Q @ Freq	-
Frequency - Self Resonant -	Frequency - Self Resonant	-
Ratings -	Ratings	-
Operating Temperature -	Operating Temperature	-
Frequency - Test 10kHz	Frequency - Test	10kHz
Features -	Features	-
Mounting Type Through Hole	Mounting Type	Through Hole
Package / Case Radial	Package / Case	Radial
Supplier Device Package -	Supplier Device Package	-
Size / Dimension 0.748" Dia (19.00mm)	Size / Dimension	0.748" Dia (19.00mm)

Height - Seated (Max) 0.984" (25.00mm) Report errors?

ELC-18E332 Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

ELC-18E332 Payment Methods



















ELC-18E332 Shipping Methods













If you have any question about ELC-18E332, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com