



EM-MX0108-FT Information

www.heisener.com

For Reference Only

Part Number EM-MX0108-FT
Manufacturer Nearson Inc.
Category RF/IF and RFID
RF Antennas

Description X-NUT MOBILE 1/4 WAVE 108-960 MH

Package

For the pricing/inventory/lead time, please contact

us

Website: https://www.heisener.com E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









EM-MX0108-FT Specifications

Manufacturer Part Number EM-MX0108-FT Manufacturer Nearson Inc. Category RF/IF and RFID RF Antennas RF Antennas Package - Series X-Nut? Frequency Group VHF (f < 300 MHz), UHF (300 MHz ~ 1 GHz) Frequency (Center/Band) 534MHz Frequency Range 108MHz ~ 960MHz Antenna Type Whip, Straight Number of Bands 1 VSWR 1.5 Return Loss - Gain 2dBi Power - Max 100W Features - Features - Termination Connector, NMO Ingress Protection - Mounting Type Base Mount Height (Max) 31.732" (806.00mm) Applications -	•	
Category RF/IF and RFID RF Antennas Package - Series X-Nut? Frequency Group VHF (f < 300 MHz), UHF (300 MHz ~ 1 GHz) Frequency (Center/Band) 534MHz Frequency Range 108MHz ~ 960MHz Antenna Type Whip, Straight Number of Bands 1 VSWR 1.5 Return Loss - Gain 2dBi Power - Max 100W Features - Termination Connector, NMO Ingress Protection - Mounting Type Base Mount Height (Max) 31.732" (806.00mm) Applications -	Manufacturer Part Number	EM-MX0108-FT
Package - Series X-Nut? Frequency Group VHF (f < 300 MHz), UHF (300 MHz ~ 1 GHz)	Manufacturer	Nearson Inc.
Package - Series X-Nut? Frequency Group VHF (f < 300 MHz), UHF (300 MHz ~ 1 GHz)	Category	RF/IF and RFID
Series X-Nut? Frequency Group VHF (f < 300 MHz), UHF (300 MHz ~ 1 GHz)		RF Antennas
Frequency Group VHF (f < 300 MHz), UHF (300 MHz ~ 1 GHz)	Package	-
Frequency (Center/Band) 534MHz Frequency Range 108MHz ~ 960MHz Antenna Type Whip, Straight Number of Bands 1 VSWR 1.5 Return Loss - Gain 2dBi Power - Max 100W Features - Termination Connector, NMO Ingress Protection - Mounting Type Base Mount Height (Max) 31.732" (806.00mm) Applications -	Series	X-Nut?
Frequency Range 108MHz ~ 960MHz Antenna Type Whip, Straight Number of Bands 1 VSWR 1.5 Return Loss - Gain 2dBi Power - Max 100W Features - Termination Connector, NMO Ingress Protection - Mounting Type Base Mount Height (Max) 31.732" (806.00mm) Applications -	Frequency Group	VHF (f $<$ 300 MHz), UHF (300 MHz \sim 1 GHz)
Antenna Type Whip, Straight Number of Bands 1 VSWR 1.5 Return Loss - Gain 2dBi Power - Max 100W Features - Termination Connector, NMO Ingress Protection - Mounting Type Base Mount Height (Max) 31.732" (806.00mm) Applications -	Frequency (Center/Band)	534MHz
Number of Bands 1 VSWR 1.5 Return Loss - Gain 2dBi Power - Max 100W Features - Termination Connector, NMO Ingress Protection - Mounting Type Base Mount Height (Max) 31.732" (806.00mm) Applications -	Frequency Range	108MHz ~ 960MHz
VSWR Return Loss - Gain Power - Max 100W Features - Termination Connector, NMO Ingress Protection Mounting Type Base Mount Height (Max) Applications 1.5 .	Antenna Type	Whip, Straight
Return Loss-Gain2dBiPower - Max100WFeatures-TerminationConnector, NMOIngress Protection-Mounting TypeBase MountHeight (Max)31.732" (806.00mm)Applications-	Number of Bands	1
Gain2dBiPower - Max100WFeatures-TerminationConnector, NMOIngress Protection-Mounting TypeBase MountHeight (Max)31.732" (806.00mm)Applications-	VSWR	1.5
Power - Max 100W Features - Connector, NMO Ingress Protection - Mounting Type Base Mount Height (Max) 31.732" (806.00mm) Applications - Connector	Return Loss	-
Features - Connector, NMO Ingress Protection - Mounting Type Base Mount Height (Max) 31.732" (806.00mm) Applications - Connector, NMO - Connec	Gain	2dBi
Termination Connector, NMO Ingress Protection - Mounting Type Base Mount Height (Max) 31.732" (806.00mm) Applications -	Power - Max	100W
Ingress Protection - Mounting Type Base Mount Height (Max) 31.732" (806.00mm) Applications -	Features	-
Mounting Type Base Mount Height (Max) 31.732" (806.00mm) Applications -	Termination	Connector, NMO
Height (Max) 31.732" (806.00mm) Applications -	Ingress Protection	-
Applications -	Mounting Type	Base Mount
	Height (Max)	31.732" (806.00mm)
Report errors?	Applications	-
		Report errors?

EM-MX0108-FT Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

EM-MX0108-FT Payment Methods



















EM-MX0108-FT Shipping Methods













If you have any question about EM-MX0108-FT, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com