

EN3P15MRAPCBN

EN3P15MRAPCBN Information



For Reference Only

Part Number EN3P15MRAPCBN
Manufacturer Switchcraft Inc.

Category Connectors, Interconnects Circular Connectors

Description CONN RCPT 15POS PNL MNT RA PIN

Package

For the pricing/inventory/lead time, please contact

us

Website: https://www.heisener.com E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









EN3P15MRAPCBN Specifications

Manufacturer Part Number EN3P15MRAPCBN Manufacturer Switchcraft Inc. Category Connectors, Interconnects Package - Series EN3? Connector Type Receptacle, Male Pins Number of Positions 15 Shell Size - Insert - Shell Size, MIL - Mounting Type Panel Mount, Bulkhead; Through Hole, Right Angle Termination Circuit Board, Solder Fastening Type Bayonet Lock Orientation Keyed Ingress Protection IP66/68 - Dust Tight, Water Resistant, Waterproof Shell Material, Finish Thermoplastic Polymer, Glass Fiber Contact Finish Gold Features - Voltage - Rated 250VAC/DC Current Rating 2A			
Category Circular Connectors Package - Series EN3? Connector Type Receptacle, Male Pins Number of Positions 15 Shell Size - Insert Shell Size, MIL Mounting Type Panel Mount, Bulkhead; Through Hole, Right Angle Termination Circuit Board, Solder Fastening Type Bayonet Lock Orientation Keyed Ingress Protection IP66/68 - Dust Tight, Water Resistant, Waterproof Shell Material, Finish Thermoplastic Polymer, Glass Fiber Contact Finish Gold Features - Voltage - Rated Current Rating Connectors IP66/OR Connectors Connectors - Connectors EN3? Connector Sund EN3? Connector Type Receptacle, Male Pins - Connector Sund EN3? Connector Sund EN3. Conn	Manufacturer Part Number	EN3P15MRAPCBN	
Circular Connectors Package - Series EN3? Connector Type Receptacle, Male Pins Number of Positions 15 Shell Size - Insert - Shell Size, MIL - Mounting Type Panel Mount, Bulkhead; Through Hole, Right Angle Termination Circuit Board, Solder Fastening Type Bayonet Lock Orientation Keyed Ingress Protection IP66/68 - Dust Tight, Water Resistant, Waterproof Shell Material, Finish Thermoplastic Polymer, Glass Fiber Contact Finish Gold Features - SolVAC/DC Current Rating 2A	Manufacturer	Switchcraft Inc.	
Package-SeriesEN3?Connector TypeReceptacle, Male PinsNumber of Positions15Shell Size - Insert-Shell Size, MIL-Mounting TypePanel Mount, Bulkhead; Through Hole, Right AngleTerminationCircuit Board, SolderFastening TypeBayonet LockOrientationKeyedIngress ProtectionIP66/68 - Dust Tight, Water Resistant, WaterproofShell Material, FinishThermoplastic Polymer, Glass FiberContact FinishGoldFeatures-Voltage - Rated250VAC/DCCurrent Rating2A	Category	Connectors, Interconnects	
SeriesEN3?Connector TypeReceptacle, Male PinsNumber of Positions15Shell Size - Insert-Shell Size, MIL-Mounting TypePanel Mount, Bulkhead; Through Hole, Right AngleTerminationCircuit Board, SolderFastening TypeBayonet LockOrientationKeyedIngress ProtectionIP66/68 - Dust Tight, Water Resistant, WaterproofShell Material, FinishThermoplastic Polymer, Glass FiberContact FinishGoldFeatures-Voltage - Rated250VAC/DCCurrent Rating2A		Circular Connectors	
Connector Type Receptacle, Male Pins Number of Positions 15 Shell Size - Insert - Shell Size, MIL - Mounting Type Panel Mount, Bulkhead; Through Hole, Right Angle Termination Circuit Board, Solder Fastening Type Bayonet Lock Orientation Keyed Ingress Protection IP66/68 - Dust Tight, Water Resistant, Waterproof Shell Material, Finish Thermoplastic Polymer, Glass Fiber Contact Finish Gold Features - Voltage - Rated 250VAC/DC Current Rating 2A	Package	-	
Number of Positions15Shell Size - Insert-Shell Size, MIL-Mounting TypePanel Mount, Bulkhead; Through Hole, Right AngleTerminationCircuit Board, SolderFastening TypeBayonet LockOrientationKeyedIngress ProtectionIP66/68 - Dust Tight, Water Resistant, WaterproofShell Material, FinishThermoplastic Polymer, Glass FiberContact FinishGoldFeatures-Voltage - Rated250VAC/DCCurrent Rating2A	Series	EN3?	
Shell Size - Insert Shell Size, MIL Mounting Type Panel Mount, Bulkhead; Through Hole, Right Angle Termination Circuit Board, Solder Fastening Type Bayonet Lock Orientation Keyed Ingress Protection IP66/68 - Dust Tight, Water Resistant, Waterproof Shell Material, Finish Thermoplastic Polymer, Glass Fiber Contact Finish Gold Features - Voltage - Rated 250VAC/DC Current Rating 2A	Connector Type	Receptacle, Male Pins	
Shell Size, MIL Mounting Type Panel Mount, Bulkhead; Through Hole, Right Angle Termination Circuit Board, Solder Fastening Type Bayonet Lock Orientation Keyed Ingress Protection IP66/68 - Dust Tight, Water Resistant, Waterproof Shell Material, Finish Thermoplastic Polymer, Glass Fiber Contact Finish Gold Features - Voltage - Rated 250VAC/DC Current Rating 2A	Number of Positions	15	
Mounting Type Panel Mount, Bulkhead; Through Hole, Right Angle Termination Circuit Board, Solder Fastening Type Bayonet Lock Orientation Keyed Ingress Protection IP66/68 - Dust Tight, Water Resistant, Waterproof Shell Material, Finish Thermoplastic Polymer, Glass Fiber Contact Finish Gold Features - Voltage - Rated 250VAC/DC Current Rating 2A	Shell Size - Insert	-	
Termination Circuit Board, Solder Fastening Type Bayonet Lock Orientation Keyed Ingress Protection IP66/68 - Dust Tight, Water Resistant, Waterproof Shell Material, Finish Thermoplastic Polymer, Glass Fiber Contact Finish Gold Features - Voltage - Rated 250VAC/DC Current Rating 2A	Shell Size, MIL	-	
Fastening Type Orientation Keyed Ingress Protection IP66/68 - Dust Tight, Water Resistant, Waterproof Thermoplastic Polymer, Glass Fiber Contact Finish Gold Features - Voltage - Rated 250VAC/DC Current Rating Bayonet Lock Keyed IP66/68 - Dust Tight, Water Resistant, Waterproof Thermoplastic Polymer, Glass Fiber 250VAC/DC 2A	Mounting Type	Panel Mount, Bulkhead; Through Hole, Right Angle	
Orientation Keyed Ingress Protection IP66/68 - Dust Tight, Water Resistant, Waterproof Shell Material, Finish Thermoplastic Polymer, Glass Fiber Contact Finish Gold Features - Voltage - Rated 250VAC/DC Current Rating 2A	Termination	Circuit Board, Solder	
Ingress Protection IP66/68 - Dust Tight, Water Resistant, Waterproof Thermoplastic Polymer, Glass Fiber Contact Finish Gold Features - Voltage - Rated 250VAC/DC Current Rating 2A	Fastening Type	Bayonet Lock	
Shell Material, Finish Contact Finish Gold Features - Voltage - Rated Current Rating Thermoplastic Polymer, Glass Fiber Gold Current Rating Thermoplastic Polymer, Glass Fiber Gold Current Polymer, Glass Fiber 250VAC/DC 250VAC/DC 2A	Orientation	Keyed	
Contact Finish Gold Features - Voltage - Rated 250VAC/DC Current Rating 2A	Ingress Protection	IP66/68 - Dust Tight, Water Resistant, Waterproof	
Features - Voltage - Rated 250VAC/DC Current Rating 2A	Shell Material, Finish	Thermoplastic Polymer, Glass Fiber	
Voltage - Rated 250VAC/DC Current Rating 2A	Contact Finish	Gold	
Current Rating 2A	Features	-	
•	Voltage - Rated	250VAC/DC	
Report errors?	Current Rating	2A	
		Report errors	?

EN3P15MRAPCBN Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

EN3P15MRAPCBN Payment Methods



















EN3P15MRAPCBN Shipping Methods













If you have any question about EN3P15MRAPCBN, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com