



ERA.3S.140.CTL Information



For Reference Only

Part Number ERA.3S.140.CTL

Manufacturer LEMO

Category Connectors, Interconnects

Circular Connectors

Description CONN PNL MNT RCPT 1SKT SLD CUP

Package -

For the pricing/inventory/lead time, please contact

us

Website: https://www.heisener.com E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









ERA.3S.140.CTL Specifications

Manufacturer Part Number ERA.3S.140.CTL Manufacturer LEMO Category Connectors, Interconnects Circular Connectors Circular Connectors Package - Series 3S Connector Type Receptacle, Female Sockets Number of Positions 1 Shell Size - Insert 140 Shell Size, MIL - Mounting Type Panel Mount, Bulkhead - Rear Side Nut Termination Solder Cup Fastening Type Push-Pull, Detent Lock Orientation Keyed Ingress Protection IP50 - Dust Protected Shell Material, Finish Brass, Chrome Plated Contact Finish Gold Features Shielded Voltage - Rated - Current Rating 43A		
CategoryConnectors, InterconnectsPackage-Series3SConnector TypeReceptacle, Female SocketsNumber of Positions1Shell Size - Insert140Shell Size, MIL-Mounting TypePanel Mount, Bulkhead - Rear Side NutTerminationSolder CupFastening TypePush-Pull, Detent LockOrientationKeyedIngress ProtectionIP50 - Dust ProtectedShell Material, FinishBrass, Chrome PlatedContact FinishGoldFeaturesShieldedVoltage - Rated-	Manufacturer Part Number	ERA.3S.140.CTL
Package-Series3SConnector TypeReceptacle, Female SocketsNumber of Positions1Shell Size - Insert140Shell Size, MIL-Mounting TypePanel Mount, Bulkhead - Rear Side NutTerminationSolder CupFastening TypePush-Pull, Detent LockOrientationKeyedIngress ProtectionIP50 - Dust ProtectedShell Material, FinishBrass, Chrome PlatedContact FinishGoldFeaturesShieldedVoltage - Rated-	Manufacturer	LEMO
Package-Series3SConnector TypeReceptacle, Female SocketsNumber of Positions1Shell Size - Insert140Shell Size, MIL-Mounting TypePanel Mount, Bulkhead - Rear Side NutTerminationSolder CupFastening TypePush-Pull, Detent LockOrientationKeyedIngress ProtectionIP50 - Dust ProtectedShell Material, FinishBrass, Chrome PlatedContact FinishGoldFeaturesShieldedVoltage - Rated-	Category	Connectors, Interconnects
Series 3S Connector Type Receptacle, Female Sockets Number of Positions 1 Shell Size - Insert 140 Shell Size, MIL - Mounting Type Panel Mount, Bulkhead - Rear Side Nut Termination Solder Cup Fastening Type Push-Pull, Detent Lock Orientation Keyed Ingress Protection IP50 - Dust Protected Shell Material, Finish Brass, Chrome Plated Contact Finish Gold Features Shielded Voltage - Rated -		Circular Connectors
Connector TypeReceptacle, Female SocketsNumber of Positions1Shell Size - Insert140Shell Size, MIL-Mounting TypePanel Mount, Bulkhead - Rear Side NutTerminationSolder CupFastening TypePush-Pull, Detent LockOrientationKeyedIngress ProtectionIP50 - Dust ProtectedShell Material, FinishBrass, Chrome PlatedContact FinishGoldFeaturesShieldedVoltage - Rated-	Package	-
Number of Positions Shell Size - Insert 140 Shell Size, MIL Mounting Type Panel Mount, Bulkhead - Rear Side Nut Termination Solder Cup Fastening Type Push-Pull, Detent Lock Orientation Keyed Ingress Protection IP50 - Dust Protected Shell Material, Finish Brass, Chrome Plated Contact Finish Gold Features Shielded Voltage - Rated -	Series	3S
Shell Size - Insert Shell Size, MIL Mounting Type Panel Mount, Bulkhead - Rear Side Nut Termination Solder Cup Fastening Type Push-Pull, Detent Lock Orientation Keyed Ingress Protection IP50 - Dust Protected Shell Material, Finish Brass, Chrome Plated Contact Finish Gold Features Shielded Voltage - Rated 140	Connector Type	Receptacle, Female Sockets
Shell Size, MIL Mounting Type Panel Mount, Bulkhead - Rear Side Nut Termination Solder Cup Fastening Type Push-Pull, Detent Lock Orientation Keyed Ingress Protection IP50 - Dust Protected Shell Material, Finish Brass, Chrome Plated Contact Finish Gold Features Shielded Voltage - Rated -	Number of Positions	1
Mounting TypePanel Mount, Bulkhead - Rear Side NutTerminationSolder CupFastening TypePush-Pull, Detent LockOrientationKeyedIngress ProtectionIP50 - Dust ProtectedShell Material, FinishBrass, Chrome PlatedContact FinishGoldFeaturesShieldedVoltage - Rated-	Shell Size - Insert	140
Termination Solder Cup Fastening Type Push-Pull, Detent Lock Orientation Keyed Ingress Protection IP50 - Dust Protected Shell Material, Finish Brass, Chrome Plated Contact Finish Gold Features Shielded Voltage - Rated -	Shell Size, MIL	-
Fastening Type Push-Pull, Detent Lock Orientation Keyed Ingress Protection IP50 - Dust Protected Shell Material, Finish Brass, Chrome Plated Contact Finish Gold Features Shielded Voltage - Rated -	Mounting Type	Panel Mount, Bulkhead - Rear Side Nut
Orientation Keyed Ingress Protection IP50 - Dust Protected Shell Material, Finish Brass, Chrome Plated Contact Finish Gold Features Shielded Voltage - Rated -	Termination	Solder Cup
Ingress Protection IP50 - Dust Protected Shell Material, Finish Brass, Chrome Plated Contact Finish Gold Features Shielded Voltage - Rated -	Fastening Type	Push-Pull, Detent Lock
Shell Material, Finish Contact Finish Gold Features Shielded Voltage - Rated	Orientation	Keyed
Contact Finish Gold Features Shielded Voltage - Rated -	Ingress Protection	IP50 - Dust Protected
Features Shielded Voltage - Rated -	Shell Material, Finish	Brass, Chrome Plated
Voltage - Rated -	Contact Finish	Gold
-	Features	Shielded
Current Rating 43A	Voltage - Rated	-
	Current Rating	43A
Report errors?		Report errors?

ERA.3S.140.CTL Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

ERA.3S.140.CTL Payment Methods





















ERA.3S.140.CTL Shipping Methods













If you have any question about ERA.3S.140.CTL, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com