



ERY.2C.314.CLL Information

Heisener.com

Part Number ERY.2C.314.CLL

Manufacturer LEMO

Category Connectors, Interconnects

Circular Connectors

Description CONN PNL MNT RCPT 14SKT SLD CUP

Package -

For the pricing/inventory/lead time, please contact

us

For Reference Only Website: https://www.heisener.com

E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









ERY.2C.314.CLL Specifications

Manufacturer Part Number ERY.2C.314.CLL Manufacturer LEMO Category Connectors, Interconnects Circular Connectors Circular Connectors Package - Series 2C Connector Type Receptacle, Female Sockets and Male Pins Number of Positions 14 Shell Size - Insert 314 Shell Size, MIL - Mounting Type Panel Mount Termination Solder Cup Fastening Type Push-Pull, Detent Lock Orientation Keyed Ingress Protection IP50 - Dust Protected Shell Material, Finish Brass, Chrome Plated Contact Finish Gold Features - Voltage - Rated - Current Rating 5A		
CategoryConnectors, InterconnectsPackage-Series2CConnector TypeReceptacle, Female Sockets and Male PinsNumber of Positions14Shell Size - Insert314Shell Size, MIL-Mounting TypePanel MountTerminationSolder CupFastening TypePush-Pull, Detent LockOrientationKeyedIngress ProtectionIP50 - Dust ProtectedShell Material, FinishBrass, Chrome PlatedContact FinishGoldFeatures-Voltage - Rated-Current Rating5A	Manufacturer Part Number	ERY.2C.314.CLL
Package - Series 2C Connector Type Receptacle, Female Sockets and Male Pins Number of Positions 14 Shell Size - Insert 314 Shell Size, MIL - Mounting Type Panel Mount Termination Solder Cup Fastening Type Push-Pull, Detent Lock Orientation Keyed Ingress Protection IP50 - Dust Protected Shell Material, Finish Gold Features - Voltage - Rated Current Rating 5A	Manufacturer	LEMO
Package-Series2CConnector TypeReceptacle, Female Sockets and Male PinsNumber of Positions14Shell Size - Insert314Shell Size, MIL-Mounting TypePanel MountTerminationSolder CupFastening TypePush-Pull, Detent LockOrientationKeyedIngress ProtectionIP50 - Dust ProtectedShell Material, FinishBrass, Chrome PlatedContact FinishGoldFeatures-Voltage - Rated-Current Rating5A	Category	Connectors, Interconnects
Series2CConnector TypeReceptacle, Female Sockets and Male PinsNumber of Positions14Shell Size - Insert314Shell Size, MIL-Mounting TypePanel MountTerminationSolder CupFastening TypePush-Pull, Detent LockOrientationKeyedIngress ProtectionIP50 - Dust ProtectedShell Material, FinishBrass, Chrome PlatedContact FinishGoldFeatures-Voltage - Rated-Current Rating5A		Circular Connectors
Connector TypeReceptacle, Female Sockets and Male PinsNumber of Positions14Shell Size - Insert314Shell Size, MIL-Mounting TypePanel MountTerminationSolder CupFastening TypePush-Pull, Detent LockOrientationKeyedIngress ProtectionIP50 - Dust ProtectedShell Material, FinishBrass, Chrome PlatedContact FinishGoldFeatures-Voltage - Rated-Current Rating5A	Package	-
Number of Positions14Shell Size - Insert314Shell Size, MIL-Mounting TypePanel MountTerminationSolder CupFastening TypePush-Pull, Detent LockOrientationKeyedIngress ProtectionIP50 - Dust ProtectedShell Material, FinishBrass, Chrome PlatedContact FinishGoldFeatures-Voltage - Rated-Current Rating5A	Series	2C
Shell Size - Insert Shell Size, MIL	Connector Type	Receptacle, Female Sockets and Male Pins
Shell Size, MIL Mounting Type Panel Mount Termination Solder Cup Fastening Type Push-Pull, Detent Lock Orientation Keyed Ingress Protection IP50 - Dust Protected Shell Material, Finish Brass, Chrome Plated Contact Finish Gold Features - Voltage - Rated - Current Rating 5A	Number of Positions	14
Mounting TypePanel MountTerminationSolder CupFastening TypePush-Pull, Detent LockOrientationKeyedIngress ProtectionIP50 - Dust ProtectedShell Material, FinishBrass, Chrome PlatedContact FinishGoldFeatures-Voltage - Rated-Current Rating5A	Shell Size - Insert	314
Termination Solder Cup Fastening Type Push-Pull, Detent Lock Orientation Keyed Ingress Protection IP50 - Dust Protected Shell Material, Finish Brass, Chrome Plated Contact Finish Gold Features - Voltage - Rated - Current Rating 5A	Shell Size, MIL	-
Fastening Type Push-Pull, Detent Lock Orientation Keyed Ingress Protection IP50 - Dust Protected Shell Material, Finish Brass, Chrome Plated Contact Finish Gold Features - Voltage - Rated - Current Rating 5A	Mounting Type	Panel Mount
Orientation Keyed Ingress Protection IP50 - Dust Protected Shell Material, Finish Brass, Chrome Plated Contact Finish Gold Features - Voltage - Rated - Current Rating 5A	Termination	Solder Cup
Ingress Protection IP50 - Dust Protected Shell Material, Finish Brass, Chrome Plated Contact Finish Gold Features - Voltage - Rated - Current Rating 5A	Fastening Type	Push-Pull, Detent Lock
Shell Material, Finish Contact Finish Gold Features - Voltage - Rated Current Rating Spass, Chrome Plated - Current Rating Spass, Chrome Plated - Sold Sold Sold Sold Sold Sold Sold Sold	Orientation	Keyed
Contact Finish Gold Features - Voltage - Rated - Current Rating 5A	Ingress Protection	IP50 - Dust Protected
Features - Voltage - Rated - Current Rating 5A	Shell Material, Finish	Brass, Chrome Plated
Voltage - Rated - Current Rating 5A	Contact Finish	Gold
Current Rating 5A	Features	-
•	Voltage - Rated	-
Report errors?	Current Rating	5A
		Report errors?

ERY.2C.314.CLL Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

ERY.2C.314.CLL Payment Methods



















ERY.2C.314.CLL Shipping Methods













If you have any question about ERY.2C.314.CLL, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com