



ES3S002SZA Information



For Reference Only

Part Number ES3S002SZA

Manufacturer JAE Electronics

Category Connectors, Interconnects Solid State Lighting Connectors

Description CONN SSL RCPT HSG 2POS 3MM CRIMP

Package -

For the pricing/inventory/lead time, please contact

us

Website: https://www.heisener.com E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









ES3S002SZA Specifications

Manufacturer ES3S002SZA Manufacturer JAE Electronics Category Connectors, Interconnects Package - Series ES3 Style Board to Cable/Wire Connector Type Receptacle Housing for Socket Contact Number of Positions 2 Mounting Type Free Hanging (In-Line) Termination Crimp Pitch 0.118" (3.00mm) Fastening Type Latch Lock Features - Housing Color Black Wire Gauge - Contact Material - Contact Finish - Housing Material Polyamide (PA66), Nylon 6/6 Operating Temperature -40°C ~ 105°C		
CategoryConnectors, InterconnectsPackage-SeriesES3StyleBoard to Cable/WireConnector TypeReceptacle Housing for Socket ContactNumber of Positions2Mounting TypeFree Hanging (In-Line)TerminationCrimpPitch0.118" (3.00mm)Fastening TypeLatch LockFeatures-Housing ColorBlackWire Gauge-Contact Material-Contact Finish-Housing MaterialPolyamide (PA66), Nylon 6/6Operating Temperature-40°C ~ 105°C	Manufacturer Part Number	ES3S002SZA
Package-SeriesES3StyleBoard to Cable/WireConnector TypeReceptacle Housing for Socket ContactNumber of Positions2Mounting TypeFree Hanging (In-Line)TerminationCrimpPitch0.118" (3.00mm)Fastening TypeLatch LockFeatures-Housing ColorBlackWire Gauge-Contact Material-Contact Finish-Housing MaterialPolyamide (PA66), Nylon 6/6Operating Temperature-40°C ~ 105°C	Manufacturer	JAE Electronics
Package - Series ES3 Style Board to Cable/Wire Connector Type Receptacle Housing for Socket Contact Number of Positions 2 Mounting Type Free Hanging (In-Line) Termination Crimp Pitch 0.118" (3.00mm) Fastening Type Latch Lock Features - Housing Color Black Wire Gauge - Contact Material - Contact Finish - Housing Material Polyamide (PA66), Nylon 6/6 Operating Temperature -40°C ~ 105°C	Category	Connectors, Interconnects
SeriesES3StyleBoard to Cable/WireConnector TypeReceptacle Housing for Socket ContactNumber of Positions2Mounting TypeFree Hanging (In-Line)TerminationCrimpPitch0.118" (3.00mm)Fastening TypeLatch LockFeatures-Housing ColorBlackWire Gauge-Contact Material-Contact Finish-Housing MaterialPolyamide (PA66), Nylon 6/6Operating Temperature-40°C ~ 105°C		Solid State Lighting Connectors
StyleBoard to Cable/WireConnector TypeReceptacle Housing for Socket ContactNumber of Positions2Mounting TypeFree Hanging (In-Line)TerminationCrimpPitch0.118" (3.00mm)Fastening TypeLatch LockFeatures-Housing ColorBlackWire Gauge-Contact Material-Contact Finish-Housing MaterialPolyamide (PA66), Nylon 6/6Operating Temperature-40°C ~ 105°C	Package	-
Connector TypeReceptacle Housing for Socket ContactNumber of Positions2Mounting TypeFree Hanging (In-Line)TerminationCrimpPitch0.118" (3.00mm)Fastening TypeLatch LockFeatures-Housing ColorBlackWire Gauge-Contact Material-Contact Finish-Housing MaterialPolyamide (PA66), Nylon 6/6Operating Temperature-40°C ~ 105°C	Series	ES3
Number of Positions2Mounting TypeFree Hanging (In-Line)TerminationCrimpPitch0.118" (3.00mm)Fastening TypeLatch LockFeatures-Housing ColorBlackWire Gauge-Contact Material-Contact Finish-Housing MaterialPolyamide (PA66), Nylon 6/6Operating Temperature-40°C ~ 105°C	Style	Board to Cable/Wire
Mounting TypeFree Hanging (In-Line)TerminationCrimpPitch0.118" (3.00mm)Fastening TypeLatch LockFeatures-Housing ColorBlackWire Gauge-Contact Material-Contact Finish-Housing MaterialPolyamide (PA66), Nylon 6/6Operating Temperature-40°C ~ 105°C	Connector Type	Receptacle Housing for Socket Contact
Termination Crimp Pitch 0.118" (3.00mm) Fastening Type Latch Lock Features - Housing Color Black Wire Gauge - Contact Material - Contact Finish - Housing Material Polyamide (PA66), Nylon 6/6 Operating Temperature -40°C ~ 105°C	Number of Positions	2
Pitch 0.118" (3.00mm) Fastening Type Latch Lock Features - Housing Color Black Wire Gauge - Contact Material - Contact Finish - Housing Material Polyamide (PA66), Nylon 6/6 Operating Temperature -40°C ~ 105°C	Mounting Type	Free Hanging (In-Line)
Fastening Type Latch Lock Features - Housing Color Black Wire Gauge - Contact Material - Contact Finish - Housing Material Polyamide (PA66), Nylon 6/6 Operating Temperature Latch Lock - Polyamide (PA66), Nylon 6/6 -40°C ~ 105°C	Termination	Crimp
Features - Housing Color Black Wire Gauge - Contact Material - Contact Finish - Housing Material Polyamide (PA66), Nylon 6/6 Operating Temperature -40°C ~ 105°C	Pitch	0.118" (3.00mm)
Housing Color Wire Gauge Contact Material Contact Finish Housing Material Polyamide (PA66), Nylon 6/6 Operating Temperature Black	Fastening Type	Latch Lock
Wire Gauge Contact Material Contact Finish Housing Material Polyamide (PA66), Nylon 6/6 Operating Temperature -40°C ~ 105°C	Features	-
Contact Material - Contact Finish - Housing Material Polyamide (PA66), Nylon 6/6 Operating Temperature -40°C ~ 105°C	Housing Color	Black
Contact Finish - Housing Material Polyamide (PA66), Nylon $6/6$ Operating Temperature $-40^{\circ}\text{C} \sim 105^{\circ}\text{C}$	Wire Gauge	-
Housing Material Polyamide (PA66), Nylon $6/6$ Operating Temperature $-40^{\circ}\text{C} \sim 105^{\circ}\text{C}$	Contact Material	-
Operating Temperature $-40^{\circ}\text{C} \sim 105^{\circ}\text{C}$	Contact Finish	-
	Housing Material	Polyamide (PA66), Nylon 6/6
Report errors?	Operating Temperature	-40°C ~ 105°C
T		Report errors?

ES3S002SZA Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

ES3S002SZA Payment Methods



















ES3S002SZA Shipping Methods













If you have any question about ES3S002SZA, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com