

ESQT-130-03-M-Q-355-001

ESQT-130-03-M-Q-355-001 Information

| Heisener.com | Part Number Manufacturer Category Description Package | ESQT-130-03-M-Q-355-001 Samtec Inc. Connectors, Interconnects Rectangular Connectors - Headers, Receptacles, Female Sockets ELEVATED 2MM SOCKETS | | |
|--------------------|---|---|-----------------|--|
| For Reference Only | | For the pricing/inventory/lead time, please contact us | | |
| | | Website: https://www.heisener.com E-mail: salesdept@heisener.com | Request a Quote | |

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.



ESQT-130-03-M-Q-355-001 Specifications

| Manufacturer Part Number | ESQT-130-03-M-Q-355-001 |
|-----------------------------------|---|
| Manufacturer | Samtec Inc. |
| Category | Connectors, Interconnects |
| | Rectangular Connectors - Headers, Receptacles, Female Sockets |
| Package | - |
| Series | FleXYZ? ESQT |
| Connector Type | Elevated Socket |
| Contact Type | Forked |
| Style | Board to Board or Cable |
| Number of Positions | 120 |
| Number of Positions Loaded | 119 |
| Pitch - Mating | 0.079" (2.00mm) |
| Number of Rows | 4 |
| Row Spacing - Mating | 0.079" (2.00mm) |
| Mounting Type | Through Hole |
| Termination | Solder |
| Fastening Type | Push-Pull |
| Contact Finish - Mating | Gold |
| Contact Finish Thickness - Mating | 20µin (0.51µm) |
| Insulation Color | Black |
| Insulation Height | 0.355" (9.02mm) |
| Contact Length - Post | 0.103" (2.62mm) |
| Operating Temperature | -55°C ~ 125°C |
| Material Flammability Rating | UL94 V-0 |

| Contact Finish - Post | Tin | | |
|------------------------|-----|--|----------------|
| Mated Stacking Heights | - | | |
| Ingress Protection | - | | |
| Features | - | | |
| | | | Report errors? |



If you have any question about ESQT-130-03-M-Q-355-001, please do not hesitate to contact us! Website: https://www.heisener.com E-mail: salesdept@heisener.com