



ESR10EZPJ390 Information



For Reference Only

Part Number ESR10EZPJ390

Manufacturer Rohm Semiconductor

Category Resistors

Chip Resistor - Surface Mount

Description RES SMD 39 OHM 5% 0.4W 0805

Package 0805 (2012 Metric)

For the pricing/inventory/lead time, please contact

us

Website: https://www.heisener.com E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









ESR10EZPJ390 Specifications

Manufacturer ESR 10EZPJ390 Manufacturer Rohm Semiconductor Category Resistors Chip Resistor - Surface Mount Package 0805 (2012 Metric) Series ESR Resistance 39 Ohms Tolerance ±5% Power (Watts) 0.4W Composition Thick Film Features Automotive AEC-Q200, Pulse Withstanding Temperature Coefficient ±200ppm/°C Operating Temperature -55°C ~ 155°C Package / Case 0805 (2012 Metric) Supplier Device Package 0805 Size / Dimension 0.079" L x 0.049" W (2.00mm x 1.25mm) Height - Seated (Max) 0.026" (0.65mm)			
Category Resistors Chip Resistor - Surface Mount Package 0805 (2012 Metric) Series ESR Resistance 39 Ohms Tolerance ±5% Power (Watts) 0.4W Composition Thick Film Features Automotive AEC-Q200, Pulse Withstanding Temperature Coefficient ±200ppm/°C Operating Temperature -55°C ~ 155°C Package / Case 0805 (2012 Metric) Supplier Device Package 0805 Size / Dimension 0.079" L x 0.049" W (2.00mm x 1.25mm) Height - Seated (Max) 0.026" (0.65mm)	Manufacturer Part Number	ESR10EZPJ390	
Chip Resistor - Surface Mount Package 0805 (2012 Metric) Series ESR Resistance 39 Ohms Tolerance ±5% Power (Watts) 0.4W Composition Thick Film Features Automotive AEC-Q200, Pulse Withstanding Temperature Coefficient ±200ppm/°C Operating Temperature -55°C ~ 155°C Package / Case 0805 (2012 Metric) Supplier Device Package 0805 Size / Dimension 0.079" L x 0.049" W (2.00mm x 1.25mm) Height - Seated (Max) 0.026" (0.65mm)	Manufacturer	Rohm Semiconductor	
Package 0805 (2012 Metric) Series ESR Resistance 39 Ohms Tolerance ±5% Power (Watts) 0.4W Composition Thick Film Features Automotive AEC-Q200, Pulse Withstanding Temperature Coefficient ±200ppm/°C Operating Temperature -55°C ~ 155°C Package / Case 0805 (2012 Metric) Supplier Device Package 0805 Size / Dimension 0.079" L x 0.049" W (2.00mm x 1.25mm) Height - Seated (Max) 0.026" (0.65mm)	Category	Resistors	
Series ESR Resistance 39 Ohms Tolerance ±5% Power (Watts) 0.4W Composition Thick Film Features Automotive AEC-Q200, Pulse Withstanding Temperature Coefficient ±200ppm/°C Operating Temperature -55°C ~ 155°C Package / Case 0805 (2012 Metric) Supplier Device Package 0805 Size / Dimension 0.079" L x 0.049" W (2.00mm x 1.25mm) Height - Seated (Max) 0.026" (0.65mm)		Chip Resistor - Surface Mount	
Resistance 39 Ohms Tolerance ±5% Power (Watts) 0.4W Composition Thick Film Features Automotive AEC-Q200, Pulse Withstanding Temperature Coefficient ±200ppm/°C Operating Temperature -55°C ~ 155°C Package / Case 0805 (2012 Metric) Supplier Device Package 0805 Size / Dimension 0.079" L x 0.049" W (2.00mm x 1.25mm) Height - Seated (Max) 0.026" (0.65mm)	Package	0805 (2012 Metric)	
Tolerance ±5% Power (Watts) 0.4W Composition Thick Film Features Automotive AEC-Q200, Pulse Withstanding Temperature Coefficient ±200ppm/°C Operating Temperature -55°C ~ 155°C Package / Case 0805 (2012 Metric) Supplier Device Package 0805 Size / Dimension 0.079" L x 0.049" W (2.00mm x 1.25mm) Height - Seated (Max) 0.026" (0.65mm)	Series	ESR	
Power (Watts) Composition Thick Film Features Automotive AEC-Q200, Pulse Withstanding Temperature Coefficient ±200ppm/°C Operating Temperature -55°C ~ 155°C Package / Case 0805 (2012 Metric) Supplier Device Package 0805 Size / Dimension 0.079" L x 0.049" W (2.00mm x 1.25mm) Height - Seated (Max) 0.026" (0.65mm)	Resistance	39 Ohms	
$\begin{tabular}{lll} \hline Composition & Thick Film \\ \hline Features & Automotive AEC-Q200, Pulse Withstanding \\ \hline Temperature Coefficient & \pm 200 {\rm ppm/^{\circ}C} \\ \hline Operating Temperature & -55^{\circ}C \sim 155^{\circ}C \\ \hline Package / Case & 0805 (2012 Metric) \\ \hline Supplier Device Package & 0805 \\ \hline Size / Dimension & 0.079" L x 0.049" W (2.00 mm x 1.25 mm) \\ \hline Height - Seated (Max) & 0.026" (0.65 mm) \\ \hline \hline \end{tabular}$	Tolerance	±5%	
Features Automotive AEC-Q200, Pulse Withstanding $\pm 200 \text{ppm/}^{\circ}\text{C}$ Operating Temperature $-55^{\circ}\text{C} \sim 155^{\circ}\text{C}$ Package / Case $0805 (2012 \text{ Metric})$ Supplier Device Package 0805 Size / Dimension $0.079^{\circ}\text{L} \times 0.049^{\circ}\text{W} (2.00 \text{mm} \times 1.25 \text{mm})$ Height - Seated (Max) $0.026^{\circ} (0.65 \text{mm})$	Power (Watts)	0.4W	
Temperature Coefficient $\pm 200 \text{ppm/}^{\circ}\text{C}$ Operating Temperature $-55^{\circ}\text{C} \sim 155^{\circ}\text{C}$ Package / Case $0805 (2012 \text{ Metric})$ Supplier Device Package $0805 = 0.079^{\circ}\text{L} \times 0.049^{\circ}\text{W} \times 0.000 \times $	Composition	Thick Film	
$ \begin{array}{lll} \mbox{Operating Temperature} & -55^{\circ}\mbox{C} \sim 155^{\circ}\mbox{C} \\ \mbox{Package / Case} & 0805 \ (2012 \mbox{ Metric}) \\ \mbox{Supplier Device Package} & 0805 \\ \mbox{Size / Dimension} & 0.079^{"} \mbox{ L x 0.049" W (2.00mm x 1.25mm)} \\ \mbox{Height - Seated (Max)} & 0.026^{"} \ (0.65mm) \\ \end{array} $	Features	Automotive AEC-Q200, Pulse Withstanding	
Package / Case 0805 (2012 Metric) Supplier Device Package 0805 Size / Dimension 0.079" L x 0.049" W (2.00mm x 1.25mm) Height - Seated (Max) 0.026" (0.65mm)	Temperature Coefficient	$\pm 200 ppm/^{\circ}C$	
Supplier Device Package 0805 Size / Dimension 0.079" L x 0.049" W (2.00mm x 1.25mm) Height - Seated (Max) 0.026" (0.65mm)	Operating Temperature	-55°C ~ 155°C	
Size / Dimension 0.079" L x 0.049" W (2.00mm x 1.25mm) Height - Seated (Max) 0.026" (0.65mm)	Package / Case	0805 (2012 Metric)	
Height - Seated (Max) 0.026" (0.65mm)	Supplier Device Package	0805	
	Size / Dimension	0.079" L x 0.049" W (2.00mm x 1.25mm)	
	Height - Seated (Max)	0.026" (0.65mm)	
Number of Terminations 2	Number of Terminations	2	
Failure Rate -	Failure Rate	-	
Report errors?			Report errors?

ESR10EZPJ390 Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

ESR10EZPJ390 Payment Methods



















ESR10EZPJ390 Shipping Methods













If you have any question about ESR10EZPJ390, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com