



ESR18EZPJ164 Information



For Reference Only

Part Number ESR18EZPJ164

Manufacturer Rohm Semiconductor

Category Resistors

Chip Resistor - Surface Mount

Description RES SMD 160K OHM 5% 1/3W 1206

Package 1206 (3216 Metric)

For the pricing/inventory/lead time, please contact

us

Website: https://www.heisener.com E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









ESR18EZPJ164 Specifications

Manufacturer Part Number Manufacturer Rohm Semiconductor Resistors Chip Resistor - Surface Mount Package 1206 (3216 Metric) Series Resistance 160 kOhms Tolerance ±5% Power (Watts) Composition Features Automotive AEC-Q200, Pulse Withstanding Temperature Coefficient ±200ppm/°C Operating Temperature -55°C ~ 155°C		
Category Resistors Chip Resistor - Surface Mount Package 1206 (3216 Metric) Series ESR Resistance 160 kOhms Tolerance ±5% Power (Watts) Composition Thick Film Features Automotive AEC-Q200, Pulse Withstanding Temperature Coefficient ±200ppm/°C	facturer Part Number	64
Chip Resistor - Surface Mount Package 1206 (3216 Metric) Series ESR Resistance 160 kOhms Tolerance ±5% Power (Watts) 0.333W, 1/3W Composition Thick Film Features Automotive AEC-Q200, Pulse Withstanding Temperature Coefficient ±200ppm/°C	facturer	onductor
Package 1206 (3216 Metric) Series ESR Resistance 160 kOhms Tolerance ±5% Power (Watts) 0.333W, 1/3W Composition Thick Film Features Automotive AEC-Q200, Pulse Withstanding Temperature Coefficient ±200ppm/°C	ory	
SeriesESRResistance160 kOhmsTolerance±5%Power (Watts)0.333W, 1/3WCompositionThick FilmFeaturesAutomotive AEC-Q200, Pulse WithstandingTemperature Coefficient±200ppm/°C		- Surface Mount
Resistance 160 kOhms Tolerance $\pm 5\%$ Power (Watts) $0.333\text{W}, 1/3\text{W}$ CompositionThick FilmFeaturesAutomotive AEC-Q200, Pulse WithstandingTemperature Coefficient $\pm 200\text{ppm/°C}$	ige	letric)
$ \begin{array}{lll} \mbox{Tolerance} & \pm 5\% \\ \mbox{Power (Watts)} & 0.333 \mbox{W}, 1/3 \mbox{W} \\ \mbox{Composition} & \mbox{Thick Film} \\ \mbox{Features} & \mbox{Automotive AEC-Q200, Pulse Withstanding} \\ \mbox{Temperature Coefficient} & \pm 200 \mbox{ppm/}^{\circ} \mbox{C} \\ \end{array} $	S	
Power (Watts) Composition Thick Film Features Automotive AEC-Q200, Pulse Withstanding Temperature Coefficient ±200ppm/°C	tance	
Composition Thick Film Features Automotive AEC-Q200, Pulse Withstanding Temperature Coefficient ±200ppm/°C	ance	
Features Automotive AEC-Q200, Pulse Withstanding Temperature Coefficient ±200ppm/°C	r (Watts)	V
Temperature Coefficient ±200ppm/°C	position	
	res	EC-Q200, Pulse Withstanding
Operating Temperature $-55^{\circ}\text{C} \sim 155^{\circ}\text{C}$	erature Coefficient	
	ating Temperature	
Package / Case 1206 (3216 Metric)	ige / Case	fetric)
Supplier Device Package 1206	ier Device Package	
Size / Dimension 0.126" L x 0.063" W (3.20mm x 1.60mm)	Dimension	063" W (3.20mm x 1.60mm)
Height - Seated (Max) 0.026" (0.65mm)	nt - Seated (Max)	nm)
Number of Terminations 2	per of Terminations	
Failure Rate -	e Rate	
Report erro		Report errors?

ESR18EZPJ164 Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

ESR18EZPJ164 Payment Methods



















ESR18EZPJ164 Shipping Methods













If you have any question about ESR18EZPJ164, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com