

# ET60T-04-00-04-L-RT1-GP-HS

### ET60T-04-00-04-L-RT1-GP-HS Information



# **Certified Quality**

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.



## ET60T-04-00-04-L-RT1-GP-HS Specifications

ManufacturerSamtec Inc.CategoryConnectors, InterconnectsBackplane Connectors - SpecializedPackage-SeriesEXTreme Ten60Power?Connector Usage-Connector TypeHeader, Male BladesConnector Style-Number of Positions LoadedAllPitch0.217" (5.50mm)Number of Columns-Number of Columns-Number of Columns-Number of Columns-StriegSolderContact Layout, TypicalBoard Guide, Guide PinContact FinishGoldContact Finish ThicknessJujin (0.25µm)		
Category Connectors, Interconnects   Backplane Connectors - Specialized   Package -   Series EXTreme Ten60Power?   Connector Usage -   Connector Type Header, Male Blades   Connector Style -   Number of Positions 8   Number of Positions Loaded All   Pitch 0.217" (5.50mm)   Number of Columns -   Number of Columns -   Mounting Type -   Contact Layout, Typical Solder   Features Board Guide, Guide Pin   Contact Finish Thickness Gold   Contact Finish Thickness Black	Manufacturer Part Number	ET60T-04-00-04-L-RT1-GP-HS
Backplane Connectors - SpecializedPackage-SeriesEXTreme Ten60Power?Connector Usage-Connector TypeHeader, Male BladesConnector Style-Number of Positions8Number of Positions LoadedAllPitch0.217" (5.50mm)Number of Rows-Number of Columns-Number of ColumnsSolderTerminationSolderContact Layout, TypicalBoard Guide, Guide PinContact FinishGoldContact Finish Thickness1/µin (0.25µm)ColorBlack	Manufacturer	Samtec Inc.
Package-SeriesEXTreme Ten60Power?Connector Usage-Connector TypeHeader, Male BladesConnector Style-Number of Positions8Number of Positions LoadedAllPitch0.217" (5.50mm)Number of Rows-Number of Columns-Munting TypeThrough Hole, Right AngleTerminationSolderContact Layout, TypicalBoard Guide, Guide PinFeaturesGoldContact Finish Thickness10µin (0.25µm)ColorBlack	Category	Connectors, Interconnects
SeriesEXTreme Ten60Power?Connector Usage-Connector TypeHeader, Male BladesConnector Style-Number of Positions8Number of Positions LoadedAllPitch0.217" (5.50mm)Number of Columns-Number of Columns-Mounting TypeThrough Hole, Right AngleTerminationSolderContact Layout, TypicalBoard Guide, Guide PinContact FinishGoldContact Finish ThicknessJuin (0.25µm)ColorBlack		Backplane Connectors - Specialized
Connector Usage-Connector TypeHeader, Male BladesConnector Style-Number of Positions8Number of Positions LoadedAllPitch0.217" (5.50mm)Number of Columns-Mumber of Columns-Mounting TypeThrough Hole, Right AngleTerminationSolderContact Layout, TypicalBoard Guide, Guide PinFeaturesGoldContact Finish ThicknessJujin (0.25µm)ColorBlack	Package	-
Connector TypeHeader, Male BladesConnector Style-Number of Positions8Number of Positions LoadedAllPitch0.217" (5.50mm)Number of Rows-Number of Columns-Mounting TypeThrough Hole, Right AngleTerminationSolderContact Layout, TypicalBoard Guide, Guide PinFeaturesGoldContact FinishGoldContact Finish ThicknessJipin (0.25µm)ColorBlack	Series	EXTreme Ten60Power?
Connector Style-Number of Positions8Number of Positions LoadedAllPitch0.217" (5.50mm)Number of Rows-Number of Columns-Mounting TypeThrough Hole, Right AngleTerminationSolderContact Layout, TypicalBoard Guide, Guide PinFeaturesGoldContact Finish Thickness10µin (0.25µm)ColorBlack	Connector Usage	-
Number of Positions8Number of Positions LoadedAllPitch0.217" (5.50mm)Number of Rows-Number of Columns-Mounting TypeThrough Hole, Right AngleTerminationSolderContact Layout, Typical8 PowerFeaturesBoard Guide, Guide PinContact FinishGoldContact Finish Thickness10µin (0.25µm)BlackBlack	Connector Type	Header, Male Blades
Number of Positions LoadedAllPitch0.217" (5.50mm)Number of Rows-Number of Columns-Mounting TypeThrough Hole, Right AngleTerminationSolderContact Layout, Typical8 PowerFeaturesBoard Guide, Guide PinContact Finish Thickness10µin (0.25µm)ColorBlack	Connector Style	-
Pitch0.217" (5.50mm)Number of Rows-Number of Columns-Mounting TypeThrough Hole, Right AngleTerminationSolderContact Layout, Typical8 PowerFeaturesBoard Guide, Guide PinContact FinishGoldContact Finish Thickness10µin (0.25µm)ColorBlack	Number of Positions	8
Number of Rows-Number of Columns-Mounting TypeThrough Hole, Right AngleTerminationSolderContact Layout, Typical8 PowerFeaturesBoard Guide, Guide PinContact FinishGoldContact Finish Thickness10µin (0.25µm)ColorBlack	Number of Positions Loaded	All
Number of Columns-Mounting TypeThrough Hole, Right AngleTerminationSolderContact Layout, Typical8 PowerFeaturesBoard Guide, Guide PinContact FinishGoldContact Finish Thickness10µin (0.25µm)ColorBlack	Pitch	0.217" (5.50mm)
Mounting TypeThrough Hole, Right AngleTerminationSolderContact Layout, Typical8 PowerFeaturesBoard Guide, Guide PinContact FinishGoldContact Finish Thickness10µin (0.25µm)ColorBlack	Number of Rows	-
TerminationSolderContact Layout, Typical8 PowerFeaturesBoard Guide, Guide PinContact FinishGoldContact Finish Thickness10µin (0.25µm)ColorBlack	Number of Columns	-
Contact Layout, Typical8 PowerFeaturesBoard Guide, Guide PinContact FinishGoldContact Finish Thickness10µin (0.25µm)ColorBlack	Mounting Type	Through Hole, Right Angle
FeaturesBoard Guide, Guide PinContact FinishGoldContact Finish Thickness10µin (0.25µm)ColorBlack	Termination	Solder
Contact FinishGoldContact Finish Thickness10µin (0.25µm)ColorBlack	Contact Layout, Typical	8 Power
Contact Finish Thickness10μin (0.25μm)ColorBlack	Features	Board Guide, Guide Pin
Color Black	Contact Finish	Gold
	Contact Finish Thickness	10µin (0.25µm)
Report errors?	Color	Black
		Report errors?

### ET60T-04-00-04-L-RT1-GP-HS Guarantees



**Quality Guarantees** 

We provide 90 days warranty. \* If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



#### Service Guarantees

We guarantee 100% customer satisfaction. Our experienced sales team and tech support team back our services to satisfy all our customers.



If you have any question about ET60T-04-00-04-L-RT1-GP-HS, please do not hesitate to contact us! Website: https://www.heisener.com E-mail: salesdept@heisener.com