

ET60T-06-24-04-L-RT1-GP-HS

ET60T-06-24-04-L-RT1-GP-HS Information



Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.



ET60T-06-24-04-L-RT1-GP-HS Specifications

ManufacturerSamtec Inc.CategoryConnectors, InterconnectsBackplane Connectors - SpecializedPackage-SeriesEXTreme Ten60Power?Connector Usage-Connector TypeHeader, Male Pins and BladesConnector Style-Number of Positions LoadedAllPitch0.100" (2.54mm)Number of Rows-Number of Columns-Number of Columns-Number of Columns-SocietSocietNumber of Columns-SocietSocietNumber of Columns-SocietSocietStater State Stat		
CategoryConnectors, InterconnectsBackplane Connectors - SpecializedPackage-SeriesEXTreme Ten60Power?Connector Usage-Connector TypeHeader, Male Pins and BladesConnector Style-Number of Positions34Number of Positions Loaded-Number of Rows-Number of Columns-Number of Columns-Number of Columns-Number of Columns-Solder-Contact Layout, TypicalSolderContact FinishGoldContact Finish Thickness-Contact Finish Thickness-Contact Finish Thickness-ColorBlack	Manufacturer Part Number	ET60T-06-24-04-L-RT1-GP-HS
Backplane Connectors - SpecializedPackage-SeriesEXTreme Ten60Power?Connector Usage-Connector TypeHeader, Male Pins and BladesConnector Style-Number of Positions34Number of Positions LoadedAllPitch0.100" (2.54mm)Number of Rows-Number of Columns-Number of Columns-Mounting TypeThrough Hole, Right AngleTerminationSolderContact Layout, Typical24 Signal, 10 PowerFeaturesBoard Guide, Guide PinContact Finish Thickness10µin (0.25µm)ColorBlack	Manufacturer	Samtec Inc.
Package-SeriesEXTrem Ten60Power?Connector Usage-Connector TypeHeader, Male Pins and BladesConnector Style-Number of Positions34Number of Positions LoadedAllPitch0.100" (2.54mm)Number of Rows-Number of Columns-Number of Columns-TerminationSolderContact Layout, Typical24 Signal, 10 PowerFeaturesGoldContact Finish Thickness10µin (0.25µm)ColorBlack	Category	Connectors, Interconnects
SeriesEXTreme Ten60Power?Connector Usage-Connector TypeHeader, Male Pins and BladesConnector Style-Number of Positions34Number of Positions LoadedAllPitch0.100" (2.54mm)Number of Rows-Number of Columns-Mounting TypeThrough Hole, Right AngleTerminationSolderContact Layout, TypicalBoard Guide, Guide PinContact FinishGoldContact Finish Thickness10µin (0.25µm)ColorBlack		Backplane Connectors - Specialized
Connector Usage-Connector TypeHeader, Male Pins and BladesConnector Type-Connector Style-Number of Positions34Number of Positions LoadedAllPitch0.100" (2.54mm)Number of Rows-Number of Columns-Mounting TypeThrough Hole, Right AngleTerminationSolderContact Layout, TypicalBaard Guide, Guide PinContact FinishGoldContact Finish ThicknessIpuin (0.25µm)ColorBlack	Package	-
Connector TypeHeader, Male Pins and BladesConnector Style-Number of Positions34Number of Positions LoadedAllPitch0.100" (2.54mm)Number of Rows-Number of Columns-Mounting TypeThrough Hole, Right AngleTerminationSolderContact Layout, TypicalBoard Guide, Guide PinFeaturesGoldContact FinishIopun (0.25µm)Contact Finish ThicknessBlack	Series	EXTreme Ten60Power?
Connector Style-Number of Positions34Number of Positions LoadedAllPitch0.100" (2.54mm)Number of Rows-Number of Columns-Mounting TypeThrough Hole, Right AngleTerminationSolderContact Layout, TypicalBaard Guide, Guide PinFeaturesGoldContact Finish Thickness10µin (0.25µm)ColorBlack	Connector Usage	-
Number of Positions34Number of Positions LoadedAllPitch0.100" (2.54mm)Number of Rows-Number of Columns-Mounting TypeThrough Hole, Right AngleTerminationSolderContact Layout, Typical24 Signal, 10 PowerFeaturesBoard Guide, Guide PinContact FinishGoldContact Finish Thickness10µin (0.25µm)ColorBlack	Connector Type	Header, Male Pins and Blades
Number of Positions LoadedAllPitch0.100" (2.54mm)Number of Rows-Number of Columns-Mounting TypeThrough Hole, Right AngleTerminationSolderContact Layout, Typical24 Signal, 10 PowerFeaturesGoldContact Finish ThicknessI0µin (0.25µm)ColorBlack	Connector Style	-
Pitch0.100" (2.54mm)Number of Rows-Number of Columns-Mounting TypeThrough Hole, Right AngleTerminationSolderContact Layout, Typical24 Signal, 10 PowerFeaturesBoard Guide, Guide PinContact FinishGoldContact Finish Thickness10µin (0.25µm)BlackBlack	Number of Positions	34
Number of Rows-Number of Columns-Mounting TypeThrough Hole, Right AngleTerminationSolderContact Layout, Typical24 Signal, 10 PowerFeaturesBoard Guide, Guide PinContact Finish ThicknessGoldContact Finish Thickness10µin (0.25µm)ColorBlack	Number of Positions Loaded	All
Number of Columns-Mounting TypeThrough Hole, Right AngleTerminationSolderContact Layout, Typical24 Signal, 10 PowerFeaturesBoard Guide, Guide PinContact FinishGoldContact Finish Thickness10µin (0.25µm)ColorBlack	Pitch	0.100" (2.54mm)
Mounting TypeThrough Hole, Right AngleTerminationSolderContact Layout, Typical24 Signal, 10 PowerFeaturesBoard Guide, Guide PinContact FinishGoldContact Finish Thickness10µin (0.25µm)ColorBlack	Number of Rows	-
TerminationSolderContact Layout, Typical24 Signal, 10 PowerFeaturesBoard Guide, Guide PinContact FinishGoldContact Finish Thickness10µin (0.25µm)ColorBlack	Number of Columns	-
Contact Layout, Typical24 Signal, 10 PowerFeaturesBoard Guide, Guide PinContact FinishGoldContact Finish Thickness10µin (0.25µm)ColorBlack	Mounting Type	Through Hole, Right Angle
FeaturesBoard Guide, Guide PinContact FinishGoldContact Finish Thickness10μin (0.25μm)ColorBlack	Termination	Solder
Contact FinishGoldContact Finish Thickness10µin (0.25µm)ColorBlack	Contact Layout, Typical	24 Signal, 10 Power
Contact Finish Thickness10μin (0.25μm)ColorBlack	Features	Board Guide, Guide Pin
Color Black	Contact Finish	Gold
	Contact Finish Thickness	10µin (0.25µm)
Report errors?	Color	Black
		Report errors?

ET60T-06-24-04-L-RT1-GP-HS Guarantees




Quality Guarantees

We provide 90 days warranty. * If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction. Our experienced sales team and tech support team back our services to satisfy all our customers.



If you have any question about ET60T-06-24-04-L-RT1-GP-HS, please do not hesitate to contact us! Website: https://www.heisener.com E-mail: salesdept@heisener.com