



ETCF680ML Information

Heisener.com

Part Number ETCF680ML

Manufacturer Panasonic Electronic Components

Category Capacitors

Tantalum - Polymer Capacitors

Description CAP TANT POLY 680UF 2.5V 2917

Package 2917 (7343 Metric)

For the pricing/inventory/lead time, please contact

Website: https://www.heisener.com For Reference Only

E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









ETCF680ML Specifications

Manufacturer Part Number ETCF680ML Manufacturer Panasonic Electronic Components Category Capacitors Package 2917 (7343 Metric) Series POSCAP? TC Capacitance 680µF Tolerance ±20% Voltage - Rated 2.5 V Type Molded ESR (Equivalent Series Resistance) 10 mOhm Operating Temperature -55°C ~ 125°C Lifetime @ Temp. 1000 Hrs @ 125°C Mounting Type Surface Mount Package / Case 2917 (7343 Metric) Size / Dimension 0.287" L x 0.169" W (7.30mm x 4.30mm) Height - Seated (Max) 0.118" (3.00mm) Lead Spacing - Manufacturer Size Code D3L Features General Purpose		
Category Capacitors Package 2917 (7343 Metric) Series POSCAP? TC Capacitance 680μF Tolerance ±20% Voltage - Rated 2.5 V Type Molded ESR (Equivalent Series Resistance) 10 mOhm Operating Temperature -55°C ~ 125°C Lifetime @ Temp. 1000 Hrs @ 125°C Mounting Type Surface Mount Package / Case 2917 (7343 Metric) Size / Dimension 0.287" L x 0.169" W (7.30mm x 4.30mm) Height - Seated (Max) 0.118" (3.00mm) Lead Spacing - Manufacturer Size Code D3L Features General Purpose	Manufacturer Part Number	ETCF680ML
Package 2917 (7343 Metric) Series POSCAP? TC Capacitance 680μF Tolerance ±20% Voltage - Rated 2.5 V Type Molded ESR (Equivalent Series Resistance) 10 mOhm Operating Temperature -55°C ~ 125°C Lifetime @ Temp. 1000 Hrs @ 125°C Mounting Type Surface Mount Package / Case 2917 (7343 Metric) Size / Dimension 0.287" L x 0.169" W (7.30mm x 4.30mm) Height - Seated (Max) 0.118" (3.00mm) Lead Spacing - Manufacturer Size Code D3L Features General Purpose	Manufacturer	Panasonic Electronic Components
Package 2917 (7343 Metric) Series POSCAP? TC Capacitance 680μF Tolerance ±20% Voltage - Rated 2.5 V Type Molded ESR (Equivalent Series Resistance) 10 mOhm Operating Temperature -55°C ~ 125°C Lifetime @ Temp. 1000 Hrs @ 125°C Mounting Type Surface Mount Package / Case 2917 (7343 Metric) Size / Dimension 0.287" L x 0.169" W (7.30mm x 4.30mm) Height - Seated (Max) 0.118" (3.00mm) Lead Spacing - Manufacturer Size Code D3L Features General Purpose	Category	Capacitors
Series POSCAP? TC Capacitance 680μF Tolerance ±20% Voltage - Rated 2.5V Type Molded ESR (Equivalent Series Resistance) 10 mOhm Operating Temperature -55°C ~ 125°C Lifetime @ Temp. 1000 Hrs @ 125°C Mounting Type Surface Mount Package / Case 2917 (7343 Metric) Size / Dimension 0.287" L x 0.169" W (7.30mm x 4.30mm) Height - Seated (Max) 0.118" (3.00mm) Lead Spacing - Manufacturer Size Code D3L Features General Purpose		Tantalum - Polymer Capacitors
Capacitance 680μF Tolerance ±20% Voltage - Rated 2.5V Type Molded ESR (Equivalent Series Resistance) 10 mOhm Operating Temperature -55°C ~ 125°C Lifetime @ Temp. 1000 Hrs @ 125°C Mounting Type Surface Mount Package / Case 2917 (7343 Metric) Size / Dimension 0.287" L x 0.169" W (7.30mm x 4.30mm) Height - Seated (Max) 0.118" (3.00mm) Lead Spacing - Manufacturer Size Code D3L Features General Purpose	Package	2917 (7343 Metric)
Tolerance ±20% Voltage - Rated 2.5V Type Molded ESR (Equivalent Series Resistance) 10 mOhm Operating Temperature -55°C ~ 125°C Lifetime @ Temp. 1000 Hrs @ 125°C Mounting Type Surface Mount Package / Case 2917 (7343 Metric) Size / Dimension 0.287" L x 0.169" W (7.30mm x 4.30mm) Height - Seated (Max) 0.118" (3.00mm) Lead Spacing - Manufacturer Size Code D3L Features General Purpose	Series	POSCAP? TC
Voltage - Rated Type Molded ESR (Equivalent Series Resistance) Operating Temperature Lifetime @ Temp. 1000 Hrs @ 125°C Mounting Type Surface Mount Package / Case 2917 (7343 Metric) Size / Dimension 0.287" L x 0.169" W (7.30mm x 4.30mm) Height - Seated (Max) Lead Spacing - Manufacturer Size Code Features General Purpose	Capacitance	680μF
Type Molded ESR (Equivalent Series Resistance) 10 mOhm Operating Temperature -55°C ~ 125°C Lifetime @ Temp. 1000 Hrs @ 125°C Mounting Type Surface Mount Package / Case 2917 (7343 Metric) Size / Dimension 0.287" L x 0.169" W (7.30mm x 4.30mm) Height - Seated (Max) 0.118" (3.00mm) Lead Spacing - Manufacturer Size Code D3L Features General Purpose	Tolerance	±20%
ESR (Equivalent Series Resistance) Operating Temperature -55°C ~ 125°C Lifetime @ Temp. 1000 Hrs @ 125°C Mounting Type Surface Mount Package / Case 2917 (7343 Metric) Size / Dimension 0.287" L x 0.169" W (7.30mm x 4.30mm) Height - Seated (Max) 10 mOhm 10 mOhm 10 mohm 10	Voltage - Rated	2.5V
Operating Temperature Lifetime @ Temp. 1000 Hrs @ 125°C Mounting Type Surface Mount Package / Case 2917 (7343 Metric) Size / Dimension 0.287" L x 0.169" W (7.30mm x 4.30mm) Height - Seated (Max) 1.18" (3.00mm) Lead Spacing Manufacturer Size Code D3L Features General Purpose	Type	Molded
Lifetime @ Temp. 1000 Hrs @ 125°C Mounting Type Surface Mount Package / Case 2917 (7343 Metric) Size / Dimension 0.287" L x 0.169" W (7.30mm x 4.30mm) Height - Seated (Max) 0.118" (3.00mm) Lead Spacing - Manufacturer Size Code D3L Features General Purpose	ESR (Equivalent Series Resistance)	10 mOhm
Mounting Type Surface Mount Package / Case 2917 (7343 Metric) Size / Dimension 0.287" L x 0.169" W (7.30mm x 4.30mm) Height - Seated (Max) 0.118" (3.00mm) Lead Spacing - Manufacturer Size Code D3L Features General Purpose	Operating Temperature	-55°C ~ 125°C
Package / Case 2917 (7343 Metric) Size / Dimension 0.287" L x 0.169" W (7.30mm x 4.30mm) Height - Seated (Max) 0.118" (3.00mm) Lead Spacing - Manufacturer Size Code D3L Features General Purpose	Lifetime @ Temp.	1000 Hrs @ 125°C
Size / Dimension 0.287" L x 0.169" W (7.30mm x 4.30mm) Height - Seated (Max) 0.118" (3.00mm) Lead Spacing - Manufacturer Size Code D3L Features General Purpose	Mounting Type	Surface Mount
Height - Seated (Max) Lead Spacing - Manufacturer Size Code Features O.118" (3.00mm) - General Purpose	Package / Case	2917 (7343 Metric)
Lead Spacing - Manufacturer Size Code D3L Features General Purpose	Size / Dimension	0.287" L x 0.169" W (7.30mm x 4.30mm)
Manufacturer Size Code D3L Features General Purpose	Height - Seated (Max)	0.118" (3.00mm)
Features General Purpose	Lead Spacing	-
	Manufacturer Size Code	D3L
Report errors?	Features	General Purpose
		Report errors?

ETCF680ML Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

ETCF680ML Payment Methods



















ETCF680ML Shipping Methods













If you have any question about ETCF680ML, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com