



### **EVP-BD6C1A000 Information**



For Reference Only

Part Number EVP-BD6C1A000

Manufacturer Panasonic Electronic Components

**Category** Switches

**Tactile Switches** 

**Description** SWITCH TACTILE SPST-NO 0.05A 12V

Package -

For the pricing/inventory/lead time, please contact

us

Website: https://www.heisener.com E-mail: salesdept@heisener.com



Request a Quote

# **Certified Quality**

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









## **EVP-BD6C1A000 Specifications**

Manufacturer Part Number         EVP-BD6C1A000           Manufacturer         Panasonic Electronic Components           Category         Switches           Package         -           Series         EVPBD           Circuit         SPST-NO           Switch Function         Off-Mom           Contact Rating @ Voltage         0.05A @ 12VDC           Actuator Type         Standard           Mounting Type         Surface Mount           Actuator Height off PCB, Vertical         4.00mm           Actuator Length, Right Angle         -           Actuator Orientation         Top Actuated           Termination Style         J Lead           Outline         6.00mm x 6.00mm           Illumination         Non-Illuminated           Illumination Type, Color         -           Illumination Voltage (Nominal)         -           Operating Force         350gf           Ingress Protection         -           Features         -           Report errors?		
CategorySwitchesPackage-SeriesEVPBDCircuitSPST-NOSwitch FunctionOff-MomContact Rating @ Voltage0.05A @ 12VDCActuator TypeStandardMounting TypeSurface MountActuator Height off PCB, Vertical4.00mmActuator Length, Right Angle-Actuator OrientationTop ActuatedTermination StyleJ LeadOutline6.00mm x 6.00mmIlluminationNon-IlluminatedIllumination Type, Color-Illumination Voltage (Nominal)-Operating Force350gfIngress Protection-Features-	Manufacturer Part Number	EVP-BD6C1A000
Package - Series EVPBD  Circuit SPST-NO Switch Function Off-Mom  Contact Rating @ Voltage 0.05A @ 12VDC  Actuator Type Standard  Mounting Type Surface Mount  Actuator Height off PCB, Vertical 4.00mm  Actuator Length, Right Angle - Top Actuated  Termination Style J Lead  Outline 6.00mm x 6.00mm  Illumination Type, Color - Illumination Type, Color  Illumination Voltage (Nominal) - Operating Force 350gf  Ingress Protection - Seatures  Features - SPST-NO  SPST-NO SPST-N	Manufacturer	Panasonic Electronic Components
Package-SeriesEVPBDCircuitSPST-NOSwitch FunctionOff-MomContact Rating @ Voltage0.05A @ 12VDCActuator TypeStandardMounting TypeSurface MountActuator Height off PCB, Vertical4.00mmActuator Length, Right Angle-Actuator OrientationTop ActuatedTermination StyleJ LeadOutline6.00mm x 6.00mmIlluminationNon-IlluminatedIllumination Type, Color-Illumination Voltage (Nominal)-Operating Force350gfIngress Protection-Features-	Category	Switches
SeriesEVPBDCircuitSPST-NOSwitch FunctionOff-MomContact Rating @ Voltage0.05A @ 12VDCActuator TypeStandardMounting TypeSurface MountActuator Height off PCB, Vertical4.00mmActuator Length, Right Angle-Actuator OrientationTop ActuatedTermination StyleJ LeadOutline6.00mm x 6.00mmIlluminationNon-IlluminatedIllumination Type, Color-Illumination Voltage (Nominal)-Operating Force350gfIngress Protection-Features-		Tactile Switches
CircuitSPST-NOSwitch FunctionOff-MomContact Rating @ Voltage0.05A @ 12VDCActuator TypeStandardMounting TypeSurface MountActuator Height off PCB, Vertical4.00mmActuator Length, Right Angle-Actuator OrientationTop ActuatedTermination StyleJ LeadOutline6.00mm x 6.00mmIlluminationNon-IlluminatedIllumination Type, Color-Illumination Voltage (Nominal)-Operating Force350gfIngress Protection-Features-	Package	-
Switch Function Contact Rating @ Voltage Actuator Type Standard Mounting Type Surface Mount Actuator Height off PCB, Vertical Actuator Length, Right Angle - Actuator Orientation Top Actuated Termination Style Outline 6.00mm x 6.00mm Illumination Non-Illuminated Illumination Type, Color Illumination Voltage (Nominal) Operating Force Ingress Protection Features  Off-Mom Outloe Outloe Surface Mount Actuator Ac	Series	EVPBD
Contact Rating @ Voltage  Actuator Type  Standard  Mounting Type  Surface Mount  Actuator Height off PCB, Vertical  Actuator Length, Right Angle  Actuator Orientation  Top Actuated  Termination Style  Outline  6.00mm x 6.00mm  Illumination  Non-Illuminated  Illumination Type, Color  Illumination Voltage (Nominal)  Operating Force  Ingress Protection  Features  -  Standard  0.05A @ 12VDC  Standard  0.05A @ 12VDC  Standard  0.00mm  Surface Mount  4.00mm	Circuit	SPST-NO
Actuator TypeStandardMounting TypeSurface MountActuator Height off PCB, Vertical4.00mmActuator Length, Right Angle-Actuator OrientationTop ActuatedTermination StyleJ LeadOutline6.00mm x 6.00mmIlluminationNon-IlluminatedIllumination Type, Color-Illumination Voltage (Nominal)-Operating Force350gfIngress Protection-Features-	Switch Function	Off-Mom
Mounting Type  Actuator Height off PCB, Vertical  Actuator Length, Right Angle  Actuator Orientation  Top Actuated  Termination Style  Outline  10.00mm x 6.00mm x 6.00mm  Illumination  Illumination  Illumination Type, Color  Illumination Voltage (Nominal)  Operating Force  Ingress Protection  Features  Surface Mount  4.00mm  6.00mm  Top Actuated	Contact Rating @ Voltage	0.05A @ 12VDC
Actuator Height off PCB, Vertical Actuator Length, Right Angle - Actuator Orientation Top Actuated Termination Style J Lead Outline 6.00mm x 6.00mm Illumination Illumination Non-Illuminated Illumination Type, Color - Illumination Voltage (Nominal) Operating Force Ingress Protection Features  4.00mm - Actuator Orientalion - Top Actuated - Non-Illuminated	Actuator Type	Standard
Actuator Length, Right Angle  Actuator Orientation  Top Actuated  Termination Style  J Lead  Outline  6.00mm x 6.00mm  Illumination  Non-Illuminated  Illumination Type, Color  - Illumination Voltage (Nominal)  Operating Force  Ingress Protection  Features  -  Actuator Length, Right Angle  -  Top Actuated  Non-Manual  Actuator Orientation  Non-Manual  -  3.50gf  -  Features	Mounting Type	Surface Mount
Actuator Orientation Top Actuated Termination Style J Lead Outline 6.00mm x 6.00mm Illumination Non-Illuminated Illumination Type, Color - Illumination Voltage (Nominal) Operating Force 350gf Ingress Protection - Features -	Actuator Height off PCB, Vertical	4.00mm
Termination Style Outline 6.00mm x 6.00mm Illumination Non-Illuminated Illumination Type, Color	Actuator Length, Right Angle	-
Outline 6.00mm x 6.00mm  Illumination Non-Illuminated  Illumination Type, Color -  Illumination Voltage (Nominal) -  Operating Force 350gf  Ingress Protection -  Features	Actuator Orientation	Top Actuated
IlluminationNon-IlluminatedIllumination Type, Color-Illumination Voltage (Nominal)-Operating Force350gfIngress Protection-Features-	Termination Style	J Lead
Illumination Type, Color-Illumination Voltage (Nominal)-Operating Force350gfIngress Protection-Features-	Outline	6.00mm x 6.00mm
Illumination Voltage (Nominal)-Operating Force350gfIngress Protection-Features-	Illumination	Non-Illuminated
Operating Force 350gf Ingress Protection - Features -	Illumination Type, Color	-
Ingress Protection - Features -	Illumination Voltage (Nominal)	-
Features -	Operating Force	350gf
	Ingress Protection	-
Report errors?	Features	-
		Report errors?

#### **EVP-BD6C1A000 Guarantees**



#### **Quality Guarantees**

We provide 90 days warranty. \*

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



#### **Service Guarantees**

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

### **EVP-BD6C1A000 Payment Methods**



















## **EVP-BD6C1A000 Shipping Methods**













If you have any question about EVP-BD6C1A000, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com