



EVQ-PAD04M Information



For Reference Only

Part Number EVQ-PAD04M

Manufacturer Panasonic Electronic Components

Category Switches

Tactile Switches

Description SWITCH TACTILE SPST-NO 0.02A 15V

Package

For the pricing/inventory/lead time, please contact

us

Website: https://www.heisener.com E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









EVQ-PAD04M Specifications

Manufacturer Part Number Manufacturer Panasonic Electronic Components Switches Tactile Switches Package Series EVQPA Circuit SPST-NO Switch Function Contact Rating @ Voltage Actuator Type Standard Mounting Type Actuator Height off PCB, Vertical Actuator Length, Right Angle Actuator Orientation Top Actuated Termination Style Outline 6.00mm x 6.00mm Illumination Illumination Illumination Type, Color Illumination Voltage (Nominal) Operating Force Ingress Protection Features - Report errors?		
Category Switches Package - Series EVQPA Circuit SPST-NO Switch Function Off-Mom Contact Rating @ Voltage 0.02A @ 15VDC Actuator Type Standard Mounting Type Through Hole Actuator Height off PCB, Vertical 4.30mm Actuator Length, Right Angle - Actuator Orientation Top Actuated Termination Style PC Pin Outline 6.00mm x 6.00mm Illumination Non-Illuminated Illumination Type, Color - Illumination Voltage (Nominal) - Operating Force 130gf Ingress Protection - Features -	Manufacturer Part Number	EVQ-PAD04M
Package - Series EVQPA Circuit SPST-NO Switch Function Off-Mom Contact Rating @ Voltage 0.02A @ 15VDC Actuator Type Standard Mounting Type Through Hole Actuator Height off PCB, Vertical 4.30mm Actuator Length, Right Angle - Top Actuated Termination Style PC Pin Outline 6.00mm x 6.00mm Illumination Type, Color - Illumination Type, Color - Illumination Voltage (Nominal) - COperating Force 130gf Ingress Protection - Features - SPST-NO SP	Manufacturer	Panasonic Electronic Components
Package-SeriesEVQPACircuitSPST-NOSwitch FunctionOff-MomContact Rating @ Voltage0.02A @ 15VDCActuator TypeStandardMounting TypeThrough HoleActuator Height off PCB, Vertical4.30mmActuator Length, Right Angle-Actuator OrientationTop ActuatedTermination StylePC PinOutline6.00mm x 6.00mmIlluminationNon-IlluminatedIllumination Type, Color-Illumination Voltage (Nominal)-Operating Force130gfIngress Protection-Features-	Category	Switches
Series EVQPA Circuit SPST-NO Switch Function Off-Mom Contact Rating @ Voltage 0.02A @ 15VDC Actuator Type Standard Mounting Type Through Hole Actuator Height off PCB, Vertical 4.30mm Actuator Length, Right Angle - Actuator Orientation Top Actuated Termination Style PC Pin Outline 6.00mm x 6.00mm Illumination Non-Illuminated Illumination Type, Color - Illumination Voltage (Nominal) - Operating Force 130gf Ingress Protection - Features -		Tactile Switches
Circuit SPST-NO Switch Function Off-Mom Contact Rating @ Voltage 0.02A @ 15VDC Actuator Type Standard Mounting Type Through Hole Actuator Height off PCB, Vertical 4.30mm Actuator Length, Right Angle - Actuator Orientation Top Actuated Termination Style PC Pin Outline 6.00mm x 6.00mm Illumination Non-Illuminated Illumination Type, Color Illumination Voltage (Nominal) - Operating Force 130gf Ingress Protection - Features - Features -	Package	-
Switch Function Off-Mom Contact Rating @ Voltage 0.02A @ 15VDC Actuator Type Standard Mounting Type Through Hole Actuator Height off PCB, Vertical 4.30mm Actuator Length, Right Angle - Actuator Orientation Top Actuated Termination Style PC Pin Outline 6.00mm x 6.00mm Illumination Non-Illuminated Illumination Type, Color Illumination Voltage (Nominal) - Operating Force 130gf Ingress Protection - Features - Features - Off-Mom Ond One Actuated From Non-Actuated From Non-Actuated From Non-Actuated From Non-Illuminated From Non-Illu	Series	EVQPA
Contact Rating @ Voltage Actuator Type Standard Mounting Type Through Hole Actuator Height off PCB, Vertical Actuator Length, Right Angle Actuator Orientation Top Actuated Termination Style Outline	Circuit	SPST-NO
Actuator Type Standard Mounting Type Through Hole Actuator Height off PCB, Vertical 4.30mm Actuator Length, Right Angle - Actuator Orientation Top Actuated Termination Style PC Pin Outline 6.00mm x 6.00mm Illumination Non-Illuminated Illumination Type, Color Illumination Voltage (Nominal) - Operating Force 130gf Ingress Protection - Features - Standard Through Hole 6.00mm Non-Illumination Top Actuated Features Standard A.30mm Force 130gf Top Actuated Features Standard A.30mm Force 130gm Top Actuated Features Standard Feat	Switch Function	Off-Mom
Mounting Type Actuator Height off PCB, Vertical Actuator Length, Right Angle - Actuator Orientation Top Actuated Termination Style PC Pin Outline 6.00mm x 6.00mm Illumination Illumination Type, Color Illumination Voltage (Nominal) Operating Force Ingress Protection Features Through Hole 4.30mm Finded Fronce Finded Fronce Top Actuated Fronce Finded F	Contact Rating @ Voltage	0.02A @ 15VDC
Actuator Height off PCB, Vertical Actuator Length, Right Angle - Actuator Orientation Top Actuated Termination Style PC Pin Outline 6.00mm x 6.00mm Illumination Illumination Non-Illuminated Illumination Type, Color Illumination Voltage (Nominal) Operating Force 130gf Ingress Protection Features	Actuator Type	Standard
Actuator Length, Right Angle Actuator Orientation Top Actuated PC Pin Outline 6.00mm x 6.00mm Illumination Non-Illuminated Illumination Type, Color Illumination Voltage (Nominal) Operating Force Ingress Protection Features	Mounting Type	Through Hole
Actuator Orientation Top Actuated Termination Style PC Pin Outline 6.00mm x 6.00mm Illumination Non-Illuminated Illumination Type, Color - Illumination Voltage (Nominal) - Operating Force 130gf Ingress Protection - Features -	Actuator Height off PCB, Vertical	4.30mm
Termination Style PC Pin Outline 6.00mm x 6.00mm Illumination Non-Illuminated Illumination Type, Color - Illumination Voltage (Nominal) - Operating Force 130gf Ingress Protection - Features -	Actuator Length, Right Angle	-
Outline 6.00mm x 6.00mm Illumination Non-Illuminated Illumination Type, Color - Illumination Voltage (Nominal) - Operating Force 130gf Ingress Protection - Features	Actuator Orientation	Top Actuated
IlluminationNon-IlluminatedIllumination Type, Color-Illumination Voltage (Nominal)-Operating Force130gfIngress Protection-Features-	Termination Style	PC Pin
Illumination Type, Color Illumination Voltage (Nominal) Operating Force 130gf Ingress Protection - Features -	Outline	6.00mm x 6.00mm
Illumination Voltage (Nominal) Operating Force 130gf Ingress Protection Features -	Illumination	Non-Illuminated
Operating Force 130gf Ingress Protection - Features -	Illumination Type, Color	-
Ingress Protection Features	Illumination Voltage (Nominal)	-
Features -	Operating Force	130gf
	Ingress Protection	-
Report errors?	Features	-
		Report errors?

EVQ-PAD04M Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

EVQ-PAD04M Payment Methods


































If you have any question about EVQ-PAD04M, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com