



EVQ-PHN03T Information



For Reference Only

Part Number EVQ-PHN03T

Manufacturer Panasonic Electronic Components

Category Switches

Tactile Switches

Description SWITCH TACTILE SPST-NO 0.02A 15V

Package

For the pricing/inventory/lead time, please contact

us

Website: https://www.heisener.com E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









EVQ-PHN03T Specifications

Manufacturer Part NumberEVQ-PHN03TManufacturerPanasonic Electronic ComponentsCategorySwitchesTactile SwitchesPackage-SeriesEVQPHCircuitSPST-NOSwitch FunctionOff-MomContact Rating @ Voltage0.02A @ 15VDCActuator TypeStandardMounting TypeSurface MountActuator Height off PCB, Vertical3.10mmActuator Height, Right Angle-Actuator OrientationTop ActuatedTermination StyleJ LeadOutline6.50mm x 6.40mmIlluminationNon-IlluminatedIllumination Type, Color-Illumination Voltage (Nominal)-Operating Force160gfIngress Protection-FeaturesGrounding Pin		
CategorySwitchesPackage-SeriesEVQPHCircuitSPST-NOSwitch FunctionOff-MomContact Rating @ Voltage0.02A @ 15VDCActuator TypeStandardMounting TypeSurface MountActuator Height off PCB, Vertical3.10mmActuator Length, Right Angle-Actuator OrientationTop ActuatedTermination StyleJ LeadOutline6.50mm x 6.40mmIlluminationNon-IlluminatedIllumination Type, Color-Illumination Voltage (Nominal)-Operating Force160gfIngress Protection-FeaturesGrounding Pin	Manufacturer Part Number	EVQ-PHN03T
Package - Series EVQPH Circuit SPST-NO Switch Function Off-Mom Contact Rating @ Voltage 0.02A @ 15VDC Actuator Type Standard Mounting Type Surface Mount Actuator Height off PCB, Vertical 3.10mm Actuator Length, Right Angle - Actuator Orientation Top Actuated Termination Style J Lead Outline 6.50mm x 6.40mm Illumination Type, Color - Illumination Type, Color - Illumination Voltage (Nominal) - COperating Force 160gf Ingress Protection - Features Grounding Pin	Manufacturer	Panasonic Electronic Components
Package-SeriesEVQPHCircuitSPST-NOSwitch FunctionOff-MomContact Rating @ Voltage0.02A @ 15VDCActuator TypeStandardMounting TypeSurface MountActuator Height off PCB, Vertical3.10mmActuator Length, Right Angle-Actuator OrientationTop ActuatedTermination StyleJ LeadOutline6.50mm x 6.40mmIlluminationNon-IlluminatedIllumination Type, Color-Illumination Voltage (Nominal)-Operating Force160gfIngress Protection-FeaturesGrounding Pin	Category	Switches
Series EVQPH Circuit SPST-NO Switch Function Off-Mom Contact Rating @ Voltage 0.02A @ 15VDC Actuator Type Standard Mounting Type Surface Mount Actuator Height off PCB, Vertical 3.10mm Actuator Length, Right Angle - Actuator Orientation Top Actuated Termination Style J Lead Outline 6.50mm x 6.40mm Illumination Non-Illuminated Illumination Type, Color - Illumination Voltage (Nominal) - Operating Force 160gf Ingress Protection - Features Grounding Pin		Tactile Switches
CircuitSPST-NOSwitch FunctionOff-MomContact Rating @ Voltage0.02A @ 15VDCActuator TypeStandardMounting TypeSurface MountActuator Height off PCB, Vertical3.10mmActuator Length, Right Angle-Actuator OrientationTop ActuatedTermination StyleJ LeadOutline6.50mm x 6.40mmIlluminationNon-IlluminatedIllumination Type, Color-Illumination Voltage (Nominal)-Operating Force160gfIngress Protection-FeaturesGrounding Pin	Package	-
Switch Function Off-Mom Contact Rating @ Voltage 0.02A @ 15VDC Actuator Type Standard Mounting Type Surface Mount Actuator Height off PCB, Vertical 3.10mm Actuator Length, Right Angle - Actuator Orientation Top Actuated Termination Style J Lead Outline 6.50mm x 6.40mm Illumination Non-Illuminated Illumination Type, Color Illumination Voltage (Nominal) - Operating Force 160gf Ingress Protection - Features Grounding Pin	Series	EVQPH
Contact Rating @ Voltage Actuator Type Standard Mounting Type Surface Mount Actuator Height off PCB, Vertical Actuator Length, Right Angle - Actuator Orientation Top Actuated Termination Style J Lead Outline 6.50mm x 6.40mm Illumination Illumination Type, Color Illumination Voltage (Nominal) Operating Force Ingress Protection Features Grounding Pin	Circuit	SPST-NO
Actuator Type Mounting Type Surface Mount Actuator Height off PCB, Vertical Actuator Length, Right Angle - Actuator Orientation Top Actuated Termination Style J Lead Outline 6.50mm x 6.40mm Illumination Illumination Type, Color Illumination Voltage (Nominal) Operating Force 160gf Ingress Protection Features Standard Standard Standard Standard Standard Surface Mount 3.10mm Actuator Domm Actuator Domm Actuator Length, Right Angle - Nop Actuated Top Actuated Non-Illuminated Illumination Style - Illumination Features Standard Standard Standard Surface Mount Actuator Domm Illumination Top Actuated - Sofomm x 6.40mm Illuminated - Illumination Type, Color - Features Grounding Pin	Switch Function	Off-Mom
Mounting Type Actuator Height off PCB, Vertical Actuator Length, Right Angle Actuator Orientation Top Actuated Termination Style J Lead Outline 6.50mm x 6.40mm Illumination Illumination Type, Color Illumination Voltage (Nominal) Operating Force Ingress Protection Features Surface Mount 3.10mm Actuated	Contact Rating @ Voltage	0.02A @ 15VDC
Actuator Height off PCB, Vertical Actuator Length, Right Angle - Actuator Orientation Top Actuated Termination Style J Lead Outline 6.50mm x 6.40mm Illumination Illumination Non-Illuminated Illumination Type, Color - Illumination Voltage (Nominal) Operating Force 160gf Ingress Protection Features Grounding Pin	Actuator Type	Standard
Actuator Length, Right Angle Actuator Orientation Top Actuated Termination Style J Lead Outline 6.50mm x 6.40mm Illumination Non-Illuminated Illumination Type, Color - Illumination Voltage (Nominal) Operating Force Ingress Protection Features Grounding Pin	Mounting Type	Surface Mount
Actuator Orientation Top Actuated Termination Style J Lead Outline 6.50mm x 6.40mm Illumination Non-Illuminated Illumination Type, Color - Illumination Voltage (Nominal) - Operating Force 160gf Ingress Protection - Features Grounding Pin	Actuator Height off PCB, Vertical	3.10mm
Termination Style J Lead Outline 6.50mm x 6.40mm Illumination Non-Illuminated Illumination Type, Color - Illumination Voltage (Nominal) - Operating Force 160gf Ingress Protection - Features Grounding Pin	Actuator Length, Right Angle	-
Outline 6.50mm x 6.40mm Illumination Non-Illuminated Illumination Type, Color - Illumination Voltage (Nominal) - Operating Force 160gf Ingress Protection - Features Grounding Pin	Actuator Orientation	Top Actuated
IlluminationNon-IlluminatedIllumination Type, Color-Illumination Voltage (Nominal)-Operating Force160gfIngress Protection-FeaturesGrounding Pin	Termination Style	J Lead
Illumination Type, Color Illumination Voltage (Nominal) Operating Force 160gf Ingress Protection - Features Grounding Pin	Outline	6.50mm x 6.40mm
Illumination Voltage (Nominal) - Operating Force 160gf Ingress Protection - Features Grounding Pin	Illumination	Non-Illuminated
Operating Force 160gf Ingress Protection - Features Grounding Pin	Illumination Type, Color	-
Ingress Protection - Features Grounding Pin	Illumination Voltage (Nominal)	-
Features Grounding Pin	Operating Force	160gf
	Ingress Protection	-
	Features	Grounding Pin
Report errors?		Report errors?

EVQ-PHN03T Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

EVQ-PHN03T Payment Methods





















EVQ-PHN03T Shipping Methods













If you have any question about EVQ-PHN03T, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com