



EVQ-PRDA09 Information

Part Number EVQ-PRDA09

Manufacturer Panasonic Electronic Components

Category Switches

Tactile Switches

Description SWITCH TACTILE SPDT 0.02A 15V

Package -

For the pricing/inventory/lead time, please contact

us

Website: https://www.heisener.com E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

For Reference Only

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









EVQ-PRDA09 Specifications

Manufacturer Part Number EVQ-PRDA09 Manufacturer Panasonic Electronic Components Category Switches Package - Series EVQPR Circuit SPDT Switch Function Off-Mom-Mom Contact Rating @ Voltage 0.02A @ 15VDC Actuator Type Without Mounting Type Surface Mount Actuator Height off PCB, Vertical 0.90mm Actuator Length, Right Angle - Actuator Orientation Top Actuated Termination Style J Lead Outline 6.00mm x 6.00mm Illumination Non-Illuminated Illumination Type, Color - Illumination Voltage (Nominal) - Operating Force 100/260gf Ingress Protection - Features - Features -		
CategorySwitchesPackage-SeriesEVQPRCircuitSPDTSwitch FunctionOff-Mom-MomContact Rating @ Voltage0.02A @ 15VDCActuator TypeWithoutMounting TypeSurface MountActuator Height off PCB, Vertical0.90mmActuator Length, Right Angle-Actuator OrientationTop ActuatedTermination StyleJ LeadOutline6.00mm x 6.00mmIlluminationNon-IlluminatedIllumination Type, Color-Illumination Voltage (Nominal)-Operating Force100/260gfIngress Protection-Features-	Manufacturer Part Number	EVQ-PRDA09
Package - Series EVQPR Circuit SPDT Switch Function Off-Mom-Mom Contact Rating @ Voltage 0.02A @ 15VDC Actuator Type Without Mounting Type Surface Mount Actuator Height off PCB, Vertical 0.90mm Actuator Length, Right Angle - Top Actuated Termination Style J Lead Outline 6.00mm x 6.00mm Illumination Type, Color - Illumination Type, Color - Illumination Voltage (Nominal) - Operating Force 100/260gf Ingress Protection Features	Manufacturer	Panasonic Electronic Components
Package - Series EVQPR Circuit SPDT Switch Function Off-Mom-Mom Contact Rating @ Voltage 0.02A @ 15VDC Actuator Type Without Mounting Type Surface Mount Actuator Height off PCB, Vertical 0.90mm Actuator Length, Right Angle - Actuator Orientation Top Actuated Termination Style J Lead Outline 6.00mm x 6.00mm Illumination Non-Illuminated Illumination Type, Color - Illumination Voltage (Nominal) - Operating Force 100/260gf Ingress Protection - Features -	Category	Switches
SeriesEVQPRCircuitSPDTSwitch FunctionOff-Mom-MomContact Rating @ Voltage0.02A @ 15VDCActuator TypeWithoutMounting TypeSurface MountActuator Height off PCB, Vertical0.90mmActuator Length, Right Angle-Actuator OrientationTop ActuatedTermination StyleJ LeadOutline6.00mm x 6.00mmIlluminationNon-IlluminatedIllumination Type, Color-Illumination Voltage (Nominal)-Operating Force100/260gfIngress Protection-Features-		Tactile Switches
CircuitSPDTSwitch FunctionOff-Mom-MomContact Rating @ Voltage0.02A @ 15VDCActuator TypeWithoutMounting TypeSurface MountActuator Height off PCB, Vertical0.90mmActuator Length, Right Angle-Actuator OrientationTop ActuatedTermination StyleJ LeadOutline6.00mm x 6.00mmIlluminationNon-IlluminatedIllumination Type, Color-Illumination Voltage (Nominal)-Operating Force100/260gfIngress Protection-Features-	Package	-
Switch Function Off-Mom-Mom Contact Rating @ Voltage 0.02A @ 15VDC Actuator Type Without Mounting Type Surface Mount Actuator Height off PCB, Vertical 0.90mm Actuator Length, Right Angle - Actuator Orientation Top Actuated Termination Style J Lead Outline 6.00mm x 6.00mm Illumination Non-Illuminated Illumination Type, Color - Illumination Voltage (Nominal) - Operating Force 100/260gf Ingress Protection - Features - Features -	Series	EVQPR
Contact Rating @ Voltage Actuator Type Without Mounting Type Surface Mount Actuator Height off PCB, Vertical Actuator Length, Right Angle - Actuator Orientation Top Actuated Termination Style Outline 6.00mm x 6.00mm Illumination Non-Illuminated Illumination Type, Color Illumination Voltage (Nominal) Operating Force Ingress Protection Features - O.02A @ 15VDC Without Without O.02A @ 15VDC Without Noutline Surface Mount 0.90mm - Top Actuated - Non-Gumm Top Actuated - 100/260gf 100/260gf - Features	Circuit	SPDT
Actuator Type Mounting Type Surface Mount Actuator Height off PCB, Vertical Actuator Length, Right Angle - Actuator Orientation Top Actuated Termination Style J Lead Outline 6.00mm x 6.00mm Illumination Illumination Type, Color - Illumination Voltage (Nominal) Operating Force Ingress Protection Features Without Without Without Without Without Without Without Surface Mount 0.90mm Actuator Mount Opomm Top Actuated - Non-Illuminated 1 Lead 1 Lead	Switch Function	Off-Mom-Mom
Mounting TypeSurface MountActuator Height off PCB, Vertical0.90mmActuator Length, Right Angle-Actuator OrientationTop ActuatedTermination StyleJ LeadOutline6.00mm x 6.00mmIlluminationNon-IlluminatedIllumination Type, Color-Illumination Voltage (Nominal)-Operating Force100/260gfIngress Protection-Features-	Contact Rating @ Voltage	0.02A @ 15VDC
Actuator Height off PCB, Vertical Actuator Length, Right Angle - Actuator Orientation Top Actuated Termination Style J Lead Outline 6.00mm x 6.00mm Illumination Illumination Non-Illuminated Illumination Type, Color - Illumination Voltage (Nominal) Operating Force Ingress Protection Features - 0.90mm	Actuator Type	Without
Actuator Length, Right Angle Actuator Orientation Top Actuated Termination Style J Lead Outline 6.00mm x 6.00mm Illumination Non-Illuminated Illumination Type, Color - Illumination Voltage (Nominal) Operating Force Ingress Protection Features - - Actuator Length, Right Angle - Top Actuated Non-Bulled 1 Lead - 1 Lead - 1 Lead 1 Lead	Mounting Type	Surface Mount
Actuator Orientation Top Actuated Termination Style J Lead Outline 6.00mm x 6.00mm Illumination Non-Illuminated Illumination Type, Color - Illumination Voltage (Nominal) Operating Force 100/260gf Ingress Protection - Features -	Actuator Height off PCB, Vertical	0.90mm
Termination Style Outline 6.00mm x 6.00mm Illumination Non-Illuminated Illumination Type, Color	Actuator Length, Right Angle	-
Outline 6.00mm x 6.00mm Illumination Non-Illuminated Illumination Type, Color - Illumination Voltage (Nominal) - Operating Force 100/260gf Ingress Protection - Features	Actuator Orientation	Top Actuated
IlluminationNon-IlluminatedIllumination Type, Color-Illumination Voltage (Nominal)-Operating Force100/260gfIngress Protection-Features-	Termination Style	J Lead
Illumination Type, Color-Illumination Voltage (Nominal)-Operating Force100/260gfIngress Protection-Features-	Outline	6.00mm x 6.00mm
Illumination Voltage (Nominal)-Operating Force100/260gfIngress Protection-Features-	Illumination	Non-Illuminated
Operating Force100/260gfIngress Protection-Features-	Illumination Type, Color	-
Ingress Protection - Features -	Illumination Voltage (Nominal)	-
Features -	Operating Force	100/260gf
	Ingress Protection	-
Report errors?	Features	-
		Report errors?

EVQ-PRDA09 Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

EVQ-PRDA09 Payment Methods



















EVQ-PRDA09 Shipping Methods













If you have any question about EVQ-PRDA09, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com