



EVQ-Q1D06M Information



For Reference Only

Part Number EVQ-Q1D06M

Manufacturer Panasonic Electronic Components

Category Switches

Tactile Switches

Description SWITCH TACTILE SPST-NO 0.05A 12V

Package

For the pricing/inventory/lead time, please contact

us

Website: https://www.heisener.com E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









EVQ-Q1D06M Specifications

Manufacturer Part Number Manufacturer Panasonic Electronic Components Switches Tactile Switches Package Series EVQQ1 Circuit SPST-NO Switch Function Contact Rating @ Voltage Actuator Type Standard Mounting Type Surface Mount Actuator Height off PCB, Vertical Actuator Length, Right Angle Actuator Orientation Top Actuated Termination Style Outline 9.90mm x 8.00mm Illumination Illumination Type, Color Illumination Voltage (Nominal) Operating Force Ingress Protection Features Panasonic Electronic Components Switch Eutoronic Components Switches Tactile Switches Tactile Switches Tactile Switches Tactile Switches 1- Surface Mount 6.50mm Actuator Description Top Actuated Top Actuated Termination Style J Lead Outline 9.90mm x 8.00mm Non-Illuminated Illumination Voltage (Nominal)		
CategorySwitchesPackage-SeriesEVQQ1CircuitSPST-NOSwitch FunctionOff-MomContact Rating @ Voltage0.05A @ 12VDCActuator TypeStandardMounting TypeSurface MountActuator Height off PCB, Vertical6.50mmActuator Length, Right Angle-Actuator OrientationTop ActuatedTermination StyleJ LeadOutline9.90mm x 8.00mmIlluminationNon-IlluminatedIllumination Type, Color-Illumination Voltage (Nominal)-Operating Force400gfIngress ProtectionDust ProofFeatures-	Manufacturer Part Number	EVQ-Q1D06M
Package - Series EVQQI Circuit SPST-NO Switch Function Off-Mom Contact Rating @ Voltage 0.05A @ 12VDC Actuator Type Standard Mounting Type Surface Mount Actuator Height off PCB, Vertical 6.50mm Actuator Length, Right Angle - Top Actuated Termination Style J Lead Outline 9.90mm x 8.00mm Illumination Type, Color - Illumination Type, Color - Colorating Force 400gf Ingress Protection Dust Proof Features - Coloration Sur Proof Features - Coloration - Coloration Surface Mount - Coloration Surface	Manufacturer	Panasonic Electronic Components
Package-SeriesEVQQ1CircuitSPST-NOSwitch FunctionOff-MomContact Rating @ Voltage0.05A @ 12VDCActuator TypeStandardMounting TypeSurface MountActuator Height off PCB, Vertical6.50mmActuator Length, Right Angle-Actuator OrientationTop ActuatedTermination StyleJ LeadOutline9.90mm x 8.00mmIlluminationNon-IlluminatedIllumination Type, Color-Illumination Voltage (Nominal)-Operating Force400gfIngress ProtectionDust ProofFeatures-	Category	Switches
Series EVQQI Circuit SPST-NO Switch Function Off-Mom Contact Rating @ Voltage 0.05A @ 12VDC Actuator Type Standard Mounting Type Surface Mount Actuator Height off PCB, Vertical 6.50mm Actuator Length, Right Angle - Actuator Orientation Top Actuated Termination Style J Lead Outline 9.90mm x 8.00mm Illumination Non-Illuminated Illumination Type, Color - Illumination Voltage (Nominal) - Operating Force 400gf Ingress Protection Dust Proof Features -		Tactile Switches
Circuit SPST-NO Switch Function Off-Mom Contact Rating @ Voltage 0.05A @ 12VDC Actuator Type Standard Mounting Type Surface Mount Actuator Height off PCB, Vertical 6.50mm Actuator Length, Right Angle - Actuator Orientation Top Actuated Termination Style J Lead Outline 9.90mm x 8.00mm Illumination Non-Illuminated Illumination Type, Color Illumination Voltage (Nominal) - Operating Force 400gf Ingress Protection Dust Proof Features -	Package	-
Switch Function Contact Rating @ Voltage	Series	EVQQ1
Contact Rating @ Voltage Actuator Type Standard Mounting Type Surface Mount Actuator Height off PCB, Vertical Actuator Length, Right Angle - Actuator Orientation Top Actuated Termination Style Outline 9.90mm x 8.00mm Illumination Non-Illuminated Illumination Type, Color - Illumination Voltage (Nominal) Operating Force Ingress Protection Dust Proof Features - O.05A @ 12VDC Standard Outline Style Outline Actuator Operating Force 400gf Features - O.05A @ 12VDC Standard Outline Style Outline Actuator Operating Force 400gf Features - Outline Out	Circuit	SPST-NO
Actuator Type Surface Mount Actuator Height off PCB, Vertical 6.50mm Actuator Length, Right Angle - Actuator Orientation Top Actuated Termination Style J Lead Outline 9.90mm x 8.00mm Illumination Type, Color - Illumination Voltage (Nominal) - Operating Force 400gf Ingress Protection Dust Proof Features - Surface Mount Standard Standard Standard Standard Standard Standard Surface Mount 6.50mm Actuator Department of the surface of the	Switch Function	Off-Mom
Mounting Type Actuator Height off PCB, Vertical Actuator Length, Right Angle Actuator Orientation Top Actuated Termination Style Outline 9.90mm x 8.00mm Illumination Non-Illuminated Illumination Type, Color Illumination Voltage (Nominal) Operating Force Ingress Protection Features Surface Mount 6.50mm Non-Actuated	Contact Rating @ Voltage	0.05A @ 12VDC
Actuator Height off PCB, Vertical Actuator Length, Right Angle - Actuator Orientation Top Actuated Termination Style J Lead Outline 9.90mm x 8.00mm Illumination Illumination Non-Illuminated Illumination Type, Color - Illumination Voltage (Nominal) Operating Force Ingress Protection Dust Proof Features - 6.50mm 6.50m	Actuator Type	Standard
Actuator Length, Right Angle Actuator Orientation Top Actuated Termination Style J Lead Outline 9.90mm x 8.00mm Illumination Non-Illuminated Illumination Type, Color - Illumination Voltage (Nominal) Operating Force Ingress Protection Dust Proof Features -	Mounting Type	Surface Mount
Actuator Orientation Top Actuated Termination Style J Lead Outline 9.90mm x 8.00mm Illumination Non-Illuminated Illumination Type, Color - Illumination Voltage (Nominal) - Operating Force 400gf Ingress Protection Dust Proof Features -	Actuator Height off PCB, Vertical	6.50mm
Termination Style Outline 9.90mm x 8.00mm Illumination Non-Illuminated Illumination Type, Color - Illumination Voltage (Nominal) Operating Force 400gf Ingress Protection Dust Proof Features -	Actuator Length, Right Angle	-
Outline 9.90mm x 8.00mm Illumination Non-Illuminated Illumination Type, Color - Illumination Voltage (Nominal) - Operating Force 400gf Ingress Protection Dust Proof Features -	Actuator Orientation	Top Actuated
IlluminationNon-IlluminatedIllumination Type, Color-Illumination Voltage (Nominal)-Operating Force400gfIngress ProtectionDust ProofFeatures-	Termination Style	J Lead
Illumination Type, Color Illumination Voltage (Nominal) Operating Force 400gf Ingress Protection Dust Proof Features -	Outline	9.90mm x 8.00mm
Illumination Voltage (Nominal) Operating Force 400gf Ingress Protection Dust Proof Features -	Illumination	Non-Illuminated
Operating Force 400gf Ingress Protection Dust Proof Features -	Illumination Type, Color	-
Ingress Protection Dust Proof Features -	Illumination Voltage (Nominal)	-
Features -	Operating Force	400gf
	Ingress Protection	Dust Proof
Report errors?	Features	-
Report errors:		Report errors?

EVQ-Q1D06M Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

EVQ-Q1D06M Payment Methods





















EVQ-Q1D06M Shipping Methods













If you have any question about EVQ-Q1D06M, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com