

EVQ-Q2M02W Information



For Reference Only

Part Number EVQ-Q2M02W

Manufacturer Panasonic Electronic Components

Category Switches

Tactile Switches

Description SWITCH TACTILE SPST-NO 0.02A 15V

Package -

For the pricing/inventory/lead time, please contact

us

Website: https://www.heisener.com E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









EVQ-Q2M02W Specifications

Manufacturer Part Number EVQ-Q2M02W Manufacturer Panasonic Electronic Components Category Switches Tactile Switches Package - Series EVQQ2 Circuit SPST-NO Switch Function Off-Mom Contact Rating @ Voltage 0.02A @ 15VDC Actuator Type Standard Mounting Type Surface Mount Actuator Height off PCB, Vertical 2.50mm Actuator Length, Right Angle - Actuator Orientation Top Actuated Termination Style J Lead Outline 6.60mm x 6.00mm Illumination Non-Illuminated Illumination Type, Color - Illumination Voltage (Nominal) - Operating Force 130gf Ingress Protection - Features Grounding Pin		
CategorySwitchesPackage-SeriesEVQQ2CircuitSPST-NOSwitch FunctionOff-MomContact Rating @ Voltage0.02A @ 15VDCActuator TypeStandardMounting TypeSurface MountActuator Height off PCB, Vertical2.50mmActuator Length, Right Angle-Actuator OrientationTop ActuatedTermination StyleJ LeadOutline6.60mm x 6.00mmIlluminationNon-IlluminatedIllumination Type, Color-Illumination Voltage (Nominal)-Operating Force130gfIngress Protection-FeaturesGrounding Pin	Manufacturer Part Number	EVQ-Q2M02W
Package - Series EVQQ2 Circuit SPST-NO Switch Function Off-Mom Contact Rating @ Voltage 0.02A @ 15VDC Actuator Type Standard Mounting Type Surface Mount Actuator Height off PCB, Vertical 2.50mm Actuator Length, Right Angle - Catuator Orientation Top Actuated Termination Style J Lead Outline 6.60mm x 6.00mm Illumination Type, Color - Illumination Type, Color - Illumination Voltage (Nominal) - COperating Force 130gf Ingress Protection - Features Grounding Pin	Manufacturer	Panasonic Electronic Components
Package-SeriesEVQQ2CircuitSPST-NOSwitch FunctionOff-MomContact Rating @ Voltage0.02A @ 15VDCActuator TypeStandardMounting TypeSurface MountActuator Height off PCB, Vertical2.50mmActuator Length, Right Angle-Actuator OrientationTop ActuatedTermination StyleJ LeadOutline6.60mm x 6.00mmIlluminationNon-IlluminatedIllumination Type, Color-Illumination Voltage (Nominal)-Operating Force130gfIngress Protection-FeaturesGrounding Pin	Category	Switches
Series EVQQ2 Circuit SPST-NO Switch Function Off-Mom Contact Rating @ Voltage 0.02A @ 15VDC Actuator Type Standard Mounting Type Surface Mount Actuator Height off PCB, Vertical 2.50mm Actuator Length, Right Angle - Actuator Orientation Top Actuated Termination Style J Lead Outline 6.60mm x 6.00mm Illumination Non-Illuminated Illumination Type, Color - Illumination Voltage (Nominal) - Operating Force 130gf Ingress Protection - Features Grounding Pin		Tactile Switches
Circuit SPST-NO Switch Function Off-Mom Contact Rating @ Voltage 0.02A @ 15VDC Actuator Type Standard Mounting Type Surface Mount Actuator Height off PCB, Vertical 2.50mm Actuator Length, Right Angle - Actuator Orientation Top Actuated Termination Style J Lead Outline 6.60mm x 6.00mm Illumination Non-Illuminated Illumination Type, Color - Illumination Voltage (Nominal) - Operating Force 130gf Ingress Protection - Features Grounding Pin	Package	-
Switch Function Contact Rating @ Voltage Actuator Type Standard Mounting Type Surface Mount Actuator Height off PCB, Vertical Actuator Length, Right Angle - Actuator Orientation Top Actuated Termination Style Outline 6.60mm x 6.00mm Illumination Illumination Type, Color Illumination Type, Color Illumination Voltage (Nominal) Operating Force Ingress Protection Features Grounding Pin	Series	EVQQ2
Contact Rating @ Voltage 0.02A @ 15VDC Actuator Type Standard Mounting Type Surface Mount Actuator Height off PCB, Vertical 2.50mm Actuator Length, Right Angle - Actuator Orientation Top Actuated Termination Style J Lead Outline 6.60mm x 6.00mm Illumination Non-Illuminated Illumination Type, Color - Illumination Voltage (Nominal) - Operating Force 130gf Ingress Protection - Features Grounding Pin	Circuit	SPST-NO
Actuator Type Surface Mount Actuator Height off PCB, Vertical 2.50mm Actuator Length, Right Angle - Actuator Orientation Top Actuated Termination Style J Lead Outline 6.60mm x 6.00mm Illumination Type, Color - Illumination Voltage (Nominal) - Operating Force 130gf Ingress Protection - Features Grounding Pin	Switch Function	Off-Mom
Mounting Type Actuator Height off PCB, Vertical Actuator Length, Right Angle Actuator Orientation Top Actuated Termination Style J Lead Outline 6.60mm x 6.00mm Illumination Non-Illuminated Illumination Type, Color Illumination Voltage (Nominal) Operating Force 130gf Ingress Protection Features Surface Mount 2.50mm Non-Actuated	Contact Rating @ Voltage	0.02A @ 15VDC
Actuator Height off PCB, Vertical Actuator Length, Right Angle - Actuator Orientation Top Actuated Termination Style Outline 6.60mm x 6.00mm Illumination Non-Illuminated Illumination Type, Color Illumination Voltage (Nominal) Operating Force Ingress Protection Features 2.50mm 2.50mm Actuator Operation Top Actuated Non-Actuated J Lead 6.60mm x 6.00mm Non-Illuminated - Color - Color Ingress Protection Grounding Pin	Actuator Type	Standard
Actuator Length, Right Angle Actuator Orientation Top Actuated Termination Style J Lead Outline 6.60mm x 6.00mm Illumination Non-Illuminated Illumination Type, Color - Illumination Voltage (Nominal) Operating Force 130gf Ingress Protection Features Grounding Pin	Mounting Type	Surface Mount
Actuator Orientation Top Actuated Termination Style J Lead Outline 6.60mm x 6.00mm Illumination Non-Illuminated Illumination Type, Color - Illumination Voltage (Nominal) - Operating Force 130gf Ingress Protection - Features Grounding Pin	Actuator Height off PCB, Vertical	2.50mm
Termination Style Outline 6.60mm x 6.00mm Illumination Non-Illuminated Illumination Type, Color - Illumination Voltage (Nominal) Operating Force 130gf Ingress Protection Features Grounding Pin	Actuator Length, Right Angle	-
Outline 6.60mm x 6.00mm Illumination Non-Illuminated Illumination Type, Color - Illumination Voltage (Nominal) - Operating Force 130gf Ingress Protection - Features Grounding Pin	Actuator Orientation	Top Actuated
IlluminationNon-IlluminatedIllumination Type, Color-Illumination Voltage (Nominal)-Operating Force130gfIngress Protection-FeaturesGrounding Pin	Termination Style	J Lead
Illumination Type, Color Illumination Voltage (Nominal) Operating Force 130gf Ingress Protection Features Grounding Pin	Outline	6.60mm x 6.00mm
Illumination Voltage (Nominal) Operating Force 130gf Ingress Protection Features Grounding Pin	Illumination	Non-Illuminated
Operating Force 130gf Ingress Protection - Features Grounding Pin	Illumination Type, Color	-
Ingress Protection - Features Grounding Pin	Illumination Voltage (Nominal)	-
Features Grounding Pin	Operating Force	130gf
	Ingress Protection	-
Panort arrors?	Features	Grounding Pin
Report errors:		Report errors?

EVQ-Q2M02W Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

EVQ-Q2M02W Payment Methods

































If you have any question about EVQ-Q2M02W, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com