


EXB-F10V152G

EXB-F10V152G Information



Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.



EXB-F10V152G Specifications

Manufacturer Part NumberEXB-F10V152GManufacturerPanasonic Electronic ComponentsCategoryResistorsCategoryResistor Networks, ArraysPackage10-SIPSeriesEXBCircuit TypeIsolatedResistance (Ohms)1.5kTolerance±2%Number of Resistors5Number of Pins10Power Per Element200mWOperating Temperature200mWOperating Temperature-5°C ~ 125°CApplications-Nunting TypeInsuge HoleSupplier Device Package10-SIPSize / Dimension0.SIPSize / DimensionSize / D		
CategoryResistorsResistor Networks, ArraysPackage10-SIPSeriesEXBCircuit TypeIsolatedResistance (Ohms)1.5kTolerance±2%Number of Resistors5Number of Pins10Power Per Element200mWOperating Temperature55°C ~ 125°CApplications-Mounting TypeThough HolePackage / Case0.SIPSupplier Device Package0.SIPStez / Dimension0.986°L x 0.100°W (25.04mm x 2.54mm)Height - Seated (Max)0.195° (4.95mm)	Manufacturer Part Number	EXB-F10V152G
IntegrationResistor Networks, ArraysPackageIo-SIPSeriesEXBCircuit TypeIsolatedResistance (Ohms)1.5kTolerance±2%Number of Resistors5Number of Pins10Power Per Element200mWTemperature Coefficient±200pm/°COperating Temperature-55°C ~ 125°CApplications-Package / Case10-SIPSupplier Device Package10-SIPSupplier Device Package0.986° L x 0.100° W (25.04mm x 2.54mm)Height - Seated (Max)0.195° (4.95mm)	Manufacturer	Panasonic Electronic Components
Package10-SIPSeriesEXBCircuit TypeIsolatedResistance (Ohms)1.5kTolerance±2%Number of Resistors5Number of Pins10Power Per Element200mWOperating Temperature±200pm/°COperating Temperature-55°C ~ 125°CApplications-Package / Case10-SIPSupplier Device Package10-SIPSipplier Device Package0.986° L x 0.100° W (25.04mm x 2.54mm)Height - Seated (Max)0.195" (4.95mm)	Category	Resistors
SeriesEXBCircuit TypeIsolatedResistance (Ohms)1.5kTolerance±2%Number of Resistors5Number of Resistors10Power Per Element200mWOperating Temperature±200pm/°COperating Temperature-55°C ~ 125°CApplications-Power Pre Element10Souphi Pre Element±200pm/°COperating Temperature-55°C ~ 125°CApplications-Supplier Device Package10-SIPSupplier Device Package0.9SI°L x 0.100"W (25.04mm x 2.54mm)Height - Seated (Max)0.195" (4.95mm)		Resistor Networks, Arrays
Circuit TypeIsolatedResistance (Ohms)1.5kTolerance±2%Number of Resistors5Number of Pins10Power Per Element200mWTemperature Coefficient±200pm/°COperating Temperature-55°C ~ 125°CApplications-Pounting TypeInough HolePackage / Case10-SIPSupplier Device Package0.986" L x 0.100" W (25.04mm x 2.54mm)Height - Seated (Max)0.195" (4.95mm)	Package	10-SIP
Resistance (Ohms)1.5kTolerance±2%Number of Resistors5Number of Resistors10Power Per Element200mWTemperature Coefficient±200pm/°COperating Temperature-55°C ~ 125°CApplications-Mounting TypeThrough HolePackage / Case10-SIPSupplier Device Package0.986" L x 0.100" W (25.04mm x 2.54mm)Height - Seated (Max)0.195" (4.95mm)	Series	EXB
Tolerance±2%Number of Resistors5Number of Pins10Power Per Element200mWTemperature Coefficient±200pm/°COperating Temperature-55°C ~ 125°CApplications-Mounting TypeThrough HolePackage / Case10-SIPSupplier Device Package10-SIPSize / Dimension.986° L x 0.100° W (25.04mm x 2.54mm)Height - Seated (Max).195° (4.95mm)	Circuit Type	Isolated
Number of Resistors5Number of Pins10Power Per Element200mWTemperature Coefficient±200pm/°COperating Temperature-55°C ~ 125°CApplications-Mounting TypeThrough HolePackage / Case10-SIPSupplier Device Package0.986" L x 0.100" W (25.04mm x 2.54mm)Height - Seated (Max)0.195" (4.95mm)	Resistance (Ohms)	1.5k
Number of Pins10Power Per Element200mWTemperature Coefficient±200pm/°COperating Temperature-55°C ~ 125°CApplications-Mounting TypeThrough HolePackage / Case10-SIPSupplier Device Package0.986" L x 0.100" W (25.04mm x 2.54mm)Height - Seated (Max)0.195" (4.95mm)	Tolerance	±2%
Power Per Element200mWPower Per Element200pm/°CTemperature Coefficient±200pm/°COperating Temperature-55°C ~ 125°CApplications-Mounting TypeThrough HolePackage / Case10-SIPSupplier Device Package10-SIPSize / Dimension0,986" L x 0.100" W (25.04mm x 2.54mm)Height - Seated (Max)0,195" (4.95mm)	Number of Resistors	5
Temperature Coefficient±200ppm/°COperating Temperature-55°C ~ 125°CApplications-Mounting TypeThrough HolePackage / Case10-SIPSupplier Device Package0.986" L x 0.100" W (25.04mm x 2.54mm)Size / Dimension0.195" (4.95mm)	Number of Pins	10
Operating Temperature-55°C ~ 125°CApplications-Mounting TypeThrough HolePackage / Case10-SIPSupplier Device Package10-SIPSize / Dimension0.986" L x 0.100" W (25.04mm x 2.54mm)Height - Seated (Max)0.195" (4.95mm)	Power Per Element	200mW
Applications-Applications-Mounting TypeThrough HolePackage / Case10-SIPSupplier Device Package10-SIPSize / Dimension0.986" L x 0.100" W (25.04mm x 2.54mm)Height - Seated (Max)0.195" (4.95mm)	Temperature Coefficient	±200ppm/°C
Mounting TypeThrough HolePackage / Case10-SIPSupplier Device Package10-SIPSize / Dimension0.986" L x 0.100" W (25.04mm x 2.54mm)Height - Seated (Max)0.195" (4.95mm)	Operating Temperature	-55°C ~ 125°C
Package / Case 10-SIP Supplier Device Package 10-SIP Size / Dimension 0.986" L x 0.100" W (25.04mm x 2.54mm) Height - Seated (Max) 0.195" (4.95mm)	Applications	-
Supplier Device Package10-SIPSize / Dimension0.986" L x 0.100" W (25.04mm x 2.54mm)Height - Seated (Max)0.195" (4.95mm)	Mounting Type	Through Hole
Size / Dimension 0.986" L x 0.100" W (25.04mm x 2.54mm) Height - Seated (Max) 0.195" (4.95mm)	Package / Case	10-SIP
Height - Seated (Max) 0.195" (4.95mm)	Supplier Device Package	10-SIP
-	Size / Dimension	0.986" L x 0.100" W (25.04mm x 2.54mm)
Report errors?	Height - Seated (Max)	0.195" (4.95mm)
		Report errors?

EXB-F10V152G Guarantees



Quality Guarantees

We provide 90 days warranty. * If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.

SERVICE EUARANTEE

Service Guarantees

We guarantee 100% customer satisfaction. Our experienced sales team and tech support team back our services to satisfy all our customers.

EXB-F10V152G Payment Methods



EXB-F10V152G Shipping Methods



If you have any question about EXB-F10V152G, please do not hesitate to contact us! Website: https://www.heisener.com E-mail: salesdept@heisener.com