

EZ1588CM-3.3TRT

Quote

EZ1588CM-3.3TRT Information

Heisener.com	Part Number	EZ1588CM-3.3TRT	
	Manufacturer	Semtech Corporation	1 115733
	Category	Integrated Circuits (ICs) PMIC - Voltage Regulators - Linear	
	Description	IC REG LINEAR 3.3V 2A TO263	- 36.847
	Package	TO-263-4, D2Pak (3 Leads + Tab), TO-263AA	
		For the pricing/inventory/lead time, please contact us	шелж
For Reference Only		Website: https://www.heisener.com E-mail: salesdept@heisener.com	Request a

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.



EZ1588CM-3.3TRT Specifications

Manufacturer Semtech Corporation Manufacturer Semtech Corporation Manufacturer Semtech Corporation Manufacturer Semtech Corporation Package TO-263-4, D2Pak (3 Leads + Tab), TO-263AA Package - Output Configuration Positive Output Type Fixed Number of Regulators 1 Voltage - Input (Max) 7V Voltage - Output (Min/Fixed) 3.3V Voltage - Output (Max) - Voltage - Output (Max) - Voltage Doupout (Max) - Current - Output 2A Current - Quiescent (Iq) - Current - Supply (Max) 13mA PSRR 72dB (120Hz) Control Features - Protection Features Over Current, Over Temperature Operating Temperature 0°C ~ 125°C Mounting Type Surface Mount Package / Case TO-263-4, D2Pak (3 Leads + Tab), TO-263AA		
Category Integrated Cruits (ICs) PMIC - Voltage Regulators - Linear Package TO-263-4, D2Pak (3 Leads + Tab), TO-263AA Series - Output Configuration Positive Output Type Fixed Number of Regulators 1 Voltage - Input (Max) 7V Voltage - Output (Min/Fixed) 3.3V Voltage - Output (Max) - Voltage Dropout (Max) - Current - Output 2A Current - Quiescent (Iq) - Current - Supply (Max) 13mA PSRR 72dB (120Hz) Control Features Over Current, Over Temperature Operating Temperature 0ver Current, Over Temperature Operating Temperature Surface Mount Package / Case Surface Mount Package / Case TO-2634, D2Pak (3 Leads + Tab), TO-263AA	Manufacturer Part Number	EZ1588CM-3.3TRT
PMIC - Voltage Regulators - LinearPackageTO-263-4, D2Pak (3 Leads + Tab), TO-263AASeries-Output ConfigurationPositiveOutput TypeFixedNumber of Regulators1Voltage - Input (Max)7VVoltage - Output (Min/Fixed)3.3VVoltage - Output (Max)-Voltage - Output (Max)-Current - Output2ACurrent - Output-Current - Quiescent (Iq)-Current - Supply (Max)13mAPSRR72dB (120Hz)Control Features-Protection FeaturesOver Current, Over TemperatureOperating Temperature0°C ~ 125°CMounting TypeSurface MountPackage / CaseTO-2634, D2Pak (3 Leads + Tab), TO-263AASupplier Device PackageTO-263	Manufacturer	Semtech Corporation
PackageTO-263-4, D2Pak (3 Leads + Tab), TO-263AASeries-Output ConfigurationPositiveOutput TypeFixedNumber of Regulators1Voltage - Input (Max)7VVoltage - Output (Min/Fixed)3.3VVoltage - Output (Max)-Voltage Dropout (Max)-Current - Output2ACurrent - Quiescent (Iq)-Current - Supply (Max)13mAPSRR72dB (120Hz)Potection Features-Protection Features0°C ~ 125°CMounting TypeSurface MountPackage / CaseTO-2634, D2Pak (3 Leads + Tab), TO-263AASupplier Device PackageTO-263	Category	Integrated Circuits (ICs)
Series-Output ConfigurationPositiveOutput TypeFixedNumber of Regulators1Voltage - Input (Max)7VVoltage - Output (Min/Fixed)3.3VVoltage - Output (Max)-Voltage - Output (Max)-Voltage Dropout (Max)-Current - Output2ACurrent - Output13mAPSRR72dB (120Hz)Control Features-Protection FeaturesOver Current, Over TemperatureOperating Temperature0°C ~ 125°CMounting TypeSurface MountPackage / CaseTO-2634, D2Pak (3 Leads + Tab), TO-263AA		PMIC - Voltage Regulators - Linear
Output ConfigurationPositiveOutput TypeFixedNumber of Regulators1Voltage - Input (Max)7VVoltage - Output (Min/Fixed)3.3VVoltage - Output (Max)-Voltage - Output (Max)-Voltage Dropout (Max)-Current - Output2ACurrent - Output13mAPSRR72dB (120Hz)Control FeaturesOver Current, Over TemperatureOperating Temperature0°C ~ 125°CMounting TypeSurface MountPackage / CaseTO-2634, D2Pak (3 Leads + Tab), TO-263AASupplier Device PackageTO-263	Package	TO-263-4, D2Pak (3 Leads + Tab), TO-263AA
Output TypeFixedNumber of Regulators1Voltage - Input (Max)7VVoltage - Output (Min/Fixed)3.3VVoltage - Output (Max)-Voltage Dropout (Max)-Current - Output2ACurrent - Quiescent (Iq)-Current - Supply (Max)13mAPSRR72dB (120Hz)Control Features-Protection Features0ver Current, Over TemperatureOperating Temperature0ver Current, Over TemperaturePackage / CaseTO-263-4, D2Pak (3 Leads + Tab), TO-263AASupplier Device PackageTO-263	Series	-
Number of Regulators1Number of Regulators1Voltage - Input (Max)7VVoltage - Output (Min/Fixed)3.3VVoltage - Output (Max)-Voltage Dropout (Max)-Current - Output2ACurrent - Quiescent (Iq)-Current - Supply (Max)13mAPSRR72dB (120Hz)Control Features-Protection FeaturesOver Current, Over TemperatureOperating Temperature0°C ~ 125°CMounting TypeSurface MountPackage / CaseTO-263-4, D2Pak (3 Leads + Tab), TO-263AASupplier Device PackageTO-263	Output Configuration	Positive
Voltage - Input (Max) 7V Voltage - Output (Min/Fixed) 3.3V Voltage - Output (Max) - Voltage Dropout (Max) - Current - Output 2A Current - Quiescent (Iq) - Current - Supply (Max) 13mA PSRR 72dB (120Hz) Control Features - Protection Features Over Current, Over Temperature Operating Temperature 0°C ~ 125°C Mounting Type Surface Mount Package / Case TO-263-4, D2Pak (3 Leads + Tab), TO-263AA Supplier Device Package TO-263	Output Type	Fixed
Voltage - Output (Min/Fixed)3.3VVoltage - Output (Max)-Voltage Dropout (Max)-Current - Output2ACurrent - Quiescent (Iq)-Current - Supply (Max)13mAPSRR72dB (120Hz)Control Features-Protection FeaturesOver Current, Over TemperatureOperating Temperature0°C ~ 125°CMounting TypeSurface MountPackage / CaseTO-263-4, D2Pak (3 Leads + Tab), TO-263AA	Number of Regulators	1
Voltage - Output (Max)-Voltage Dropout (Max)-Current - Output2ACurrent - Quiescent (Iq)-Current - Supply (Max)13mAPSRR72dB (120Hz)Control Features-Protection FeaturesOver Current, Over TemperatureOperating Temperature0°C ~ 125°CMounting TypeSurface MountPackage / CaseTO-263-4, D2Pak (3 Leads + Tab), TO-263AASupplier Device PackageTO-263	Voltage - Input (Max)	7V
Voltage Dropout (Max)-Current - Output2ACurrent - Quiescent (Iq)-Current - Supply (Max)13mAPSRR72dB (120Hz)Control Features-Protection FeaturesOver Current, Over TemperatureOperating Temperature0°C ~ 125°CMounting TypeSurface MountPackage / CaseTO-263-4, D2Pak (3 Leads + Tab), TO-263AASupplier Device PackageTO-263	Voltage - Output (Min/Fixed)	3.3V
Current - Output2ACurrent - Quiescent (Iq)-Current - Supply (Max)13mAPSRR72dB (120Hz)Control Features-Protection FeaturesOver Current, Over TemperatureOperating Temperature0°C ~ 125°CMounting TypeSurface MountPackage / CaseTO-263-4, D2Pak (3 Leads + Tab), TO-263AASupplier Device PackageTO-263	Voltage - Output (Max)	-
Current - Quiescent (Iq)-Current - Supply (Max)13mAPSRR72dB (120Hz)Control Features-Protection FeaturesOver Current, Over TemperatureOperating Temperature0°C ~ 125°CMounting TypeSurface MountPackage / CaseTO-263-4, D2Pak (3 Leads + Tab), TO-263AASupplier Device PackageTO-263	Voltage Dropout (Max)	-
Current - Supply (Max)13mAPSRR72dB (120Hz)Control Features-Protection FeaturesOver Current, Over TemperatureOperating Temperature0°C ~ 125°CMounting TypeSurface MountPackage / CaseTO-263-4, D2Pak (3 Leads + Tab), TO-263AASupplier Device PackageTO-263	Current - Output	2A
PSRR72dB (120Hz)Control Features-Protection FeaturesOver Current, Over TemperatureOperating Temperature0°C ~ 125°CMounting TypeSurface MountPackage / CaseTO-263-4, D2Pak (3 Leads + Tab), TO-263AASupplier Device PackageTO-263	Current - Quiescent (Iq)	-
Control Features-Protection FeaturesOver Current, Over TemperatureOperating Temperature0°C ~ 125°CMounting TypeSurface MountPackage / CaseTO-263-4, D2Pak (3 Leads + Tab), TO-263AASupplier Device PackageTO-263	Current - Supply (Max)	13mA
Protection FeaturesOver Current, Over TemperatureOperating Temperature0°C ~ 125°CMounting TypeSurface MountPackage / CaseTO-263-4, D2Pak (3 Leads + Tab), TO-263AASupplier Device PackageTO-263	PSRR	72dB (120Hz)
Operating Temperature0°C ~ 125°CMounting TypeSurface MountPackage / CaseTO-263-4, D2Pak (3 Leads + Tab), TO-263AASupplier Device PackageTO-263	Control Features	-
Mounting TypeSurface MountPackage / CaseTO-263-4, D2Pak (3 Leads + Tab), TO-263AASupplier Device PackageTO-263	Protection Features	Over Current, Over Temperature
Package / CaseTO-263-4, D2Pak (3 Leads + Tab), TO-263AASupplier Device PackageTO-263	Operating Temperature	0° C ~ 125°C
Supplier Device Package TO-263	Mounting Type	Surface Mount
	Package / Case	TO-263-4, D2Pak (3 Leads + Tab), TO-263AA
Report errors ⁴	Supplier Device Package	TO-263
		Report errors?

EZ1588CM-3.3TRT Guarantees



Quality Guarantees

We provide 90 days warranty. * If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction. Our experienced sales team and tech support team back our services to satisfy all our customers.

EZ1588CM-3.3TRT Payment Methods



EZ1588CM-3.3TRT Shipping Methods



If you have any question about EZ1588CM-3.3TRT, please do not hesitate to contact us! Website: https://www.heisener.com E-mail: salesdept@heisener.com