

# FA-118T 26.0000MF10Z-AJ0

### FA-118T 26.0000MF10Z-AJ0 Information



| Part Number  | FA-118T 26.0000MF10Z-AJ0                               |
|--------------|--|
| Manufacturer | EPSON  |
| Category     | Crystals, Oscillators, Resonators<br>Crystals          |
| Description  | CRYSTAL 26.0000MHZ 8.0PF SMD                           |
| Package      | 4-SMD, No Lead   |
|              | For the pricing/inventory/lead time, please contact us |
|              | Website: https://www.heisener.com                      |
|              | E-mail: salesdept@heisener.com                         |



Request a Quote

For Reference Only

## **Certified Quality**

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.



# FA-118T 26.0000MF10Z-AJ0 Specifications

| Manufacturer Part Number   FA-118T 26.000MF10Z-AJ0     Manufacturer   EPSON     Category   Crystals, Oscillators, Resonators     Category   Crystals     Package   4.SMD, No Lead     Series   FA-118T     Type   MHz Crystal     Frequency   26MHz     Frequency Stability   ±10ppm     Frequency Tolerance   ±10ppm     Load Capacitance   8pF     ESR (Equivalent Series Resistance)   200 Ohm     Operating Temperature   4.0°C ~ 85°C     Ratings   -     Mounting Type   Surface Mount     Package / Case   4.SMD, No Lead     Size / Dimension   0.063" L x 0.047" W (1.60mm x 1.20mm) |                                    |                                       |                |
|---|------------------------------------|---------------------------------------|----------------|
| Category Crystals, Oscillators, Resonators   Crystals   Package 4-SMD, No Lead   Series FA-118T   Type MHz Crystal   Frequency 26MHz   Frequency Stability ±10ppm   Frequency Tolerance ±10ppm   Load Capacitance 8pF   Operating Mode Fundamental   Operating Tomperature 40°C ~ 85°C   Ratings -   Mounting Type Surface Mount   Package / Case 4.SMD, No Lead   Siz / Dimension Mol Case   Siz / Dimension 0.063" L x 0.047" W (1.60mm x 1.20mm)   Height - Seated (Max) 0.04" (0.35mm)  | Manufacturer Part Number           | FA-118T 26.0000MF10Z-AJ0              |                |
| CrystalsPackage4-SMD, No LeadSeriesFA-118TTypeMHz CrystalTypency26MHzFrequency Stability±10ppmFrequency Tolerance±10ppmLoad Capacitance8pFESR (Equivalent Series Resistance)200 OhmOperating Mode-40°C ~ 85°CRatings-Mounting TypeSurface MountPackage / Case-SMD, No LeadSize / Dimension0.063" L x 0.047" W (1.60mm x 1.20mm)Height - Seated (Max)0.014" (0.35mm)   | Manufacturer                       | EPSON                                 |                |
| Package4-SMD, No LeadSeriesFA-118TTypeMHz CrystalTrequency26MHzFrequency Stability±10ppmFrequency Tolerance±10ppmLoad Capacitance8pFESR (Equivalent Series Resistance)200 OhmOperating Temperature-40°C ~ 85°CRatings-Mounting TypeSurface MountPackage / Case4.SMD, No LeadSize / Dimension0.063" L x 0.047" W (1.60mm x 1.20mm)Height - Seated (Max)0.014" (0.35mm)   | Category                           | Crystals, Oscillators, Resonators     |                |
| SeriesFA-118TTypeMHz CrystalFrequency26MHzFrequency Stability±10pmFrequency Tolerance±10pmLoad Capacitance8pFSSR (Equivalent Series Resistance)200 OhmOperating ModeFundamentalOperating Temperature-40°C ~ 85°CRatings-Mounting TypeSurface MountPackage / Case4.5MD, No LeadSize / Dimension0.063" L x 0.047" W (1.60mm x 1.20mm)Height - Seated (Max)0.014" (0.35mm)   |                                    | Crystals                              |                |
| TypeMHz CrystalFrequency26MHzFrequency Stability±10pmFrequency Tolerance±10pmLoad Capacitance8pFESR (Equivalent Serisstance)200 OhmOperating ModeFundamentalOperating Temperature-40°C ~ 85°CRatings-Mounting TypeSurface MountPackage / Case4.SMD, No LeadSize / Dimension0.063" L x 0.047" W (1.60mm x 1.20mm)Height - Seated (Max)0.014" (0.35mm)  | Package                            | 4-SMD, No Lead                        |                |
| Frequency26MHzFrequency Stability±10ppmFrequency Tolerance±10ppmLoad Capacitance8pFESR (Equivalent Series Resistance)200 OhmOperating ModeFundamentalOperating Temperature-40°C ~ 85°CRatings-Mounting TypeSurface MountPackage / Case4-SMD, No LeadSize / Dimension0.063" L x 0.047" W (1.60mm x 1.20mm)Height - Seated (Max)0.014" (0.35mm)   | Series                             | FA-118T                               |                |
| Frequency Stability±10ppmFrequency Tolerance±10ppmLoad Capacitance8pFESR (Equivalent Series Resistance)200 OhmOperating ModeFundamentalOperating Temperature-40°C ~ 85°CRatings-Mounting TypeSurface MountPackage / Case4.SMD, No LeadSize / Dimension0.063" L x 0.047" W (1.60mm x 1.20mm)Height - Seated (Max)0.014" (0.35mm)   | Туре                               | MHz Crystal                           |                |
| Frequency Tolerance±10pmLoad Capacitance8pFESR (Equivalent Series Resistance)200 OhmOperating ModeFundamentalOperating Temperature-40°C ~ 85°CRatings-Mounting TypeSurface MountPackage / Case4-SMD, No LeadSize / Dimension0.063" L x 0.047" W (1.60mm x 1.20mm)Height - Seated (Max)0.014" (0.35mm)   | Frequency                          | 26MHz                                 |                |
| Load Capacitance8pFESR (Equivalent Series Resistance)200 OhmOperating ModeFundamentalOperating Temperature-40°C ~ 85°CRatings-Mounting TypeSurface MountPackage / Case4-SMD, No LeadSize / Dimension0.063" L x 0.047" W (1.60mm x 1.20mm)Height - Seated (Max)0.014" (0.35mm)   | Frequency Stability                | ±10ppm                                |                |
| ESR (Equivalent Series Resistance)200 OhmOperating ModeFundamentalOperating Temperature-40°C ~ 85°CRatings-Mounting TypeSurface MountPackage / Case4-SMD, No LeadSize / Dimension0.063" L x 0.047" W (1.60mm x 1.20mm)Height - Seated (Max)0.014" (0.35mm)  | Frequency Tolerance                | ±10ppm                                |                |
| Operating ModeFundamentalOperating Temperature-40°C ~ 85°CRatings-Mounting TypeSurface MountPackage / Case4-SMD, No LeadSize / Dimension0.063" L x 0.047" W (1.60mm x 1.20mm)Height - Seated (Max)0.014" (0.35mm)   | Load Capacitance                   | 8pF                                   |                |
| Operating Temperature -40°C ~ 85°C   Ratings -   Mounting Type Surface Mount   Package / Case 4-SMD, No Lead   Size / Dimension 0.063" L x 0.047" W (1.60mm x 1.20mm)   Height - Seated (Max) 0.014" (0.35mm)   | ESR (Equivalent Series Resistance) | 200 Ohm                               |                |
| Ratings-Mounting TypeSurface MountPackage / Case4-SMD, No LeadSize / Dimension0.063" L x 0.047" W (1.60mm x 1.20mm)Height - Seated (Max)0.014" (0.35mm)   | Operating Mode                     | Fundamental                           |                |
| Mounting TypeSurface MountPackage / Case4-SMD, No LeadSize / Dimension0.063" L x 0.047" W (1.60mm x 1.20mm)Height - Seated (Max)0.014" (0.35mm)   | Operating Temperature              | $-40^{\circ}$ C ~ $85^{\circ}$ C      |                |
| Package / Case   4-SMD, No Lead     Size / Dimension   0.063" L x 0.047" W (1.60mm x 1.20mm)     Height - Seated (Max)   0.014" (0.35mm)  | Ratings                            | -                                     |                |
| Size / Dimension   0.063" L x 0.047" W (1.60mm x 1.20mm)     Height - Seated (Max)   0.014" (0.35mm)  | Mounting Type                      | Surface Mount                         |                |
| Height - Seated (Max) 0.014" (0.35mm)   | Package / Case                     | 4-SMD, No Lead                        |                |
|   | Size / Dimension                   | 0.063" L x 0.047" W (1.60mm x 1.20mm) |                |
| Report errors?  | Height - Seated (Max)              | 0.014" (0.35mm)                       |                |
|   |                                    |                                       | Report errors? |

#### FA-118T 26.0000MF10Z-AJ0 Guarantees



#### **Quality Guarantees**

We provide 90 days warranty. \* If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



#### **Service Guarantees**

We guarantee 100% customer satisfaction. Our experienced sales team and tech support team back our services to satisfy all our customers.

## FA-118T 26.0000MF10Z-AJ0 Payment Methods



If you have any question about FA-118T 26.0000MF10Z-AJ0, please do not hesitate to contact us! Website: https://www.heisener.com E-mail: salesdept@heisener.com