

FA-128 25.0000MF10Z-K3

FA-128 25.0000MF10Z-K3 Information



Part Number	FA-128 25.0000MF10Z-K3	
Manufacturer	EPSON	
Category	Crystals, Oscillators, Resonators Crystals	
Description	CRYSTAL 25.00 MHZ 10.0PF SMD	
Package	4-SMD, No Lead	
	For the pricing/inventory/lead time, please contact us Website: https://www.heisener.com E-mail: salesdept@heisener.com	



Request a Quote

For Reference Only

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.



FA-128 25.0000MF10Z-K3 Specifications

CategoryCrystals, Oscillators, ResonatorsCategoryCrystals, Oscillators, ResonatorsPackage4-SMD, No LeadPackageFA-128SeriesMHz CrystalTypeMHz CrystalFrequency25MHzFrequency Stability±10pmFrequency Tolerance±10pmLoad Capacitance10pFESR (Equivalent Series Resistance)80 OhmOperating ModeFundamentalOperating Temperature-20°C ~75°CRatings-Munting TypeSurface Mount			
Category Crystals, Oscillators, Resonators Crystals Package 4-SMD, No Lead Series FA-128 Type MHz Crystal Frequency SofHz Frequency Stability ±10ppm Frequency Tolerance ±10ppm Load Capacitance 00F Operating Mode Fundamental Operating Temperature 20°C ~ 75°C Ratings - Mounting Type Surface Mount Package / Case 4-SMD, No Lead Siz / Dimension 0.079" L x 0.063" W (2.00mm x 1.60mm) Height - Seated (Max) 0.20" (0.50mm)	Manufacturer Part Number	FA-128 25.0000MF10Z-K3	
CrystalsPackage4-SMD, No LeadSeriesFA-128TypeMHz CrystalFrequency25MHzFrequency Stability±10ppmFrequency Tolerance±10ppmLoad Capacitance10pFESR (Equivalent Series Resistance)80 OhmOperating Mode-20°C ~ 75°CRatings-Mounting TypeSurface MountPackage / Case0.079" L x 0.063" W (2.00mm x 1.60mm)Height - Seated (Max)0.020" (0.50mm)	Manufacturer	EPSON	
Package4-SMD, No LeadSeriesFA-128TypeMHz CrystalTrequency25MHzFrequency Stability±10pmFrequency Tolerance±10pmLoad Capacitance10pFESR (Equivalent Series Resistance)80 OhmOperating Temperature-20°C ~75°CRatings-Mounting TypeSurface MountPackage / Case6.079" L x 0.063" W (2.00mm x 1.60mm)Height - Seated (Max)0.20" (0.50mm)	Category	Crystals, Oscillators, Resonators	
Series FA-128 Type MHz Crystal Frequency 25MHz Frequency Stability ±10ppm Frequency Tolerance ±10ppm Load Capacitance 10pF SSR (Equivalent Series Resistance) 80 Ohm Operating Mode Fundamental Operating Temperature -20°C ~ 75°C Ratings - Mounting Type Surface Mount Package / Case 4.5MD, No Lead Size / Dimension 0.079" L x 0.063" W (2.00mm x 1.60mm)		Crystals	
TypeMHz CrystalFrequency25MHzFrequency Stability±10pmFrequency Tolerance±10pmLoad Capacitance10pFESR (Equivalent Series Resistance)80 OhmOperating ModeFundamentalOperating Temperature-0°C ~ 75°CRatings-Mounting TypeSurface MountPackage / Case4.SMD, No LeadSize / Dimension0.020" (D.50mm x 1.60mm)	Package	4-SMD, No Lead	
Frequency25MHzFrequency Stability±10ppmFrequency Tolerance±10ppmLoad Capacitance10pFESR (Equivalent Series Resistance)80 OhmOperating ModeFundamentalOperating Temperature-20°C ~ 75°CRatings-Mounting TypeSurface MountPackage / Case4.SMD, No LeadSize / Dimension0.020" (0.50mm) x 1.60mm)	Series	FA-128	
Frequency Stability±10ppmFrequency Tolerance±10ppmLoad Capacitance10pFESR (Equivalent Series Resistance)80 OhmOperating ModeFundamentalOperating Temperature-20°C ~ 75°CRatings-Mounting TypeSurface MountPackage / Case4.SMD, No LeadSize / Dimension0.079" L x 0.063" W (2.00mm x 1.60mm)Height - Seated (Max)0.020" (0.50mm)	Туре	MHz Crystal	
Frequency Tolerance±10pmLoad Capacitance10pFESR (Equivalent Series Resistance)80 OhmOperating ModeFundamentalOperating Temperature-20°C ~ 75°CRatings-Mounting TypeSurface MountPackage / Case4-SMD, No LeadSize / Dimension0.079" L x 0.063" W (2.00mm x 1.60mm)Height - Seated (Max)0.020" (0.50mm)	Frequency	25MHz	
Load Capacitance10pFESR (Equivalent Series Resistance)80 OhmOperating ModeFundamentalOperating Temperature-20°C ~ 75°CRatings-Mounting TypeSurface MountPackage / Case4-SMD, No LeadSize / Dimension0.079" L x 0.063" W (2.00mm x 1.60mm)Height - Seated (Max)0.020" (0.50mm)	Frequency Stability	±10ppm	
ESR (Equivalent Series Resistance)80 OhmOperating ModeFundamentalOperating Temperature-20°C ~ 75°CRatings-Mounting TypeSurface MountPackage / Case4-SMD, No LeadSize / Dimension0.079" L x 0.063" W (2.00mm x 1.60mm)Height - Seated (Max)0.020" (0.50mm)	Frequency Tolerance	±10ppm	
Operating ModeFundamentalOperating Temperature-20°C ~ 75°CRatings-Mounting TypeSurface MountPackage / Case4-SMD, No LeadSize / Dimension0.079" L x 0.063" W (2.00mm x 1.60mm)Height - Seated (Max)0.020" (0.50mm)	Load Capacitance	10pF	
Operating Temperature-20°C ~ 75°CRatings-Mounting TypeSurface MountPackage / Case4-SMD, No LeadSize / Dimension0.079" L x 0.063" W (2.00mm x 1.60mm)Height - Seated (Max)0.020" (0.50mm)	ESR (Equivalent Series Resistance)	80 Ohm	
Ratings-Mounting TypeSurface MountPackage / Case4-SMD, No LeadSize / Dimension0.079" L x 0.063" W (2.00mm x 1.60mm)Height - Seated (Max)0.020" (0.50mm)	Operating Mode	Fundamental	
Mounting TypeSurface MountPackage / Case4-SMD, No LeadSize / Dimension0.079" L x 0.063" W (2.00mm x 1.60mm)Height - Seated (Max)0.020" (0.50mm)	Operating Temperature	-20°C ~ 75°C	
Package / Case 4-SMD, No Lead Size / Dimension 0.079" L x 0.063" W (2.00mm x 1.60mm) Height - Seated (Max) 0.020" (0.50mm)	Ratings	-	
Size / Dimension 0.079" L x 0.063" W (2.00mm x 1.60mm) Height - Seated (Max) 0.020" (0.50mm)	Mounting Type	Surface Mount	
Height - Seated (Max) 0.020" (0.50mm)	Package / Case	4-SMD, No Lead	
•	Size / Dimension	0.079" L x 0.063" W (2.00mm x 1.60mm)	
Report errors?	Height - Seated (Max)	0.020" (0.50mm)	
		Report error	rs?

FA-128 25.0000MF10Z-K3 Guarantees



Quality Guarantees

We provide 90 days warranty. * If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction. Our experienced sales team and tech support team back our services to satisfy all our customers.



If you have any question about FA-128 25.0000MF10Z-K3, please do not hesitate to contact us! Website: https://www.heisener.com E-mail: salesdept@heisener.com