

FA28X8R1H103KNU06

FA28X8R1H103KNU06 Information

Part Number FA28X8R1H103KNU06
Manufacturer TDK Corporation

Category Capacitors

Category Capacitors
Ceramic Capacitors

Description CAP CER 10000PF 50V X8R RADIAL

Package Radia

For the pricing/inventory/lead time, please contact

us

For Reference Only Website: https://www.heisener.com

E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

www.heisener.com

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









FA28X8R1H103KNU06 Specifications

Manufacturer Part Number FA28X8R1H103KNU06 Manufacturer TDK Corporation Category Capacitors Package Radial Series FA Capacitance 10000pF Tolerance ±10% Voltage - Rated 50V Temperature Coefficient X8R Operating Temperature -55°C ~ 150°C Features High Temperature Ratings AEC-Q200 Applications Automotive Failure Rate - Mounting Type Through Hole Package / Case Radial Size / Dimension 0.157" L x 0.098" W (4.00mm x 2.50mm)		
Category Capacitors Package Radial Series FA Capacitance 10000pF Tolerance ±10% Voltage - Rated 50V Temperature Coefficient X8R Operating Temperature -55°C ~ 150°C Features High Temperature Ratings AEC-Q200 Applications Automotive Failure Rate - Mounting Type Through Hole Package / Case Radial Size / Dimension 0.157" L x 0.098" W (4.00mm x 2.50mm)	Manufacturer Part Number	FA28X8R1H103KNU06
PackageRadialSeriesFACapacitance10000pFTolerance±10%Voltage - Rated50VTemperature CoefficientX8ROperating Temperature-55°C ~ 150°CFeaturesHigh TemperatureRatingsAEC-Q200ApplicationsAutomotiveFailure Rate-Mounting TypeThrough HolePackage / CaseRadialSize / Dimension0.157" L x 0.098" W (4.00mm x 2.50mm)	Manufacturer	TDK Corporation
PackageRadialSeriesFACapacitance10000pFTolerance±10%Voltage - Rated50VTemperature CoefficientX8ROperating Temperature-55°C ~ 150°CFeaturesHigh TemperatureRatingsAEC-Q200ApplicationsAutomotiveFailure Rate-Mounting TypeThrough HolePackage / CaseRadialSize / Dimension0.157" L x 0.098" W (4.00mm x 2.50mm)	Category	Capacitors
Series FA Capacitance 10000pF Tolerance ±10% Voltage - Rated 50V Temperature Coefficient X8R Operating Temperature -55°C ~ 150°C Features High Temperature Ratings AEC-Q200 Applications Automotive Failure Rate - Mounting Type Through Hole Package / Case Radial Size / Dimension 0.157" L x 0.098" W (4.00mm x 2.50mm)		Ceramic Capacitors
Capacitance10000pFTolerance±10%Voltage - Rated50VTemperature CoefficientX8ROperating Temperature-55°C ~ 150°CFeaturesHigh TemperatureRatingsAEC-Q200ApplicationsAutomotiveFailure Rate-Mounting TypeThrough HolePackage / CaseRadialSize / Dimension0.157" L x 0.098" W (4.00mm x 2.50mm)	Package	Radial
Tolerance ±10% Voltage - Rated 50V Temperature Coefficient X8R Operating Temperature -55°C ~ 150°C Features High Temperature Ratings AEC-Q200 Applications Automotive Failure Rate - Mounting Type Through Hole Package / Case Radial Size / Dimension 0.157" L x 0.098" W (4.00mm x 2.50mm)	Series	FA
Voltage - Rated 50V Temperature Coefficient X8R Operating Temperature -55°C ~ 150°C Features High Temperature Ratings AEC-Q200 Applications Automotive Failure Rate - Mounting Type Through Hole Package / Case Radial Size / Dimension 0.157" L x 0.098" W (4.00mm x 2.50mm)	Capacitance	10000pF
Temperature Coefficient X8R Operating Temperature -55°C ~ 150°C Features High Temperature Ratings AEC-Q200 Applications Automotive Failure Rate - Mounting Type Through Hole Package / Case Radial Size / Dimension X8R A8R -180°C High Temperature AEC-Q200 ATEC-Q200 AUTOMOTIVE AUTOMOTIVE AUTOMOTIVE AUTOMOTIVE -55°C ~ 150°C High Temperature AEC-Q200 AUTOMOTIVE AUTOMOTIVE -5000 AUTOMOTIVE AUTOMOTIVE -5000 -500	Tolerance	±10%
Operating Temperature Features High Temperature Ratings AEC-Q200 Applications Automotive Failure Rate - Mounting Type Through Hole Package / Case Radial Size / Dimension -55°C ~ 150°C High Temperature AEC-Q200 Automotive - Through Hole Radial 0.157" L x 0.098" W (4.00mm x 2.50mm)	Voltage - Rated	50V
Features High Temperature Ratings AEC-Q200 Applications Automotive Failure Rate - Mounting Type Through Hole Package / Case Radial Size / Dimension 0.157" L x 0.098" W (4.00mm x 2.50mm)	Temperature Coefficient	X8R
Ratings AEC-Q200 Applications Automotive Failure Rate - Mounting Type Through Hole Package / Case Radial Size / Dimension 0.157" L x 0.098" W (4.00mm x 2.50mm)	Operating Temperature	-55°C ~ 150°C
Applications Automotive Failure Rate - Mounting Type Through Hole Package / Case Radial Size / Dimension O.157" L x 0.098" W (4.00mm x 2.50mm)	Features	High Temperature
Failure Rate - Mounting Type Through Hole Package / Case Radial Size / Dimension 0.157" L x 0.098" W (4.00mm x 2.50mm)	Ratings	AEC-Q200
Mounting Type Through Hole Package / Case Radial Size / Dimension 0.157" L x 0.098" W (4.00mm x 2.50mm)	Applications	Automotive
Package / Case Radial Size / Dimension 0.157" L x 0.098" W (4.00mm x 2.50mm)	Failure Rate	-
Size / Dimension 0.157" L x 0.098" W (4.00mm x 2.50mm)	Mounting Type	Through Hole
	Package / Case	Radial
H 11 C 1 104	Size / Dimension	0.157" L x 0.098" W (4.00mm x 2.50mm)
Height - Seated (Max) U.21/" (5.50mm)	Height - Seated (Max)	0.217" (5.50mm)
Thickness (Max) -	Thickness (Max)	-
Lead Spacing 0.197" (5.00mm)	Lead Spacing	0.197" (5.00mm)
Lead Style Formed Leads - Kinked	Lead Style	Formed Leads - Kinked
Report errors		Report errors?

FA28X8R1H103KNU06 Guarantees



Ouality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

FA28X8R1H103KNU06 Payment Methods



















FA28X8R1H103KNU06 Shipping Methods













If you have any question about FA28X8R1H103KNU06, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com