

FBP-100 Information

Heisener.com

Part Number FBP-100
Manufacturer Eaton

Category Circuit Protection

Electrical, Specialty Fuses

DescriptionBUSS SEMI CONDUCTOR FUSEPackageCylindrical, Blade Terminal (Bolt)

For the pricing/inventory/lead time, please contact

us

Website: https://www.heisener.com E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

For Reference Only

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









FBP-100 Specifications

Manufacturer Part NumberFBP-100ManufacturerEatonCategoryCircuit ProtectionPackageCylindrical, Blade Terminal (Bolt)SeriesFBPFuse TypeCartridgeCurrent Rating100AVoltage Rating - AC700VVoltage Rating - DC700VResponse Time-ApplicationsSemiconductorsFeatures-Class-ApprovalsUROperating Temperature-Breaking Capacity @ Rated Voltage200kAMounting TypeBolt MountPackage / CaseCylindrical, Blade Terminal (Bolt)Size / Dimension0.811" Dia x 2.094" L (20.60mm x 53.20mm)		
CategoryCircuit ProtectionPackageCylindrical, Specialty FusesPackageCylindrical, Blade Terminal (Bolt)SeriesFBPFuse TypeCartridgeCurrent Rating100AVoltage Rating - AC700VVoltage Rating - DC700VResponse Time-ApplicationsSemiconductorsFeatures-Class-ApprovalsUROperating Temperature-Breaking Capacity @ Rated Voltage200kAMounting TypeBolt MountPackage / CaseCylindrical, Blade Terminal (Bolt)Size / Dimension0.811" Dia x 2.094" L (20.60mm x 53.20mm)	Manufacturer Part Number	FBP-100
Beckage Cylindrical, Blade Terminal (Bolt) Series FBP Fuse Type Cartridge Current Rating 100A Voltage Rating - AC 700V Voltage Rating - DC 700V Response Time -	Manufacturer	Eaton
Package Cylindrical, Blade Terminal (Bolt) Series FBP Fuse Type Cartridge Current Rating 100A Voltage Rating - AC 700V Voltage Rating - DC 700V Response Time - Applications Semiconductors Features - Class - Approvals UR Operating Temperature - Breaking Capacity @ Rated Voltage 200kA Mounting Type Bolt Mount Package / Case Cylindrical, Blade Terminal (Bolt) Size / Dimension 0.811" Dia x 2.094" L (20.60mm x 53.20mm)	Category	Circuit Protection
SeriesFBPFuse TypeCartridgeCurrent Rating100AVoltage Rating - AC700VVoltage Rating - DC700VResponse Time-ApplicationsSemiconductorsFeatures-Class-ApprovalsUROperating Temperature-Breaking Capacity @ Rated Voltage200kAMounting TypeBolt MountPackage / CaseCylindrical, Blade Terminal (Bolt)Size / Dimension0.811" Dia x 2.094" L (20.60mm x 53.20mm)		Electrical, Specialty Fuses
Fuse TypeCartridgeCurrent Rating100AVoltage Rating - AC700VVoltage Rating - DC700VResponse Time-ApplicationsSemiconductorsFeatures-Class-ApprovalsUROperating Temperature-Breaking Capacity @ Rated Voltage200kAMounting TypeBolt MountPackage / CaseCylindrical, Blade Terminal (Bolt)Size / Dimension0.811" Dia x 2.094" L (20.60mm x 53.20mm)	Package	Cylindrical, Blade Terminal (Bolt)
Current Rating Voltage Rating - AC 700V Voltage Rating - DC 700V Response Time - Applications Semiconductors Features - Class - Approvals UR Operating Temperature Breaking Capacity @ Rated Voltage Mounting Type Bolt Mount Package / Case Size / Dimension 100A 700V 700V 700V 8emiconductors - Class -	Series	FBP
Voltage Rating - AC Voltage Rating - DC Response Time - Applications Semiconductors Features - Class - Approvals UR Operating Temperature Breaking Capacity @ Rated Voltage Mounting Type Bolt Mount Package / Case Semiconductors - Class - Class - Approvals UR Operating Temperature Cuplindrical, Blade Terminal (Bolt) Size / Dimension Outpublications 700V	Fuse Type	Cartridge
Voltage Rating - DC Response Time - Applications Semiconductors Features - Class - Approvals UR Operating Temperature Breaking Capacity @ Rated Voltage Mounting Type Bolt Mount Package / Case Cylindrical, Blade Terminal (Bolt) Size / Dimension 700V 700V 700V 700V 8emiconductors - UR - Class - Cylindrical, Blade Terminal (Bolt) 0.811" Dia x 2.094" L (20.60mm x 53.20mm)	Current Rating	100A
Response Time Applications Semiconductors Features - Class - Approvals Operating Temperature Breaking Capacity @ Rated Voltage Mounting Type Bolt Mount Package / Case Cylindrical, Blade Terminal (Bolt) Size / Dimension - Class - Class CuR CuR CuR CuR Culs Culs Culs Culs Culs Culs Culs Culs	Voltage Rating - AC	700V
Applications Features - Class - Approvals Operating Temperature Breaking Capacity @ Rated Voltage Mounting Type Bolt Mount Package / Case Cylindrical, Blade Terminal (Bolt) Size / Dimension Semiconductors - Semiconductors - Breaking Capacity UR - Bolt Mount Cylindrical, Blade Terminal (Bolt) 0.811" Dia x 2.094" L (20.60mm x 53.20mm)	Voltage Rating - DC	700V
Features - Class - Class - Class - Class UR Operating Temperature - Class Capacity @ Rated Voltage 200kA Bolt Mounting Type Bolt Mount Package / Case Cylindrical, Blade Terminal (Bolt) Size / Dimension 0.811" Dia x 2.094" L (20.60mm x 53.20mm)	Response Time	-
Class - Approvals UR Operating Temperature - Eracking Capacity @ Rated Voltage 200kA Mounting Type Bolt Mount Package / Case Cylindrical, Blade Terminal (Bolt) Size / Dimension 0.811" Dia x 2.094" L (20.60mm x 53.20mm)	Applications	Semiconductors
Approvals Operating Temperature Breaking Capacity @ Rated Voltage Mounting Type Bolt Mount Package / Case Cylindrical, Blade Terminal (Bolt) Size / Dimension UR Culture Culture Cylindrical, Blade Terminal (Bolt) Output Dimension Output Dimension	Features	-
Operating Temperature Breaking Capacity @ Rated Voltage Mounting Type Bolt Mount Package / Case Cylindrical, Blade Terminal (Bolt) Size / Dimension 0.811" Dia x 2.094" L (20.60mm x 53.20mm)	Class	-
Breaking Capacity @ Rated Voltage 200kA Mounting Type Bolt Mount Package / Case Cylindrical, Blade Terminal (Bolt) Size / Dimension 0.811" Dia x 2.094" L (20.60mm x 53.20mm)	Approvals	UR
Mounting Type Bolt Mount Package / Case Cylindrical, Blade Terminal (Bolt) Size / Dimension 0.811" Dia x 2.094" L (20.60mm x 53.20mm)	Operating Temperature	-
Package / Case Cylindrical, Blade Terminal (Bolt) Size / Dimension 0.811" Dia x 2.094" L (20.60mm x 53.20mm)	Breaking Capacity @ Rated Voltage	200kA
Size / Dimension 0.811" Dia x 2.094" L (20.60mm x 53.20mm)	Mounting Type	Bolt Mount
	Package / Case	Cylindrical, Blade Terminal (Bolt)
Papart arrows?	Size / Dimension	0.811" Dia x 2.094" L (20.60mm x 53.20mm)
Report errors?		Report errors?

FBP-100 Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

FBP-100 Payment Methods





















FBP-100 Shipping Methods













If you have any question about FBP-100, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com